# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

## IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

## JANUARY 1893.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of January 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3984 children, of whom 2036 were males, and 1948 females. Of these, 3657 were legitimate, and 327 illegitimate, being in the proportion of one illegitimate in every 12·2 Births; or the illegitimate Births constituted 8·2 per cent. of the whole. In Perth, 6·5 per cent. of the Births were illegitimate; in Paisley, 6·7; in Greenock, 7·1; in Glasgow, 7·5; in Leith, 7·7; in Edinburgh, 8·6; in Dundee, 9·7; and in Aberdeen, 11·5 per cent.

During January, 1562 Marriages were registered in the same Towns. Taking into account the natural increase of the population, this number is 4 below the average for January during the last ten years.

The Deaths of 3275 persons were recorded in these Towns during the month under review. Of these 1576 were males, and 1699 females. When allowance is made for the natural increase of the population, this number is seen to be 295 above the average for the corresponding month during the last ten years.

A comparison of the Deaths registered shows that during January the mortality was at the annual rate of 20·2 per thousand persons in Aberdeen, 21·6 in Greenock, 25·6 in Perth, 25·9 in Paisley, 26·2 in Leith, 26·3 in Edinburgh, 27·2 in Dundee, and 27·8 in Glasgow.

Of the 1601 Deaths registered in Glasgow, 318 were of children under one year of age, and 304 of persons over 60 years; of the 599 in Edinburgh, 106 were under one, and 156 over 60; of the 362 in Dundee, 90 were under one, and 88 over 60; of the 222 in Aberdeen, 44 were under one, and 64 over 60; of the 158 in Leith, 34 were under one, and 31 over 60; of the 152 in Paisley, 32 were under one, and 37 over 60; of the 115 in Greenock, 14 were under one, and 28 over 60; and of the 66 in Perth, 3 were under one year, and 35 over 60 years.

Of the whole 3275 Deaths, 1291, or 39·4 per cent., were of children under five years of age. In Perth, 12·1 per cent. of the persons who died were under five years; in Greenock, 30·4; in Aberdeen, 32·9; in Edinburgh, 33·4; in Paisley, 38·2; in Glasgow, 41·4; in Dundee, 46·7; and in Leith, 53·8 per cent.

Miasmatic Diseases caused 501 Deaths, or 15·3 per cent. of the whole mortality. This rate was slightly exceeded in Glasgow, and to a greater extent in Aberdeen and Leith, owing mainly to the prevalence of Measles in these towns.

Small-pox proved fatal in 5 cases, all of which occurred in Glasgow.

The continued prevalence of Measles again places it at the head of the Zymotic Diseases in point of fatality. In all, 307 deaths were ascribed to this disease, Measles being thus responsible for 9·4 per cent. of the total mortality. 136 deaths in Glasgow, or 8·5 per cent. of the whole mortality in that city; 64 in Edinburgh, or 10·7 per cent.; 57 in Dundee, or 15·7 per cent.; and 32 in Leith, or 20·3 per cent., were due to Measles.

Hooping-Cough came next among the Zymotics with 69 deaths, 55 of which occurred in Glasgow. Scarlatina caused 50 deaths, 30 of these taking place in Glasgow, and 11 in Edinburgh; Diarrhœa and Dysentery, 42; Diphtheria, 39; Simple Cholera, 1; and Puerperal Fever, 12.

To Fevers 15 deaths were attributed, 14 of which were classed as Enteric, and 1 as Typhus Fever. The death from Typhus was reported from Dundee.

Intemperance was assigned as the cause of 13 deaths, 10 being attributed to Chronic Alcoholism, and 3 to Delirium Tremens.

Apoplexy caused 81 Deaths; Paralysis, 62; Diseases of the Heart, 251; and Premature Birth Debility, 75.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 922, or 28·2 per cent. of the whole. Those from Consumption alone numbered 247, or 7·5 per cent. Croup caused 32 Deaths.

To Violent Causes 115 deaths were ascribed, of which 2 were stated to be suicidal. Hanging in the one case and Cut Throat in the other, were the means adopted by the persons who committed suicide.

4 males and 9 females were aged 90 years and upwards. The oldest of these who is described as a 'Waste Dealer' (male), was aged 97 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

JANUARY 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 577,419 | 658,198 | 677,883 | 981 | 942 | 1923 | 1778 | 145 | 808 | 783 | 818 | 1601 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 339 | 301 | 640 | 585 | 55 | 200 | 278 | 321 | 599 |
| DUNDEE, . . | 140,239 | 153,308 | 156,947 | 181 | 221 | 402 | 363 | 39 | 212 | 178 | 184 | 362 |
| ABERDEEN, . | 106,397 | 124,943 | 129,543 | 193 | 165 | 358 | 317 | 41 | 124 | 101 | 121 | 222 |
| LEITH, . . | 59,485 | 68,707 | 70,972 | 108 | 99 | 207 | 191 | 16 | 61 | 67 | 91 | 158 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 100 | 94 | 194 | 181 | 13 | 73 | 80 | 72 | 152 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 92 | 91 | 183 | 170 | 13 | 47 | 63 | 52 | 115 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 42 | 35 | 77 | 72 | 5 | 37 | 26 | 40 | 66 |
| TOTAL, . | 1,269,520 | 1,426,359 | 1,465,194 | 2036 | 1948 | 3984 | 3657 | 327 | 1562 | 1576 | 1699 | 3275 |
| JANUARY 1892, . . . | Mean Temp. 36°·5 | | | 1949 | 1757 | 3706 | 3434 | 272 | 1623 | 1429 | 1537 | 2966 |
| JANUARY 1891, . . . | Mean Temp. 36°·6 | | | 1989 | 1860 | 3849 | 3552 | 297 | 1421 | 1435 | 1605 | 3040 |
| JANUARY 1890, . . . | Mean Temp. 41°·8 | | | 1925 | 1883 | 3808 | 3488 | 320 | 1466 | 1599 | 1500 | 3099 |
| JANUARY 1889, . . . | Mean Temp. 39°·6 | | | 1952 | 1746 | 3698 | 3394 | 304 | 1370 | 1229 | 1308 | 2537 |
| JANUARY 1888, . . . | Mean Temp. 39°·0 | | | 1886 | 1738 | 3624 | 3318 | 306 | 1759 | 1308 | 1399 | 2707 |
| JANUARY 1887, . . . | Mean Temp. 38°·6 | | | 1903 | 1779 | 3682 | 3315 | 367 | 1366 | 1357 | 1413 | 2770 |
| JANUARY 1886, . . . | Mean Temp. 34°·9 | | | 1983 | 1821 | 3804 | 3480 | 324 | 1359 | 1118 | 1254 | 2372 |
| JANUARY 1885, . . . | Mean Temp. 36°·7 | | | 1981 | 1849 | 3830 | 3474 | 356 | 1334 | 1610 | 1561 | 3171 |
| JANUARY 1884, . . . | Mean Temp. 41°·0 | | | 1939 | 1847 | 3786 | 3455 | 331 | 1444 | 1216 | 1198 | 2414 |
| JANUARY 1883, . . . | Mean Temp. 39°·4 | | | 2033 | 1962 | 3995 | 3629 | 366 | 1605 | 1473 | 1516 | 2989 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of January 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 5 | 15 | 17 | 2 | 4 | 6 | 1 |
| 2. Camlachie, . | 0 | 1 | 1 | 1 | 9 | 0 | 0 |
| 3. Dennistoun, . | 0 | 16 | 0 | 0 | 5 | 0 | 3 |
| 4. Calton, . | 0 | 1 | 0 | 0 | 1 | 1 | 1 |
| 5. Blackfriars, . | 0 | 9 | 0 | 1 | 0 | 0 | 0 |
| 6. St Rollox, . | 0 | 16 | 3 | 3 | 8 | 0 | 1 |
| 7. Blythswood, . | 0 | 8 | 0 | 1 | 0 | 0 | 1 |
| 8. Milton, . | 0 | 15 | 4 | 1 | 3 | 0 | 0 |
| 9. Kelvin, . | 0 | 10 | 1 | 2 | 1 | 0 | 0 |
| 10. Anderston, . | 0 | 17 | 1 | 1 | 5 | 0 | 0 |
| 11. Hutchesontown, | 0 | 8 | 0 | 2 | 7 | 0 | 0 |
| 12. Gorbals, . | 0 | 1 | 1 | 2 | 4 | 0 | 2 |
| 13. Tradeston, . | 0 | 1 | 1 | 1 | 4 | 0 | 0 |
| 14. Kinning Park, | 0 | 3 | 0 | 0 | 4 | 0 | 0 |
| Cathcart, . | 0 | 0 | 0 | 3 | 0 | 0 | 0 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 14 | 1 | 0 | 0 | 0 | 0 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 15 | 3 | 2 | 0 | 1 | 0 |
| 2. St Andrew, . | 0 | 17 | 2 | 0 | 1 | 1 | 3 |
| 3. Canongate, . | 0 | 18 | 4 | 0 | 2 | 1 | 1 |
| 4. St Giles, . | 0 | 5 | 2 | 1 | 2 | 1 | 2 |
| 5. Newington, . | 0 | 9 | 0 | 1 | 0 | 0 | 5 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 17 | 0 | 0 | 6 | 0 | 1 |
| 2. St Mary, . | 0 | 10 | 1 | 3 | 0 | 0 | 3 |
| 3. St Clement, . | 0 | 6 | 0 | 0 | 0 | 1 | 0 |
| 4. St Andrew, . | 0 | 23 | 0 | 1 | 0 | 0 | 6 |
| 5. Lochee, . | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 4 | 2 | 1 | 0 | 1 | 2 |
| 2. Aberdeen, . | 0 | 3 | 0 | 3 | 0 | 0 | 2 |
| 3. Woodside, . | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North . | 0 | 8 | 0 | 2 | 2 | 0 | 0 |
| 2. South, . . | 0 | 24 | 4 | 1 | 0 | 0 | 1 |
| PAISLEY, . . | 0 | 8 | 2 | 2 | 1 | 0 | 2 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 2. West, . . | 0 | 0 | 0 | 1 | 0 | 2 | 3 |
| PERTH, . . | 0 | 0 | 0 | 1 | 0 | 0 | 1 |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 3275 | 663 | 127 | 507 | 304 | 1601 | 200 | 48 | 195 | 156 | 599 | 169 | 23 | 82 | 88 | 362 | 73 | 21 | 64 | 64 | 222 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 585 | 222 | 34 | 24 | 6 | 286 | 75 | 15 | 8 | 10 | 108 | 72 | 4 | 3 | 5 | 84 | 15 | 6 | 8 | 4 | 33 |
| II. PARASITIC DISEASE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| III. DIETETIC ,, | 17 | 1 | – | 7 | – | 8 | 1 | – | 2 | – | 3 | 1 | – | 3 | – | 4 | 1 | – | – | – | 1 |
| IV. CONSTITUTIONAL ,, | 442 | 33 | 37 | 121 | 14 | 205 | 10 | 10 | 45 | 8 | 73 | 6 | 10 | 19 | 3 | 38 | 7 | 8 | 20 | 5 | 40 |
| V. DEVELOPMENTAL ,, | 199 | 37 | – | – | 57 | 94 | 23 | – | – | 16 | 39 | 6 | – | – | 9 | 15 | 15 | – | – | 7 | 22 |
| VI. LOCAL ,, | 1792 | 297 | 48 | 312 | 218 | 875 | 78 | 21 | 122 | 120 | 341 | 60 | 9 | 53 | 68 | 190 | 28 | 7 | 35 | 47 | 117 |
| VII. VIOLENCE - - | 115 | 11 | 8 | 33 | 7 | 59 | 6 | 2 | 13 | 2 | 23 | 8 | – | 3 | 3 | 14 | 1 | – | 1 | 1 | 3 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 124 | 62 | – | 10 | 2 | 74 | 7 | – | 5 | – | 12 | 16 | – | 1 | – | 17 | 5 | – | – | – | 5 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES – | 501 | 213 | 33 | 9 | 2 | 257 | 69 | 15 | 4 | 3 | 91 | 63 | 4 | 1 | 2 | 70 | 11 | 6 | 3 | 3 | 23 |
| 2. DIARRHŒAL ,, – | 43 | 5 | – | 2 | 2 | 9 | 4 | – | 2 | 5 | 11 | 7 | – | 1 | 2 | 10 | 2 | – | 2 | 1 | 5 |
| 3. MALARIAL ,, – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, – | 11 | 3 | – | 1 | 1 | 5 | – | – | – | – | – | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| 6. SEPTIC ,, – | 29 | 1 | 1 | 12 | 1 | 15 | 2 | – | 2 | 1 | 5 | – | – | 1 | 1 | 2 | 1 | – | 3 | – | 4 |
| II. PARASITIC DISEASES – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| III. DIETETIC DISEASES - - | 17 | 1 | – | 7 | – | 8 | 1 | – | 2 | – | 3 | 1 | – | 3 | – | 4 | 1 | – | – | – | 1 |
| IV. CONSTITUTIONAL DISEASES | 442 | 33 | 37 | 121 | 14 | 205 | 10 | 10 | 45 | 8 | 73 | 6 | 10 | 19 | 3 | 38 | 7 | 8 | 20 | 5 | 40 |
| V. DEVELOPMENTAL DISEASES | 199 | 37 | – | – | 57 | 94 | 23 | – | – | 16 | 39 | 6 | – | – | 9 | 15 | 15 | – | – | 7 | 22 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM – | 326 | 60 | 11 | 35 | 43 | 149 | 11 | 4 | 18 | 22 | 55 | 5 | – | 8 | 16 | 29 | 5 | 5 | 8 | 10 | 28 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 3 | 1 | – | – | – | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 251 | 3 | 3 | 59 | 40 | 105 | 2 | 1 | 32 | 31 | 66 | 2 | 4 | 10 | 14 | 30 | – | – | 11 | 11 | 22 |
| 4. ,, RESPIRATORY SYSTEM | 922 | 199 | 19 | 154 | 112 | 484 | 54 | 6 | 42 | 50 | 152 | 48 | 3 | 26 | 27 | 104 | 19 | 2 | 10 | 18 | 49 |
| 5. ,, DIGESTIVE SYSTEM – | 167 | 27 | 6 | 37 | 10 | 80 | 8 | 3 | 15 | 6 | 32 | 5 | – | 4 | 7 | 16 | 4 | – | 4 | 5 | 13 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 2 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM – | 74 | 4 | 5 | 13 | 11 | 33 | 2 | 2 | 9 | 9 | 22 | – | 1 | 2 | 3 | 6 | – | – | 2 | 1 | 3 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION – | 7 | – | – | 4 | – | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | 1 | 1 |
| (b) DISEASES OF PARTURITION - - | 7 | – | – | 4 | – | 4 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | 21 | 1 | 4 | 3 | 1 | 9 | – | 3 | 2 | 1 | 6 | – | 1 | 1 | – | 2 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM - - | 12 | 2 | – | 2 | 1 | 5 | 1 | – | – | 1 | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 85 | 11 | 31 | 31 | 158 | 58 | 11 | 46 | 37 | 152 | 35 | 12 | 40 | 28 | 115 | 8 | 4 | 19 | 35 | 66 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 41 | 2 | 1 | - | 44 | 13 | 1 | 4 | - | 18 | 3 | 4 | 1 | 1 | 9 | 1 | - | 1 | 1 | 3 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 9 | 1 | 9 | 1 | 20 | 5 | 4 | 20 | 1 | 30 | 3 | 3 | 11 | - | 17 | 3 | 3 | 11 | 2 | 19 |
| V. DEVELOPMENTAL ,, - | 6 | - | - | 4 | 10 | 3 | - | - | 8 | 11 | 1 | - | - | 3 | 4 | - | - | - | 4 | 4 |
| VI. LOCAL ,, - | 27 | 6 | 19 | 25 | 77 | 29 | 5 | 20 | 27 | 81 | 24 | 5 | 25 | 21 | 75 | 3 | - | 7 | 26 | 36 |
| VII. VIOLENCE - - - | - | 2 | 1 | - | 3 | - | 1 | 1 | 1 | 3 | 2 | - | 2 | 2 | 6 | 1 | 1 | - | 2 | 4 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 2 | - | 1 | 1 | 4 | 8 | - | - | - | 8 | 2 | - | 1 | 1 | 4 | - | - | - | - | - |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 39 | 2 | - | - | 41 | 12 | 1 | 1 | - | 14 | 1 | 2 | 1 | - | 4 | 1 | - | - | - | 1 |
| 2. DIARRHŒAL ,, - - | 1 | - | - | - | 1 | 1 | - | 1 | - | 2 | 2 | 2 | - | - | 4 | - | - | - | 1 | 1 |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | 1 | - | - | - | 1 | - | - | 1 | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| 6. SEPTIC ,, - - | - | - | 1 | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 9 | 1 | 9 | 1 | 20 | 5 | 4 | 20 | 1 | 30 | 3 | 3 | 11 | - | 17 | 3 | 3 | 11 | 2 | 19 |
| V. DEVELOPMENTAL DISEASES - - | 6 | - | - | 4 | 10 | 3 | - | - | 8 | 11 | 1 | - | - | 3 | 4 | - | - | - | 4 | 4 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 1 | 3 | 3 | 6 | 13 | 6 | 2 | 7 | 8 | 23 | 8 | 2 | 3 | 6 | 19 | 1 | - | 3 | 6 | 10 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | 1 | - | 3 | 3 | 7 | - | - | 5 | 3 | 8 | - | - | 3 | 1 | 4 | - | - | 2 | 7 | 9 |
| 4. ,, RESPIRATORY SYSTEM | 23 | 1 | 8 | 11 | 43 | 19 | 2 | 6 | 14 | 41 | 10 | 1 | 16 | 7 | 34 | - | - | 2 | 13 | 15 |
| 5. ,, DIGESTIVE SYSTEM - | 2 | 2 | 2 | 4 | 10 | 2 | 1 | 1 | 2 | 6 | 4 | - | 1 | 3 | 8 | 2 | - | - | - | 2 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM - | - | - | 3 | 1 | 4 | 1 | - | 1 | - | 2 | - | - | 2 | 2 | 4 | - | - | - | - | - |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | - | 1 | 4 | - | - | - | - | - |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | 1 | 2 | - | - | - | - | - |

# DEATHS FROM ALL CAUSES at Four Periods of Life

## Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 111 | 11 | 8 | 31 | 7 | 57 | 6 | 2 | 13 | 2 | 23 | 8 | – | 2 | 3 | 13 | 1 | – | 1 | 1 | 3 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 124 | 62 | – | 10 | 2 | 74 | 7 | – | 5 | – | 12 | 16 | – | 1 | – | 17 | 5 | – | – | – | 5 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated – | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated – | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 307 | 125 | 11 | – | – | 136 | 54 | 10 | – | – | 64 | 54 | 3 | – | – | 57 | 8 | 2 | – | – | 10 |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 50 | 23 | 7 | – | – | 30 | 6 | 5 | – | – | 11 | 1 | – | – | – | 1 | 2 | – | – | – | 2 |
| Typhus – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 16 | – | – | 2 | 2 | 4 | – | – | – | 3 | 3 | – | – | – | 1 | 1 | – | 1 | 2 | 3 | 6 |
| Hooping-Cough – – – | 69 | 52 | 3 | – | – | 55 | 5 | – | – | – | 5 | 5 | 1 | – | – | 6 | – | – | – | – | – |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 39 | 11 | 8 | 1 | – | 20 | 4 | – | – | – | 4 | 3 | – | 1 | – | 4 | 1 | 3 | – | – | 4 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 14 | 1 | 4 | 2 | – | 7 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Diarrhœa, Dysentery – – | 42 | 5 | – | 2 | 2 | 9 | 4 | – | 2 | 5 | 11 | 7 | – | 1 | 2 | 10 | 1 | – | 2 | 1 | 4 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 10 | 3 | – | 1 | 1 | 5 | – | – | – | – | – | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 8 | 1 | – | 2 | 1 | 4 | 1 | – | 1 | 1 | 3 | – | – | – | 1 | 1 | – | – | – | – | – |
| Pyæmia, Septicæmia – – | 9 | – | – | 3 | – | 3 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 |
| Puerperal Fever – – – | 12 | – | 1 | 7 | – | 8 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | 2 | 1 | – | 3 | – | 1 | 1 | 1 | 3 | 1 | – | 2 | 2 | 5 | 1 | 1 | – | 2 | 4 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | – | 1 | 1 | 4 | 8 | – | – | – | 8 | 2 | – | 1 | 1 | 4 | – | – | – | – | – |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 31 | 1 | – | – | 32 | 8 | – | – | – | 8 | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | 1 | – | – | 4 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Hooping-cough | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | – | – | 3 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | – | – | – | 1 | 1 | – | 1 | – | 2 | 2 | 2 | – | – | 4 | – | – | – | 1 | 1 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Puerperal Fever | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 10 | – | – | 5 | – | 5 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | – | – | – | – | – |
| Intemp. { Delirium Tremens | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 10 | – | 4 | 1 | – | 5 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 10 | – | – | 3 | 1 | 4 | – | 1 | 3 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | 1 | – | – | – | 1 | – | – | – | – | – | 2 | 1 | – | – | 3 | – | – | – | – | – |
| Cancer | 67 | – | – | 13 | 10 | 23 | – | – | 12 | 5 | 17 | – | – | 3 | 2 | 5 | – | – | 5 | 5 | 10 |
| Tabes Mesenterica | 35 | 8 | 5 | – | – | 13 | 4 | – | – | – | 4 | 2 | 4 | 1 | – | 7 | 4 | – | – | – | 4 |
| Tubercular Meningitis (Acute Hydrocephalus) | 35 | 14 | 3 | – | – | 17 | 5 | – | 1 | – | 6 | 2 | 2 | – | – | 4 | 2 | – | – | – | 2 |
| Phthisis | 247 | 6 | 17 | 101 | 3 | 127 | 1 | 8 | 25 | 2 | 36 | – | 3 | 14 | 1 | 18 | 1 | 7 | 14 | – | 22 |
| Other forms of Tuber. Scrofula | 27 | 4 | 7 | 1 | – | 12 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | 1 | 1 | – | 2 |
| Purp., Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 5 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 75 | 30 | – | – | – | 30 | 17 | – | – | – | 17 | 5 | – | – | – | 5 | 14 | – | – | – | 14 |
| Atelectasis | 7 | 1 | – | – | – | 1 | 4 | – | – | – | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Cyanosis | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 4 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 108 | – | – | – | 57 | 57 | – | – | – | 16 | 16 | – | – | – | 9 | 9 | – | – | – | 7 | 7 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 54 | 25 | 3 | 2 | – | 30 | 3 | – | 3 | – | 6 | 2 | – | 2 | – | 4 | – | 1 | 2 | – | 3 |
| Apoplexy | 81 | 1 | 1 | 13 | 22 | 37 | – | – | 4 | 8 | 12 | – | – | 3 | 7 | 10 | – | – | 1 | 7 | 8 |
| Softening of Brain | 12 | – | – | 1 | 4 | 5 | – | – | 1 | 4 | 5 | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 46 | – | 1 | 7 | 14 | 22 | – | – | 1 | 5 | 6 | – | – | 1 | 4 | 5 | – | 1 | – | 1 | 2 |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Insanity, General Par. of Insane | 8 | – | – | 3 | – | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 2 | – | 2 |
| Chorea | 3 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Epilepsy | 13 | – | 1 | 3 | – | 4 | 1 | – | 1 | 1 | 3 | – | – | 1 | – | 1 | 2 | 1 | – | – | 3 |
| Convulsions | 41 | 20 | 2 | 2 | – | 24 | 6 | – | – | – | 6 | 2 | – | – | – | 2 | 3 | 1 | – | – | 4 |
| Laryngismus Stridulus | 5 | 5 | – | – | – | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 14 | – | – | – | 1 | 1 | – | 1 | 2 | 2 | 5 | – | – | – | 2 | 2 | – | – | 1 | 2 | 3 |
| Other Diseases of Ner. System | 45 | 8 | 2 | 4 | 2 | 16 | 1 | 2 | 4 | 2 | 9 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | 1 | – | – | – | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | – | 1 | – | – | 5 | 1 | 6 | – | – | 2 | – | 2 | – | – | 2 | 1 | 3 |
| Tabes Mesenterica | – | – | – | – | – | 2 | – | – | – | 2 | 1 | 1 | – | – | 2 | 2 | 1 | – | – | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | 1 | – | – | 3 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Phthisis | 3 | – | 5 | 1 | 9 | – | 4 | 12 | – | 16 | – | 2 | 6 | – | 8 | – | 2 | 8 | 1 | 11 |
| Other forms of Tuberculosis, Scrofula | 4 | – | 2 | – | 6 | 1 | – | – | – | 1 | 1 | – | 1 | – | 2 | 1 | – | 1 | – | 2 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 6 | – | – | – | 6 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Old Age | – | – | – | 4 | 4 | – | – | – | 8 | 8 | – | – | – | 3 | 3 | – | – | – | 4 | 4 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | 1 | – | – | 1 | – | – | – | – | – | 6 | 2 | 1 | – | 9 | 1 | – | – | – | 1 |
| Apoplexy | – | – | 2 | 4 | 6 | – | – | – | 3 | 3 | – | – | – | 1 | 1 | – | – | 2 | 2 | 4 |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 1 | 2 | – | 1 | 2 | 2 | 5 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Convulsions | 1 | – | – | – | 1 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Nervous System | – | 2 | – | – | 2 | 3 | 1 | 3 | 2 | 9 | 1 | – | 1 | 2 | 4 | – | – | – | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 210 | 1 | 3 | 51 | 35 | 90 | 1 | 1 | 24 | 22 | 48 | 1 | 4 | 10 | 13 | 28 | – | – | 11 | 9 | 20 |
| Pericarditis | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 5 | – | – | 1 | – | 1 | – | – | 2 | 2 | 4 | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 4 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Syncope | 14 | 2 | – | 2 | 1 | 5 | 1 | – | 2 | 3 | 6 | 1 | – | – | – | 1 | – | – | – | 1 | 1 |
| Aneurism | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 8 | – | – | – | 2 | 2 | – | – | – | 3 | 3 | – | – | – | 1 | 1 | – | – | – | – | – |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 3 | – | – | – | – | – | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 7 | 5 | 1 | 1 | – | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 32 | 17 | 2 | – | – | 19 | 3 | – | – | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Dis. of Larynx & Trachea | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 11 | – | – | 3 | 3 | 6 | – | – | – | 3 | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| Bronchitis | 462 | 68 | 9 | 83 | 81 | 241 | 25 | 3 | 19 | 30 | 77 | 25 | 1 | 9 | 19 | 54 | 9 | – | 3 | 9 | 21 |
| Pneumonia | 329 | 79 | 6 | 57 | 20 | 162 | 21 | 3 | 19 | 12 | 55 | 23 | 1 | 14 | 6 | 44 | 7 | 1 | 6 | 8 | 22 |
| Pleurisy | 12 | – | – | 3 | 1 | 4 | – | – | 2 | 2 | 4 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Resp. System | 67 | 30 | 1 | 7 | 7 | 45 | 4 | – | 2 | 3 | 9 | – | – | 2 | 2 | 4 | 2 | 1 | 1 | 1 | 5 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 10 | 6 | – | – | – | 6 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 32 | 5 | – | 10 | 3 | 18 | 1 | 1 | 1 | 1 | 4 | – | – | 2 | 1 | 3 | 1 | – | – | – | 1 |
| Enteritis | 26 | 10 | – | – | – | 10 | 3 | – | 1 | 1 | 5 | 2 | – | 1 | 2 | 5 | 1 | – | – | – | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 13 | 1 | 1 | 4 | – | 6 | 1 | – | 1 | – | 2 | 1 | – | – | 1 | 2 | – | – | 2 | – | 2 |
| Stricture or Strang. of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 10 | – | – | 1 | 3 | 4 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | 3 | 3 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 26 | – | 3 | 5 | 1 | 9 | 2 | 2 | 4 | – | 8 | 1 | – | 1 | 2 | 4 | – | – | – | 1 | 1 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 |
| Cirrhosis of Liver | 7 | – | – | 4 | – | 4 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 26 | 2 | 2 | 8 | 3 | 15 | 1 | – | 2 | 1 | 4 | – | – | – | – | – | 1 | – | – | 1 | 2 |
| Other Dis. of Digestive System | 11 | 2 | – | 4 | – | 6 | – | – | 2 | 2 | 4 | – | – | – | – | – | – | – | – | – | – |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | 2 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 19 | 3 | 3 | 3 | 4 | 13 | 1 | 2 | – | – | 3 | – | – | – | – | – | – | – | 1 | – | 1 |
| Bright's Disease | 24 | – | 1 | 3 | 5 | 9 | – | – | 6 | 3 | 9 | – | 1 | – | 2 | 3 | – | – | – | – | – |
| Uræmia | 4 | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 2 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 8 | – | – | 1 | – | 1 | – | – | 2 | 2 | 4 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Other Dis. of Urinary System | 15 | 1 | 1 | 2 | 2 | 6 | – | – | – | 3 | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | 1 | – | 3 | 3 | 7 | – | – | 5 | 2 | 7 | – | – | 2 | 1 | 3 | – | – | 1 | 6 | 7 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 5 | – | – | – | 5 | 1 | 1 | – | – | 2 | 2 | – | – | – | 2 | – | – | – | – | – |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 8 | – | 2 | 10 | 20 | 9 | – | 2 | 9 | 20 | 4 | 1 | 7 | 5 | 17 | – | – | 2 | 10 | 12 |
| Pneumonia | 9 | 1 | 5 | 1 | 16 | 8 | 1 | 4 | 2 | 15 | 4 | – | 8 | 2 | 14 | – | – | – | 1 | 1 |
| Pleurisy | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Respiratory System | 1 | – | – | – | 1 | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | 2 | 1 | 4 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Enteritis | 1 | – | – | – | 1 | – | – | – | – | – | 4 | – | – | – | 4 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 2 | – | 1 | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | 1 | 1 | – | – | – | 2 | 2 | – | – | – | 1 | 1 | 1 | – | – | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Bright's Disease | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 6 | 1 | 2 | 1 | – | 4 | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 5 | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 10 | – | 2 | 1 | 1 | 4 | – | 2 | 1 | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Eczema | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | 4 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Vehicles and Horses: Veh. oth. than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 20 | 6 | 4 | 3 | – | 13 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | 1 | 1 |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | – | – | 2 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Drowning | 9 | – | – | 7 | 1 | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 15 | 4 | – | – | – | 4 | 4 | – | – | – | 4 | 6 | – | – | – | 6 | – | – | – | – | – |
| Suffocation: Otherwise | 3 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Falls | 7 | – | – | 3 | 2 | 5 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 39 | – | 3 | 11 | 4 | 18 | – | 1 | 9 | 1 | 11 | – | – | 2 | 2 | 4 | – | – | – | – | – |
| Otherwise, or Not Stated | 10 | 1 | 1 | 3 | – | 5 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Execution | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 99 | 56 | – | 3 | – | 59 | 7 | – | – | – | 7 | 15 | – | 1 | – | 16 | 4 | – | – | – | 4 |
| Mortification | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tumour | 3 | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 4 | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 14 | 4 | – | 3 | 2 | 9 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | – | – | 1 | – | 1 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | 1 | 1 |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Suffocation: Otherwise | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | 2 | – | – | 2 | – | – | – | 1 | 1 | – | – | – | 2 | 2 | – | – | – | 1 | 1 |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 2 | – | – | – | 2 | 8 | – | – | – | 8 | 2 | – | 1 | – | 3 | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JANUARY 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 49 | 21 | 39 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 3 |
| Ayr, | 27,132 | 62 | 15 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 20 | 4 |
| Banff, with Macduff, | 8,841 | 32 | 4 | 18 | 0 | 0 | 0 | 0 | 4 | 1 | 0 | 0 | 1 | 6 | 0 |
| Blairgowrie, | 4,481 | 7 | 5 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Callander | 2,305 | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Campbeltown, | 10,377 | 26 | 7 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Cathcart (Landward | 5,024 | 10 | 3 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crieff, | 5,531 | 9 | 7 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| Dumbarton, | 18,745 | 71 | 7 | 36 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 11 | 3 |
| Dumfries, with Troqueer, | 24,092 | 48 | 27 | 69 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 15 | 7 |
| Dunfermline, | 29,207 | 86 | 42 | 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 | 4 |
| Dunoon | 7,396 | 13 | 1 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| Eastwood (Landward) | 13,967 | 46 | 16 | 22 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 9 | 2 |
| Elgin, | 10,614 | 20 | 7 | 15 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 |
| Falkirk, | 27,882 | 70 | 42 | 61 | 0 | 14 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 15 | 1 |
| Forfar, | 13,490 | 29 | 23 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 3 |
| Galashiels | 18,264 | 35 | 16 | 28 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 4 |
| Govan—(1) Plantation (Landward) | 23,668 | 56 | 18 | 51 | 0 | 12 | 0 | 1 | 1 | 0 | 0 | 1 | 4 | 11 | 7 |
| (2) Govan (Landward) | 43,404 | 136 | 25 | 96 | 1 | 5 | 2 | 1 | 2 | 2 | 0 | 2 | 1 | 25 | 5 |
| (3) Partick (Landward) | 38,979 | 120 | 31 | 93 | 0 | 24 | 1 | 3 | 2 | 0 | 0 | 2 | 0 | 26 | 3 |
| Haddington, | 5,121 | 12 | 2 | 10 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| Hawick, with Wilton, | 21,303 | 54 | 7 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 3 |
| Inverness, | 24,425 | 42 | 22 | 45 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 10 | 6 |
| Kilmarnock, | 28,464 | 81 | 20 | 80 | 0 | 0 | 1 | 2 | 6 | 0 | 0 | 2 | 4 | 20 | 6 |
| Kilmore and Kilbride (Oban) | 5,870 | 10 | 2 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 2 |
| Kinning Park (Landward) | 14,209 | 43 | 19 | 47 | 0 | 16 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 16 | 1 |
| Kirkcaldy and Abbotshall, | 18,494 | 32 | 30 | 41 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 20 | 5 |
| Kirkcudbright, | 3,477 | 9 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Largs | 5,359 | 9 | 2 | 12 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 0 |
| Lecropt & Logie (Bridge of Allan) | 5,657 | 7 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Moffat | 2,988 | 6 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| Montrose, | 14,037 | 26 | 6 | 29 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 6 | 2 |
| Moulin (Pitlochry) | 2,087 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Nairn | 5,190 | 7 | 10 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 |
| New Monkland, (Airdrie and Landward) | 35,266 | 117 | 45 | 83 | 0 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 29 | 4 |
| North Berwick | 3,123 | 1 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 48 | 14 | 17 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 6 | 0 |
| Rothesay | 9,293 | 21 | 4 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 |
| St Andrews and St. Leonards | 8,789 | 15 | 4 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Shettleston (Landward) | 13,476 | 61 | 12 | 28 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 13 | 1 |
| Stirling, | 15,222 | 40 | 11 | 29 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 2 |
| Stranraer, | 6,144 | 11 | 4 | 9 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wick, | 12,140 | 30 | 4 | 20 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 3 | 0 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

### For the month of JANUARY 1893.

Mean barometric pressure, 29·992 inches; greater than the average for the same month of 1856-92 by 0·186 inch.

Barometric monthly range, 1·195 inch; less by 0·472 inch.

Mean temperature, 37°·4; less by 0°·5.

Mean daily range of temperature, 8°·6; less by 0°·3.

Mean humidity, 86; less by 1.

Rain, number of days, 18; greater by 1.

Rain, depth in inches, 1·67; less by 2·15 inches.

Wind, pressure on square foot, 1·69 lbs.; less by 0·28 lb.

Wind, direction of, E. to W. as 8 to 13, and N. to S. as 4 to 4; the average being E. to W. as 5 to 13, and N. to S. as 4 to 7.

The first half of January 1893 was very cold, but about the 17th the temperature rose generally throughout the country; hence the mean temperature is but slightly below the average. Barometric pressure, on the other hand, was high and steady, but not unprecedentedly so.

The low temperatures of the first fortnight were but a continuation of a cold period that had set in about Christmas. The absolute minimum of 4°·8, registered at Greenock on the night of the 5th, was so exceptional as to excite the surprise of the observer, but as it is confirmed by a record of 10°·0 at Aberdeen on the same night, and 10°·7 on the previous night at Glasgow, as well as by considerably lower temperatures at country stations, there is little doubt as to the correctness of the Greenock thermometer. The absolute maximum = 53°·2 occurred at Perth on the 23rd. The slightly small mean daily range is somewhat surprising in view of the great differences of temperature that were actually experienced in the course of the month.

The very small rainfall, it will be noticed, was spread over slightly more than the average number of days. January, although on the average one of the wettest months in the towns, is occasionally relatively dry, as indeed was the case in the two preceding years.

As regards wind, the chief feature was a paucity of winds from the south; made good by an extra indraught from the east.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of January 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS. Elastic Force of Vapour. | DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | WINDS. Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·953 | 30·012 | 1·222 | 52·9 | 10·7 | 38·0 | 42·2 | 9·8 | 21·1 | 38·1 | 36·5 | 34·3 | ·198 | 2·29 | 86 | 14 | 1·32 | 2 | 1 | 5 | 1 | 0 | 4 | 8 | 4 | 6 | 0·81 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·703 | 30·007 | 1·205 | 52·4 | 15·0 | 37·6 | 37·4 | 7·9 | 16·1 | 37·5 | 35·6 | 32·9 | ·188 | 2·17 | 84 | 22 | 0·71 | 2 | 1 | 6 | 1 | 1 | 1 | 14 | 2 | 3 | 0·25 |
| DUNDEE, W. R. M'Kelvie, Esq., Curator of Cemeteries. | 164 | 29·802 | 29·982 | 1·170 | 51·0 | 19·9 | 36·2 | 31·1 | 7·9 | 17·7 | 35·1 | 34·3 | 33·0 | ·189 | 2·18 | 92 | 11 | 1·25 | 1 | 5 | 0 | 6 | 0 | 4 | 11 | 4 | 0 | 1·69 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·868 | 29·942 | 1·192 | 52·8 | 10·0 | 36·4 | 42·8 | 7·9 | 20·0 | 37·6 | 36·3 | 34·5 | ·200 | 2·33 | 89 | 26 | 2·81 | 2 | 0 | 2 | 2 | 3 | 7 | 6 | 8 | 0 | 0·90 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·924 | 30·001 | 1·214 | 52·8 | 16·0 | 38·5 | 36·8 | 7·2 | 15·9 | 39·3 | 37·1 | 34·2 | ·198 | 2·29 | 82 | 18 | 0·76 | 3 | 0 | 6 | 2 | 2 | 1 | 16 | 0 | 1 | 2·89 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·880 | 29·997 | 1·214 | 51·0 | 11·0 | 38·1 | 40·0 | 8·9 | 20·9 | 37·9 | 36·0 | 33·5 | ·191 | 2·21 | 84 | 18 | 1·86 | 1 | 2 | 9 | 2 | 2 | 6 | 7 | 3 | 1 | 1·69 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·767 | 30·023 | 1·140 | 51·2 | 4·8 | 37·3 | 46·4 | 9·4 | 24·1 | 38·9 | 36·9 | 34·2 | ·198 | 2·29 | 85 | 23 | 2·83 | 0 | 5 | 4 | 0 | 0 | 4 | 11 | 6 | 1 | 3·61 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·817 | 29·971 | 1·200 | 53·2 | 15·0 | 36·9 | 38·2 | 9·7 | 18·5 | 37·3 | 35·5 | 33·0 | ·188 | 2·17 | 85 | 10 | 1·82 | 0 | 2 | 14 | 4 | 1 | 8 | 1 | 1 | 0 | ... |
| Means, | 139 | .... | 29·992 | 1·195 | *(53·2) | †(4·8) | 37·4 | 39·4 | 8·6 | 19·3 | 37·7 | 36·0 | 33·7 | 194 | 2·24 | 86 | 18 | 1·67 | 1 | 2 | 6 | 2 | 1 | 4 | 9 | 4 | 2 | 1·69 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURG

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

## FEBRUARY 1893.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of February 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3477 children, of whom 1797 were males, and 1680 females. Of these, 3225 were legitimate, and 252 illegitimate, being in the proportion of one illegitimate in every 13·8 Births; or the illegitimate Births constituted 7·2 per cent. of the whole. In Greenock 3·2 per cent. of the Births were illegitimate; in Glasgow, 6·1; in Leith, 6·9; in Edinburgh, 7·1; in Perth, 7·4; in Paisley, 7·8; in Dundee, 10·2; and in Aberdeen, 12·5 per cent.

During February, 651 Marriages were registered in the same Towns. Taking into account the natural increase of the population, this number is 15 above the average for February during the last ten years.

The Deaths of 2537 persons were recorded in these Towns during the month under review. Of these 1287 were males, and 1250 females. When allowance is made for the natural increase of the population, this number is seen to be 22 below the average for the corresponding month during the last ten years.

A comparison of the Deaths registered shows that during February the mortality was at the annual rate of 14·3 persons in Greenock, 18·7 in Edinburgh, 19·3 in Aberdeen, 19·8 in Paisley, 21·1 in Perth, 21·3 in Leith, 23·5 in Glasgow, and 33·3 in Dundee.

Of the 1221 Deaths registered in Glasgow, 256 were of children under one year of age, and 209 of persons over 60 years; of the 384 in Edinburgh, 70 were under one and 90 over 60; of the 401 in Dundee, 117 were under one, and 58 over 60; of the 192 in Aberdeen, 39 were under one, and 65 over 60; of the 116 in Leith, 30 were under one, and 21 over 60; of the 105 in Paisley, 27 were under one, and 30 over 60; of the 69 in Greenock, 16 were under one, and 13 over 60; and of the 49 in Perth, 11 were under one year, and 11 over 60 years.

Of the whole 2537 Deaths, 1106, or 43·6 per cent. were of children under five years of age. In Aberdeen, 30·2 per cent. of the persons who died were under five years; in Edinburgh, 33·9; in Perth, 34·7; in Greenock, 37·7; in Paisley, 41·9; in Glasgow, 43·4; in Leith, 45·7; and in Dundee, 61·8 per cent.

Miasmatic Diseases caused 386 Deaths, or 15·2 per cent. of the whole mortality. This rate was exceeded in Dundee and Leith, owing to the prevalence of Measles.

Small-pox proved fatal in 9 cases, 7 of which occurred in Glasgow, and 1 each in Dundee and Perth.

The continued prevalence of Measles again places it at the head of the Zymotic Diseases in point of fatality, for the fifth consecutive month. In all, 206 deaths were ascribed to this disease, Measles being thus responsible for 8·1 per cent. of the total mortality. 93 deaths in Dundee, or 23·2 per cent. of the whole mortality in that city, were due to Measles.

Hooping-Cough comes next among the Zymotics with 68 deaths, 59 of which occurred in Glasgow. Scarlatina caused 40 deaths; Diphtheria, 37; Diarrhœa and Dysentery, 33; and Puerperal Fever, 6.

To Fevers 20 deaths were attributed, 14 of which were classed as Enteric, and 6 as Typhus Fever. 3 deaths from Typhus were reported from Leith, 2 from Glasgow, and 1 from Edinburgh.

Intemperance was assigned as the cause of 5 deaths, 4 being attributed to Chronic Alcoholism, and 1 to Delirium Tremens.

Apoplexy caused 71 Deaths; Paralysis, 57; Diseases of the Heart, 174; and Premature Birth Debility, 58.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 636, or 25·1 per cent. of the whole. Those from Consumption alone numbered 235, or 9·3 per cent. Croup caused 16 Deaths.

To Violent Causes 57 deaths were ascribed, of which 3 were stated to be suicidal. Of the suicides, 1 resulted from Drowning, 1 from Cut Throat, and 1 from Hanging and Cut throat.

3 males and 10 females were aged 90 years and upwards. The oldest of these were the widow of a labourer who died in Aberdeen, aged 100 years, and an annuitant (female) who died in Edinburgh, aged 101 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.
## February 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 576,847 | 658,198 | 677,883 | 911 | 834 | 1745 | 1638 | 107 | 320 | 640 | 581 | 1221 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 265 | 281 | 546 | 507 | 39 | 128 | 180 | 204 | 384 |
| DUNDEE, . . | 140,239 | 153,308 | 156,947 | 150 | 153 | 303 | 272 | 31 | 62 | 190 | 211 | 401 |
| ABERDEEN, . | 106,306 | 124,943 | 129,543 | 177 | 144 | 321 | 281 | 40 | 47 | 102 | 90 | 192 |
| LEITH, . . | 59,485 | 68,707 | 70,972 | 93 | 66 | 159 | 148 | 11 | 24 | 68 | 48 | 116 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 105 | 87 | 192 | 177 | 15 | 34 | 49 | 56 | 105 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 73 | 84 | 157 | 152 | 5 | 22 | 33 | 36 | 69 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 23 | 31 | 54 | 50 | 4 | 14 | 25 | 24 | 49 |
| TOTAL, . | 1,268,857 | 1,426,359 | 1,465,194 | 1797 | 1680 | 3477 | 3225 | 252 | 651 | 1287 | 1250 | 2537 |
| FEBRUARY 1892, . . . | Mean Temp. 37°·6 | | | 1891 | 1815 | 3706 | 3431 | 275 | 720 | 1294 | 1264 | 2558 |
| FEBRUARY 1891, . . . | Mean Temp. 41°·8 | | | 1721 | 1628 | 3349 | 3053 | 296 | 616 | 1173 | 1173 | 2346 |
| FEBRUARY 1890, . . . | Mean Temp. 37°·9 | | | 1664 | 1503 | 3167 | 2902 | 265 | 554 | 1415 | 1400 | 2815 |
| FEBRUARY 1889, . . . | Mean Temp. 37°·6 | | | 1674 | 1519 | 3193 | 2952 | 241 | 626 | 1081 | 1145 | 2226 |
| FEBRUARY 1888, . . . | Mean Temp. 36°·2 | | | 1782 | 1647 | 3429 | 3126 | 303 | 588 | 1164 | 1219 | 2383 |
| FEBRUARY 1887, . . . | Mean Temp. 40°·1 | | | 1594 | 1599 | 3193 | 2902 | 291 | 568 | 1134 | 1091 | 2225 |
| FEBRUARY 1886, . . . | Mean Temp. 34°·9 | | | 1750 | 1649 | 3399 | 3073 | 326 | 527 | 1119 | 1145 | 2264 |
| FEBRUARY 1885, . . . | Mean Temp. 40°·0 | | | 1691 | 1639 | 3330 | 3023 | 307 | 596 | 1147 | 1274 | 2421 |
| FEBRUARY 1884, . . . | Mean Temp. 40°·2 | | | 1829 | 1646 | 3475 | 3221 | 254 | 621 | 1151 | 1131 | 2282 |
| FEBRUARY 1883, . . . | Mean Temp. 41°·7 | | | 1685 | 1625 | 3310 | 3033 | 277 | 572 | 1293 | 1287 | 2580 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of February 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 7 | 5 | 14 | 5 | 9 | 3 | 0 |
| 2. Camlachie, . | 0 | 0 | 1 | 1 | 3 | 0 | 0 |
| 3. Dennistoun, . | 0 | 4 | 3 | 6 | 6 | 1 | 1 |
| 4. Calton, . | 0 | 3 | 0 | 0 | 4 | 0 | 1 |
| 5. Blackfriars, . | 0 | 6 | 0 | 0 | 1 | 0 | 2 |
| 6. St Rollox, . | 0 | 22 | 5 | 1 | 3 | 0 | 2 |
| 7. Blythswood, . | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| 8. Milton, . | 0 | 10 | 0 | 0 | 6 | 0 | 2 |
| 9. Kelvin, . | 0 | 2 | 0 | 1 | 2 | 0 | 1 |
| 10. Anderston, . | 0 | 2 | 1 | 1 | 4 | 1 | 1 |
| 11. Hutchesontown, | 0 | 6 | 1 | 4 | 15 | 0 | 1 |
| 12. Gorbals, . | 0 | 3 | 0 | 1 | 4 | 0 | 1 |
| 13. Tradeston, . | 0 | 3 | 0 | 0 | 1 | 0 | 0 |
| 14. Kinning Park, | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| Cathcart, . | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 4 | 2 | 0 | 0 | 1 | 3 |
| 2. St Andrew, . | 0 | 4 | 1 | 1 | 0 | 0 | 0 |
| 3. Canongate, . | 0 | 9 | 3 | 2 | 1 | 7 | 1 |
| 4. St Giles, . | 0 | 3 | 1 | 0 | 0 | 0 | 0 |
| 5. Newington, . | 0 | 4 | 2 | 1 | 1 | 0 | 0 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 2. St Mary, . | 1 | 8 | 0 | 1 | 1 | 0 | 1 |
| 3. St Clement, . | 0 | 19 | 0 | 0 | 0 | 2 | 5 |
| 4. St Andrew, . | 0 | 63 | 0 | 0 | 2 | 0 | 1 |
| 5. Lochee, . | 0 | 2 | 0 | 0 | 0 | 0 | 1 |
| Mains, . | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| 2. Aberdeen, . | 0 | 0 | 0 | 3 | 0 | 1 | 0 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North . | 0 | 5 | 3 | 2 | 0 | 3 | 0 |
| 2. South, . . | 0 | 5 | 2 | 2 | 0 | 0 | 2 |
| PAISLEY, . . | 0 | 5 | 1 | 2 | 2 | 0 | 0 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 1 | 0 | 0 | 1 | 0 | 1 |
| 2. West, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PERTH, . . | 1 | 3 | 0 | 0 | 1 | 0 | 0 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2537 | 530 | 99 | 383 | 209 | 1221 | 130 | 45 | 119 | 90 | 384 | 248 | 19 | 76 | 58 | 401 | 58 | 19 | 50 | 65 | 192 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 451 | 165 | 25 | 24 | 4 | 218 | 36 | 11 | 8 | 1 | 56 | 105 | 2 | 6 | 5 | 118 | 7 | 4 | – | – | 11 |
| II. PARASITIC DISEASE | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 7 | 1 | – | 1 | – | 2 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 416 | 39 | 36 | 102 | 21 | 198 | 18 | 16 | 29 | 9 | 72 | 6 | 9 | 21 | 5 | 41 | 7 | 9 | 23 | 5 | 44 |
| V. DEVELOPMENTAL ,, | 151 | 41 | – | – | 34 | 75 | 11 | – | – | 19 | 30 | 4 | – | – | 8 | 12 | 4 | – | – | 4 | 8 |
| VI. LOCAL ,, | 1361 | 238 | 34 | 229 | 141 | 642 | 57 | 15 | 78 | 59 | 209 | 114 | 7 | 46 | 38 | 205 | 36 | 5 | 25 | 54 | 120 |
| VII. VIOLENCE - - | 57 | 8 | 1 | 17 | 7 | 33 | 1 | 2 | 1 | 1 | 5 | 7 | 1 | 2 | – | 10 | – | 1 | 1 | 1 | 3 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 93 | 37 | 3 | 10 | 2 | 52 | 7 | 1 | 1 | 1 | 10 | 12 | – | 1 | 1 | 14 | 4 | – | 1 | 1 | 6 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - | 386 | 155 | 22 | 15 | 1 | 193 | 32 | 11 | 5 | – | 48 | 95 | 2 | 3 | – | 100 | 2 | 4 | – | – | 6 |
| 2. DIARRHŒAL ,, - | 33 | 7 | 1 | 4 | 2 | 14 | 3 | – | – | 1 | 4 | 8 | – | – | 2 | 10 | 2 | – | – | – | 2 |
| 3. MALARIAL ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - | 10 | 3 | – | – | – | 3 | – | – | – | – | – | 2 | – | 1 | – | 3 | 3 | – | – | – | 3 |
| 6. SEPTIC ,, - | 22 | – | 2 | 5 | 1 | 8 | 1 | – | 3 | – | 4 | – | – | 2 | 3 | 5 | – | – | – | – | – |
| II. PARASITIC DISEASES - | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - | 7 | 1 | – | 1 | – | 2 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 416 | 39 | 36 | 102 | 21 | 198 | 18 | 16 | 29 | 9 | 72 | 6 | 9 | 21 | 5 | 41 | 7 | 9 | 23 | 5 | 44 |
| V. DEVELOPMENTAL DISEASES | 151 | 41 | – | – | 34 | 75 | 11 | – | – | 19 | 30 | 4 | – | – | 8 | 12 | 4 | – | – | 4 | 8 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM - | 279 | 62 | 6 | 44 | 33 | 145 | 11 | 2 | 13 | 17 | 43 | 4 | 1 | 11 | 12 | 28 | 7 | 2 | 6 | 15 | 30 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 5 | – | – | – | – | – | 1 | 2 | 2 | – | 5 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 174 | – | 2 | 43 | 38 | 83 | – | 2 | 17 | 11 | 30 | 1 | – | 9 | 12 | 22 | – | – | 3 | 9 | 12 |
| 4. ,, RESPIRATORY SYSTEM | 636 | 146 | 13 | 79 | 54 | 292 | 39 | 3 | 19 | 20 | 81 | 98 | 1 | 21 | 7 | 127 | 22 | 2 | 10 | 16 | 50 |
| 5. ,, DIGESTIVE SYSTEM - | 156 | 28 | 7 | 29 | 10 | 74 | 3 | 3 | 11 | 6 | 23 | 9 | 2 | 2 | 5 | 18 | 7 | 1 | 3 | 6 | 17 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| 7. ,, URINARY SYSTEM - | 68 | 2 | 1 | 23 | 3 | 29 | 1 | – | 11 | 4 | 16 | 1 | 1 | 2 | 2 | 6 | – | – | 2 | 6 | 8 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a DISEASES OF ORGANS OF GENERATION - | 7 | – | – | 3 | 1 | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION - - | 8 | – | 1 | 3 | – | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 20 | – | 4 | 3 | 1 | 8 | 1 | 3 | 1 | – | 5 | – | 2 | – | – | 2 | – | – | – | 1 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM - - | 6 | – | – | 2 | 1 | 3 | 1 | – | – | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 53 | 7 | 35 | 21 | 116 | 44 | 5 | 26 | 30 | 105 | 26 | 8 | 22 | 13 | 69 | 17 | 3 | 18 | 11 | 49 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 18 | 5 | 3 | - | 26 | 10 | 1 | - | - | 11 | 2 | 1 | 2 | - | 5 | 4 | - | 1 | 1 | 6 |
| II. PARASITIC DISEASES - | - | - | - | - | | - | - | - | - | - | - | - | - | - | - | - | - | | - | - |
| III. DIETETIC ,, - | - | - | 1 | | 1 | - | - | - | 1 | 1 | | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 8 | 1 | 11 | 4 | 24 | 4 | 1 | 9 | 2 | 16 | 3 | 1 | 8 | 1 | 13 | - | 2 | 6 | - | 8 |
| V. DEVELOPMENTAL ,, - | 5 | - | - | 2 | 7 | 1 | - | - | 10 | 11 | 2 | - | - | 2 | 4 | 2 | - | - | 2 | 4 |
| VI. LOCAL ,, - | 17 | 1 | 18 | 15 | 51 | 26 | 3 | 15 | 17 | 61 | 15 | 6 | 12 | 10 | 43 | 10 | 1 | 11 | 8 | 30 |
| VII. VIOLENCE - - - | 3 | - | - | - | 3 | - | - | 2 | - | 2 | - | | - | - | - | 1 | - | - | - | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 2 | - | 2 | - | 4 | 3 | - | - | - | 3 | 4 | - | - | - | 4 | - | - | - | - | - |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 15 | 5 | 2 | - | 22 | 9 | 1 | - | - | 10 | 2 | - | | - | 2 | 4 | - | 1 | - | 5 |
| 2. DIARRHŒAL ,, - - | 2 | - | - | - | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC ,, - - | - | - | 1 | - | 1 | 1 | - | | - | 1 | - | - | 2 | - | 2 | - | - | - | 1 | 1 |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | 1 | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 8 | 1 | 11 | 4 | 24 | 4 | 1 | 9 | 2 | 16 | 3 | 1 | 8 | 1 | 13 | - | 2 | 6 | - | 8 |
| V. DEVELOPMENTAL DISEASES - - | 5 | - | - | 2 | 7 | 1 | - | - | 10 | 11 | 2 | - | - | 2 | 4 | 2 | - | - | 2 | 4 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 1 | - | 4 | 3 | 8 | 6 | - | 1 | 3 | 10 | 5 | 2 | 3 | 2 | 12 | - | - | 1 | 2 | 3 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | - | - | 4 | 5 | 9 | - | - | 1 | 6 | 7 | - | - | 2 | 4 | 6 | - | - | 4 | 1 | 5 |
| 4. ,, RESPIRATORY SYSTEM | 13 | - | 5 | 6 | 24 | 16 | 1 | 10 | 6 | 33 | 7 | 2 | 2 | 3 | 14 | 9 | - | 3 | 3 | 15 |
| 5. ,, DIGESTIVE SYSTEM - | 3 | - | 1 | 1 | 5 | 4 | 1 | 1 | 2 | 8 | 2 | 1 | 3 | 1 | 7 | 1 | 1 | 1 | 1 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM - | - | - | 3 | - | 3 | - | - | 2 | - | 2 | 1 | - | 2 | - | 3 | - | - | - | 1 | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 |
| (b) DISEASES OF PARTURITION - - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | | - | - | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | 1 | - | 1 | - | 1 | - | - | 1 | - | 1 | - | - | 1 | - | - | 1 | - | 1 |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

## DEATHS FROM ALL CAUSES at Four Periods of Life Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 51 | 6 | 1 | 14 | 7 | 28 | 1 | 2 | 1 | 1 | 5 | 7 | 1 | 2 | – | 10 | – | 1 | – | 1 | 2 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 6 | 2 | – | 3 | – | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **VIII.** | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 93 | 37 | 3 | 10 | 2 | 52 | 7 | 1 | 1 | 1 | 10 | 12 | – | 1 | 1 | 14 | 4 | – | 1 | 1 | 6 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated – | 4 | – | 1 | 3 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated – | 4 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Chickenpox – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 206 | 63 | 6 | – | – | 69 | 23 | 1 | – | – | 24 | 91 | 2 | – | – | 93 | 1 | – | – | – | 1 |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 40 | 17 | 8 | – | – | 25 | 4 | 5 | – | – | 9 | – | – | – | – | – | – | – | – | – | – |
| Typhus – – – | 6 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 6 | 2 | 1 | 2 | – | 5 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-Cough – – – | 68 | 57 | 2 | – | – | 59 | 1 | 1 | – | – | 2 | 3 | – | – | – | 3 | – | – | – | – | – |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 37 | 16 | 3 | 3 | 1 | 23 | 3 | 1 | – | – | 4 | 1 | – | – | – | 1 | 1 | 2 | – | – | 3 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 14 | – | 1 | 2 | – | 3 | 1 | 2 | 4 | – | 7 | – | – | 2 | – | 2 | – | 2 | – | – | 2 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 33 | 7 | 1 | 4 | 2 | 14 | 3 | – | – | 1 | 4 | 8 | – | – | 2 | 10 | 2 | – | – | – | 2 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 10 | 3 | – | – | – | 3 | – | – | – | – | – | 2 | – | 1 | – | 3 | 3 | – | – | – | 3 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 7 | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | 1 | 2 | 3 | – | – | – | – | – |
| Pyæmia, Septicæmia – – | 9 | – | 1 | 3 | – | 4 | 1 | – | 2 | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – |
| Puerperal Fever – – – | 6 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 3 | – | – | – | 3 | – | – | 2 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 2 | – | 2 | – | 4 | 3 | – | – | – | 3 | 4 | – | – | – | 4 | – | – | – | – | – |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 8 | 2 | – | – | 10 | 5 | – | – | – | 5 | 1 | – | – | – | 1 | 3 | – | – | – | 3 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | 2 | – | – | 5 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | | | – | 4 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Pyæmia, Septicæmia | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 4 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 6 | 3 | – | – | – | 3 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 68 | 1 | 1 | 10 | 18 | 30 | – | – | 7 | 8 | 15 | – | – | 3 | 2 | 5 | – | – | 5 | 4 | 9 |
| Tabes Mesenterica | 32 | 9 | 4 | – | – | 13 | 2 | 7 | – | – | 9 | 2 | 3 | – | – | 5 | 2 | – | – | – | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 37 | 13 | 3 | – | – | 16 | 5 | 2 | – | – | 7 | 3 | 1 | – | – | 4 | 3 | 1 | – | – | 4 |
| Phthisis | 235 | 4 | 26 | 86 | 1 | 117 | 4 | 6 | 19 | 1 | 30 | – | 4 | 17 | 3 | 24 | 1 | 8 | 18 | 1 | 28 |
| Other forms of Tuber. Scrofula | 26 | 7 | 2 | 2 | 1 | 12 | 3 | 1 | 1 | – | 5 | – | 1 | 1 | – | 2 | 1 | – | – | – | 1 |
| Purp., Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 6 | – | – | 3 | 1 | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 58 | 37 | – | – | – | 37 | 7 | – | – | – | 7 | 2 | – | – | – | 2 | 4 | – | – | – | 4 |
| Atelectasis | 7 | 1 | – | – | – | 1 | 4 | – | – | – | 4 | 1 | – | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 81 | – | – | – | 34 | 34 | – | – | – | 19 | 19 | – | – | – | 8 | 8 | – | – | – | 4 | 4 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 51 | 28 | 4 | 4 | – | 36 | 2 | – | – | – | 2 | 1 | 1 | – | – | 2 | 3 | – | – | – | 3 |
| Apoplexy | 71 | 1 | – | 19 | 15 | 35 | 1 | 1 | 3 | 8 | 13 | – | – | 5 | 7 | 12 | – | – | – | 8 | 8 |
| Softening of Brain | 11 | – | – | 3 | 4 | 7 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 48 | – | – | 8 | 8 | 16 | – | – | 2 | 6 | 8 | – | – | 3 | 5 | 8 | 1 | – | – | 6 | 7 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 8 | – | – | 1 | 2 | 3 | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | 2 | – | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 12 | 1 | – | 1 | – | 2 | – | – | 3 | – | 3 | – | – | 2 | – | 2 | – | 1 | 1 | 1 | 3 |
| Convulsions | 42 | 24 | 1 | – | – | 25 | 5 | – | – | – | 5 | 3 | – | – | – | 3 | 3 | – | – | – | 3 |
| Laryngismus Stridulus | 5 | 4 | – | – | – | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 9 | – | – | 4 | 2 | 6 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Other Diseases of Ner. System | 20 | 4 | 1 | 4 | 2 | 11 | 1 | 1 | 1 | 1 | 4 | – | – | – | – | – | – | – | 2 | – | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | – | – | – | – | 1 | 2 | 2 | – | 5 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | 2 | 3 | – | – | 1 | 2 | 3 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 |
| Tabes Mesenterica | 1 | – | – | – | 1 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | 1 | – | – | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Phthisis | 1 | – | 10 | 1 | 12 | 2 | 1 | 8 | – | 11 | – | 1 | 7 | – | 8 | – | 1 | 4 | – | 5 |
| Other forms of Tuberculosis, Scrofula | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 4 | – | – | – | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 2 | 2 | – | – | – | 10 | 10 | – | – | – | 2 | 2 | – | – | – | 2 | 2 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 2 | – | – | – | 2 | 3 | 2 | – | 1 | 6 | – | – | – | – | – |
| Apoplexy | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Softening of Brain | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 1 | 2 | 1 | – | 1 | 2 | 4 | – | – | 2 | – | 2 | – | – | – | 1 | 1 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Convulsions | 1 | – | – | – | 1 | 3 | – | – | – | 3 | 2 | – | – | – | 2 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 147 | – | 1 | 35 | 34 | 70 | – | 1 | 14 | 10 | 25 | – | – | 8 | 10 | 18 | – | – | 2 | 8 | 10 |
| Pericarditis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 5 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 4 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Syncope | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 5 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Embolism, Thrombosis | 4 | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 4 | – | – | – | – | – | – | 1 | – | 1 | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 15 | 7 | 1 | 1 | – | 9 | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 | 1 | 1 | 1 | – | 3 |
| Croup | 16 | 7 | 1 | – | – | 8 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 |
| Other Dis. of Larynx & Trachea | 4 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 8 | – | – | 1 | – | 1 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – | – | 3 | – | 3 |
| Bronchitis | 274 | 43 | 2 | 30 | 34 | 109 | 24 | – | – | 12 | 36 | 51 | – | 16 | 6 | 73 | 10 | – | 2 | 11 | 23 |
| Pneumonia | 250 | 67 | 5 | 35 | 14 | 121 | 10 | 1 | 12 | 3 | 26 | 43 | 1 | 5 | 1 | 50 | 9 | – | 4 | 3 | 16 |
| Pleurisy | 21 | 2 | – | 7 | 2 | 11 | – | – | 4 | 2 | 6 | 1 | – | – | – | 1 | – | 1 | – | – | 1 |
| Other Diseases of Resp. System | 48 | 20 | 3 | 5 | 4 | 32 | 3 | 1 | 2 | 2 | 8 | 2 | – | – | – | 2 | – | – | – | 2 | 2 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 12 | 5 | – | – | – | 5 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Dyspepsia | 5 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Hæmatemesis | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 26 | 5 | – | 7 | 2 | 14 | – | – | 4 | 1 | 5 | 2 | – | – | 1 | 3 | 1 | – | – | 1 | 2 |
| Enteritis | 28 | 10 | 2 | 2 | 1 | 15 | 1 | 1 | – | – | 2 | 5 | 1 | – | – | 6 | 3 | – | – | – | 3 |
| Ulceration of Intestine | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 10 | 1 | – | 1 | – | 2 | – | – | – | 2 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Stricture or Strang. of Intestine | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Hernia | 8 | 1 | – | – | – | 1 | – | – | 2 | 2 | 4 | – | – | – | 1 | 1 | – | – | – | 2 | 2 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 26 | 1 | 3 | 7 | 1 | 12 | – | 2 | 5 | – | 7 | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 |
| Ascites | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Gallstones | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Other Diseases of Liver | 13 | 1 | – | 3 | 3 | 7 | – | – | – | 1 | 1 | 1 | – | 1 | – | 2 | 1 | – | – | – | 1 |
| Other Dis. of Digestive System | 9 | 1 | 1 | 4 | 1 | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 19 | 1 | 1 | 8 | – | 10 | 1 | – | 2 | 1 | 4 | 1 | – | – | – | 1 | – | – | – | – | – |
| Bright's Disease | 23 | – | – | 9 | – | 9 | – | – | 7 | 1 | 8 | – | 1 | – | 1 | 2 | – | – | – | 1 | 1 |
| Uræmia | 4 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 10 | 1 | – | 1 | 2 | 4 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | 3 | 3 |
| Other Dis. of Urinary System | 11 | – | – | 4 | – | 4 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 | – | – | 2 | 1 | 3 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 4 | 4 | 8 | – | – | 1 | 5 | 6 | – | – | 2 | 4 | 6 | – | – | 4 | – | 4 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | 4 | – | – | – | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Diseases of Larynx & Trachea | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 6 | – | – | 2 | 8 | 8 | – | 4 | 4 | 16 | 1 | – | 1 | 2 | 4 | 3 | – | – | 2 | 5 |
| Pneumonia | 6 | – | 3 | 3 | 12 | 3 | – | 4 | 2 | 9 | 4 | 1 | 1 | 1 | 7 | 5 | – | 3 | 1 | 9 |
| Pleurisy | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | 1 | 3 | – | – | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 3 |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | 1 | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Bright's Disease | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 4 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Accidents of Childbirth | 5 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 10 | – | 2 | 1 | – | 3 | – | 2 | 1 | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 9 | – | 1 | 2 | 1 | 4 | 1 | 1 | – | – | 2 | – | 1 | – | – | 1 | – | – | – | 1 | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 4 | – | – | 2 | 1 | 3 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 9 | 3 | – | 1 | – | 4 | 1 | 2 | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Drowning | 4 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 9 | 1 | – | – | – | 1 | – | – | – | – | – | 6 | – | – | – | 6 | – | – | – | – | – |
| Suffocation: Otherwise | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Falls | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 16 | 1 | 1 | 7 | 5 | 14 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 4 | 1 | – | – | 1 | 2 | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 3 | 2 | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 4 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 67 | 29 | 2 | 5 | – | 36 | 6 | – | 1 | – | 7 | 12 | – | 1 | – | 13 | 2 | – | 1 | – | 3 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Hæmorrhage | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 8 | 3 | – | 2 | 2 | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 10 | 5 | 1 | – | – | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | 1 | – | 2 | 3 | – | – | – | 3 | 3 | – | – | – | 3 | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | 1 | – | 1 | – | – | – | – | – | 1 | | – | – | 1 | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—FEBRUARY 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 53 | 6 | 41 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 14 | 1 |
| Ayr, | 27,132 | 53 | 8 | 35 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 7 |
| Banff, with Macduff, | 8,841 | 25 | 6 | 11 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 1 | 1 | 0 |
| Blairgowrie, | 4,481 | 8 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Callander | 2,305 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Campbeltown, | 10,377 | 24 | 3 | 17 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 0 |
| Cathcart (Landward | 5,024 | 10 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crieff, | 5,531 | 11 | 2 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 1 |
| Dumbarton, | 18,745 | 53 | 5 | 31 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 5 | 4 |
| Dumfries, with Troqueer, | 24,092 | 46 | 9 | 55 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 8 | 8 |
| Dunfermline, | 29,207 | 65 | 10 | 38 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 4 |
| Dunoon | 7,396 | 13 | 2 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Eastwood (Landward) | 13,967 | 30 | 6 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 3 |
| Elgin, | 10,614 | 29 | 3 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Falkirk, | 27,882 | 56 | 5 | 53 | 0 | 9 | 1 | 2 | 0 | 1 | 0 | 1 | 1 | 10 | 3 |
| Forfar, | 13,490 | 34 | 5 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| Galashiels | 18,264 | 41 | 4 | 18 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 |
| Govan—(1) Plantation (Landward) | 23,668 | 55 | 6 | 32 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 4 |
| (2) Govan (Landward) | 43,404 | 113 | 14 | 92 | 0 | 15 | 2 | 1 | 1 | 1 | 0 | 2 | 1 | 19 | 10 |
| (3) Partick (Landward) | 38,979 | 105 | 18 | 59 | 0 | 8 | 1 | 1 | 8 | 0 | 0 | 1 | 0 | 13 | 4 |
| Haddington, | 5,121 | 9 | 0 | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| Hawick, with Wilton, | 21,303 | 44 | 5 | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 4 | 4 |
| Inverness, | 24,425 | 40 | 8 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 0 |
| Kilmarnock, | 28,464 | 55 | 16 | 43 | 0 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 9 | 2 |
| Kilmore and Kilbride (Oban) | 5,870 | 12 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| Kinning Park (Landward) | 14,209 | 47 | 9 | 31 | 0 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 9 | 1 |
| Kirkcaldy and Abbotshall, | 18,494 | 36 | 6 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 4 |
| Kirkcudbright, | 3,477 | 7 | 2 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Largs | 5,359 | 9 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Lecropt & Logie (Bridge of Allan) | 5,657 | 4 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Moffat | 2,988 | 7 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Montrose, | 14,037 | 37 | 5 | 26 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 |
| Moulin (Pitlochry) | 2,087 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn | 5,190 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| New Monkland, (Airdrie and Landward) | 35,266 | 113 | 8 | 61 | 0 | 10 | 0 | 1 | 3 | 0 | 0 | 0 | 1 | 19 | 4 |
| North Berwick | 3,123 | 6 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 43 | 6 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 3 |
| Rothesay | 9,293 | 19 | 3 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| St Andrews and St. Leonards | 8,789 | 21 | 2 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 |
| Shettleston (Landward) | 13,476 | 44 | 8 | 14 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 |
| Stirling, | 15,222 | 28 | 10 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 |
| Stranraer, | 6,144 | 18 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wick, | 12,140 | 27 | 4 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 6 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

### For the month of FEBRUARY 1893.

Mean barometric pressure, 29·554 inches; less than the average for the same month of 1856-92 by 0·327 inch.

Barometric monthly range, 1·538 inch; greater by 0·081 inch.

Mean temperature, 39°·3; greater by 0°·2.

Mean daily range of temperature, 9°·4; less by 0°·3.

Mean humidity, 86; equal to the average.

Rain, number of days, 19; greater by 4.

Rain, depth in inches, 3·35; greater by 0·41 inch.

Wind, pressure on square foot, 1·85 lb.; less by 0·15 lb.

Wind, direction of, E. to W. as 7 to 11, and N. to S. as 2 to 6; the average being E. to W. as 6 to 11, and N. to S. as 4 to 6.

February 1893 has been a seasonable month as to average temperature, although the beginning of the month and the third week were marked by a decidedly warm series of days and nights.

Barometric pressure, while normal as to range, was lower than it has been since February 1885, when it was 29·466 inches.

Although sharp frost occurred in all the towns, there was a marked absence of the very low temperatures that occurred in the preceding month. The mean value of the monthly range in the towns was restricted to 28°·0, whereas it had been 39°·4 in January. On the other hand, the mean daily variation of temperature rose from 8°·6 in January to 9°·4 in February, being in exact accordance with the normal advance of the seasons. The absolute highest temperature of 55°·2 occurred at Glasgow on the 18th, the absolute minimum being registered at the same station on the night of the 27th.

Rain was appreciably in excess both as to number of rainy days and the quantity recorded. This feature would probably have been even more marked but for the absence of the Paisley return. It will be noticed that 6·04 inches fell during 21 days at Greenock, where 1·10 inch. fell in the 24 hours ending 9 a.m. on the 17th.

The paucity of winds from the north is doubtless intimately connected with the low barometric pressure.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of February 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS. Elastic Force of Vapour. | DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | WINDS. Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·484 | 29·543 | 1·534 | 55·2 | 23·0 | 40·8 | 32·2 | 10·3 | 18·0 | 40·3 | 38·4 | 36·0 | ·212 | 2·45 | 85 | 17 | 2·95 | 1 | 0 | 3 | 3 | 3 | 2 | 6 | 2 | 8 | 0·56 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·244 | 29·548 | 1·607 | 54·9 | 25·1 | 39·8 | 29·8 | 9·9 | 17·5 | 39·3 | 37·2 | 34·5 | ·200 | 2·31 | 83 | 20 | 2·63 | 1 | 1 | 3 | 2 | 3 | 1 | 12 | 2 | 3 | 1·64 |
| DUNDEE, W. R. M'Kelvie, Esq., Curator of Cemeteries. | 164 | 29·354 | 29·534 | 1·590 | 49·2 | 23·8 | 37·8 | 25·4 | 8·2 | 14·4 | 36·2 | 35·3 | 34·0 | ·196 | 2·27 | 92 | 15 | 2·90 | 0 | 3 | 1 | 5 | 0 | 6 | 6 | 7 | 0 | 1·96 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·443 | 29·517 | 1·472 | 54·3 | 25·1 | 37·7 | 29·2 | 8·8 | 17·8 | 37·6 | 35·9 | 33·6 | ·193 | 2·22 | 86 | 19 | 2·46 | 2 | 1 | 2 | 1 | 7 | 6 | 3 | 6 | 0 | 1·10 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·463 | 29·540 | 1·616 | 54·4 | 28·0 | 40·5 | 26·4 | 8·5 | 15·5 | 39·9 | 37·7 | 34·9 | ·203 | 2·35 | 82 | 18 | 2·37 | 0 | 2 | 4 | 2 | 3 | 2 | 13 | 0 | 1 | 2·25 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·310 | 29·566 | 1·450 | 51·7 | 26·3 | 39·5 | 25·4 | 9·3 | 15·1 | 40·3 | 38·3 | 35·7 | ·210 | 2·43 | 84 | 21 | 6·04 | 0 | 1 | 6 | 3 | 0 | 7 | 5 | 5 | 1 | 3·61 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·405 | 29·559 | 1·500 | 52·0 | 24·5 | 39·0 | 27·5 | 10·7 | 15·8 | 38·4 | 36·8 | 34·6 | ·201 | 2·32 | 87 | 20 | 4·08 | 0 | 4 | 6 | 6 | 7 | 4 | 1 | 0 | 0 | ... |
| Means, | 139 | ... | 29·544 | 1·538 | *(55·2) | †(23·0) | 39·3 | 28·0 | 9·4 | 16·3 | 38·9 | 37·1 | 34·8 | 202 | 2·34 | 86 | 19 | 3·35 | 0 | 2 | 4 | 3 | 3 | 4 | 7 | 3 | 2 | 1·85 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH.

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

## IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

**MARCH 1893.**

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of March 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4004 children, of whom 2068 were males, and 1936 females. Of these, 3700 were legitimate, and 304 illegitimate, being in the proportion of one illegitimate in every 13·2 Births; or the illegitimate Births constituted 7·6 per cent. of the whole. In Perth and Paisley, 4·8 per cent. of the Births were illegitimate; in Leith, 5·5; in Greenock 5·6; in Glasgow, 7·6; in Edinburgh, 8·0; in Aberdeen, 8·7; and in Dundee, 9·3, per cent.

During March, 594 Marriages were registered in the same Towns. Taking into account the natural increase of the population, this number is 127 below the average.

The Deaths of 2726 persons were recorded in these Towns during the month under review. Of these 1386 were males, and 1340 females. When allowance is made for the natural increase of the population, this number is seen to be 183 below the average for the corresponding month during the last ten years.

A comparison of the Deaths registered shows that during March the mortality was at the annual rate of 16·4 per thousand persons in Leith, 16·7 in Edinburgh, 16·9 in Aberdeen, 18·4 in Greenock, 21·0 in Perth, 21·5 in Paisley 25·0 in Glasgow, and 25·7 in Dundee.

Of the 1442 Deaths registered in Glasgow, 281 were of children under one year of age, and 281 of persons over 60 years; of the 379 in Edinburgh, 74 were under one and 102 over 60; of the 342 in Dundee, 98 were under one, and 62 over 60; of the 186 in Aberdeen, 42 were under one, and 61 over 60; of the 99 in Leith, 25 were under one, and 25 over 60; of the 126 in Paisley, 26 were under one, and 27 over 60; of the 98 in Greenock, 18 were under one, and 24 over 60; and of the 54 in Perth, 13 were under one year, and 17 over 60 years.

Of the whole 2726 Deaths, 1106, or 40·6 per cent. were of children under five years of age. In Greenock, 30·6 per cent. of the persons who died were under five years; in Edinburgh, 32·5; in Aberdeen, 33·3; in Leith, 34·3; in Perth, 38·9; in Glasgow, 41·2; in Paisley, 49·2; and in Dundee, 52·6 per cent.

Miasmatic Diseases caused 365 Deaths, or 13·4 per cent. of the whole mortality. This rate was slightly exceeded in Glasgow, and to a greater extent in Dundee and Paisley, owing mainly to the prevalence of Measles in these towns.

Small-pox proved fatal in 7 cases, all of which occurred in Glasgow.

The continued prevalence of Measles places it at the head of the Zymotic Diseases in point of fatality, for the sixth month in succession. In all, 220 deaths were ascribed to this disease, Measles being thus responsible for 8·1 per cent. of the total mortality. 116 deaths in Glasgow, or 8·0 per cent. of the whole mortality in that city, 53 in Dundee, or 15·5 per cent.; and 21 in Paisley, or 16·7 per cent. were due to Measles.

Hooping-Cough came next among the Zymotics with 57 deaths, 47 of which occurred in Glasgow. Scarlet Fever caused 28 deaths; Diphtheria, 29; Diarrhœa and Dysentery, 35; and Puerperal Fever, 7.

To Fevers, 11 deaths were attributed, 3 of which were classed as Typhus, 7 as Enteric Fever, and 1 as Simple or Ill-defined Fever. One of the Typhus deaths was reported from Leith, and the remaining 2 from Greenock.

Intemperance was assigned as the cause of 10 deaths, 6 being attributed to Chronic Alcoholism, and 4 to Delirium Tremens.

Apoplexy caused 83 Deaths; Paralysis, 55; Diseases of the Heart, 196; and Premature Birth Debility, 82.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 636, or 23·3 per cent. of the total mortality. Those from Consumption alone numbered 274, or 10·1 per cent. Croup caused 19 Deaths.

To Violent Causes 83 deaths were ascribed, of which 8 were stated to be suicidal. Hanging in 4 cases, Drowning in 2, Cut Throat and Shooting each in 1, being the means adopted by those persons who took their own lives.

1 male and 6 females were aged 90 years and upwards. The oldest of these, who is described as the widow of a ship-owner, was aged 93 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

## March 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 576,847 | 658,198 | 677,883 | 1016 | 949 | 1965 | 1816 | 149 | 293 | 751 | 691 | 1442 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 341 | 318 | 659 | 606 | 53 | 122 | 171 | 208 | 379 |
| DUNDEE, . . | 140,239 | 153,308 | 156,947 | 209 | 200 | 409 | 371 | 38 | 50 | 162 | 180 | 342 |
| ABERDEEN, . | 106,306 | 124,943 | 129,543 | 200 | 179 | 379 | 346 | 33 | 48 | 97 | 89 | 186 |
| LEITH, . . | 59,485 | 68,707 | 70,972 | 89 | 76 | 165 | 156 | 9 | 32 | 52 | 47 | 99 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 91 | 77 | 168 | 160 | 8 | 22 | 79 | 47 | 126 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 94 | 102 | 196 | 185 | 11 | 12 | 43 | 55 | 98 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 28 | 35 | 63 | 60 | 3 | 15 | 31 | 23 | 54 |
| TOTAL, . | 1,268,857 | 1,426.359 | 1,465,194 | 2068 | 1936 | 4004 | 3700 | 304 | 594 | 1386 | 1340 | 2726 |
| MARCH 1892, . . . | Mean Temp. 37°·4 | | | 2023 | 1948 | 3973 | 3687 | 286 | 784 | 1421 | 1419 | 2840 |
| MARCH 1891, . . . | Mean Temp. 38°·1 | | | 1866 | 1893 | 3759 | 3456 | 263 | 740 | 1486 | 1517 | 3003 |
| MARCH 1890, . . . | Mean Temp. 42°·5 | | | 1848 | 1765 | 3613 | 3334 | 279 | 753 | 1451 | 1409 | 2860 |
| MARCH 1889, . . . | Mean Temp. 40°·0 | | | 1880 | 1712 | 3592 | 3302 | 290 | 693 | 1262 | 1299 | 2561 |
| MARCH 1888, . . . | Mean Temp. 36°·6 | | | 1857 | 1733 | 3590 | 3293 | 297 | 573 | 1243 | 1281 | 2524 |
| MARCH 1887, . . . | Mean Temp. 39°·4 | | | 1995 | 1866 | 3861 | 3558 | 303 | 657 | 1357 | 1456 | 2813 |
| MARCH 1886, . . . | Mean Temp. 38°·0 | | | 2081 | 1919 | 4000 | 3669 | 331 | 680 | 1454 | 1454 | 2908 |
| MARCH 1885, . . . | Mean Temp. 40°·0 | | | 1945 | 1813 | 3758 | 3454 | 304 | 648 | 1325 | 1289 | 2614 |
| MARCH 1884, . . . | Mean Temp. 41°·7 | | | 1939 | 1810 | 3749 | 3475 | 274 | 657 | 1212 | 1151 | 2363 |
| MARCH 1883, . . . | Mean Temp. 36°·6 | | | 1828 | 1712 | 3540 | 3278 | 262 | 602 | 1459 | 1449 | 2908 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of March 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 6 | 17 | 7 | 5 | 7 | 3 | 0 |
| 2. Camlachie, . | 0 | 9 | 0 | 1 | 2 | 0 | 0 |
| 3. Dennistoun, . | 0 | 31 | 2 | 3 | 1 | 1 | 2 |
| 4. Calton, . | 0 | 7 | 0 | 0 | 4 | 0 | 1 |
| 5. Blackfriars, . | 0 | 4 | 0 | 1 | 2 | 0 | 1 |
| 6. St Rollox, . | 0 | 21 | 2 | 0 | 4 | 0 | 2 |
| 7. Blythswood, . | 0 | 1 | 0 | 1 | 1 | 0 | 2 |
| 8. Milton, . | 0 | 5 | 0 | 1 | 4 | 0 | 2 |
| 9. Kelvin, . | 0 | 2 | 0 | 1 | 0 | 0 | 2 |
| 10. Anderston, . | 0 | 4 | 0 | 0 | 5 | 0 | 1 |
| 11. Hutchesontown, | 0 | 9 | 0 | 1 | 6 | 0 | 2 |
| 12. Gorbals, . | 1 | 2 | 0 | 2 | 5 | 0 | 0 |
| 13. Tradeston, . | 0 | 3 | 0 | 0 | 4 | 1 | 0 |
| 14. Kinning Park, | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| Cathcart, . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 3 | 1 | 0 | 0 | 0 | 2 |
| 2. St Andrew, . | 0 | 0 | 3 | 3 | 0 | 0 | 0 |
| 3. Canongate, . | 0 | 5 | 5 | 1 | 3 | 0 | 0 |
| 4. St Giles, . | 0 | 3 | 0 | 1 | 0 | 0 | 0 |
| 5. Newington, . | 0 | 5 | 0 | 1 | 3 | 0 | 2 |

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 2 | 0 | 0 | 0 | 0 | 1 |
| 2. St Mary, . | 0 | 2 | 0 | 1 | 1 | 0 | 2 |
| 3. St Clement, . | 0 | 16 | 0 | 0 | 0 | 0 | 2 |
| 4. St Andrew, . | 0 | 26 | 0 | 0 | 0 | 0 | 2 |
| 5. Lochee, . | 0 | 7 | 0 | 0 | 0 | 0 | 2 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 1 | 0 | 0 | 0 | 2 | 3 |
| 2. Aberdeen, . | 0 | 3 | 0 | 2 | 1 | 0 | 0 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North . | 0 | 3 | 2 | 2 | 0 | 1 | 0 |
| 2. South, . . | 0 | 1 | 5 | 0 | 0 | 1 | 0 |
| PAISLEY, . . | 0 | 21 | 0 | 2 | 2 | 0 | 1 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 2. West, . . | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| PERTH, . . | 0 | 6 | 0 | 0 | 0 | 0 | 0 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2726 | 594 | 120 | 447 | 281 | 1442 | 123 | 27 | 127 | 102 | 379 | 180 | 17 | 83 | 62 | 342 | 62 | 12 | 51 | 61 | 186 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 439 | 189 | 25 | 21 | 5 | 240 | 36 | 6 | 5 | 4 | 51 | 63 | 1 | 5 | – | 69 | 9 | 2 | 1 | 4 | 16 |
| II. PARASITIC DISEASE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 13 | 1 | – | 4 | – | 5 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | 1 | – | – | – | 1 |
| IV. CONSTITUTIONAL ,, | 508 | 60 | 46 | 140 | 27 | 273 | 7 | 7 | 47 | 14 | 75 | 10 | 9 | 33 | 9 | 61 | 5 | 6 | 19 | 7 | 37 |
| V. DEVELOPMENTAL ,, | 183 | 47 | – | – | 46 | 93 | 17 | – | – | 10 | 27 | 8 | – | – | 4 | 12 | 7 | – | – | 7 | 14 |
| VI. LOCAL ,, | 1396 | 251 | 41 | 242 | 193 | 727 | 54 | 12 | 70 | 72 | 208 | 78 | 4 | 41 | 47 | 170 | 35 | 4 | 26 | 41 | 106 |
| VII. VIOLENCE - - | 83 | 7 | 8 | 29 | 6 | 50 | 1 | 1 | 2 | 1 | 5 | 2 | 3 | 2 | 1 | 8 | 3 | – | 5 | – | 8 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 104 | 39 | – | 11 | 4 | 54 | 8 | 1 | 1 | 1 | 11 | 19 | – | – | 1 | 20 | 2 | – | – | 2 | 4 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES – | 365 | 171 | 24 | 12 | 1 | 208 | 31 | 6 | 3 | 3 | 43 | 53 | 1 | 1 | – | 55 | 7 | 2 | – | 1 | 10 |
| 2. DIARRHŒAL ,, – | 35 | 10 | 1 | 3 | 2 | 16 | 3 | – | – | 1 | 4 | 7 | – | 2 | – | 9 | 1 | – | – | 2 | 3 |
| 3. MALARIAL ,, – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, – | 14 | 6 | – | – | – | 6 | 2 | – | – | – | 2 | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| 6. SEPTIC ,, – | 25 | 2 | – | 6 | 2 | 10 | – | – | 2 | – | 2 | 1 | – | 2 | – | 3 | – | – | 1 | 1 | 2 |
| II. PARASITIC DISEASES – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - | 13 | 1 | – | 4 | – | 5 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | 1 | – | – | – | 1 |
| IV. CONSTITUTIONAL DISEASES | 508 | 60 | 46 | 140 | 27 | 273 | 7 | 7 | 47 | 14 | 75 | 10 | 9 | 33 | 9 | 61 | 5 | 6 | 19 | 7 | 37 |
| V. DEVELOPMENTAL DISEASES | 183 | 47 | – | – | 46 | 93 | 17 | – | – | 10 | 27 | 8 | – | – | 4 | 12 | 7 | – | – | 7 | 14 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM – | 289 | 54 | 8 | 35 | 47 | 144 | 13 | 1 | 14 | 21 | 49 | 10 | 2 | 7 | 9 | 28 | 9 | – | 6 | 9 | 24 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 3 | – | 1 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 196 | 2 | 4 | 45 | 45 | 96 | – | 1 | 19 | 22 | 42 | – | – | 11 | 12 | 23 | – | – | 4 | 10 | 14 |
| 4. ,, RESPIRATORY SYSTEM | 636 | 162 | 14 | 98 | 67 | 341 | 30 | 5 | 17 | 18 | 70 | 63 | 1 | 16 | 18 | 98 | 17 | 2 | 9 | 15 | 43 |
| 5. ,, DIGESTIVE SYSTEM – | 150 | 28 | 7 | 29 | 17 | 81 | 10 | 1 | 11 | 4 | 26 | 4 | 1 | 1 | 1 | 7 | 8 | 1 | 4 | 3 | 16 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 3 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM – | 72 | 1 | 3 | 22 | 12 | 38 | 1 | 2 | 5 | 5 | 13 | – | – | 3 | 6 | 9 | – | – | 2 | 2 | 4 |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION – | 10 | – | – | 7 | 1 | 8 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| (b) DISEASES OF PARTURITION - - | 9 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 17 | 3 | 4 | – | 2 | 9 | – | 2 | 1 | – | 3 | – | – | – | 1 | 1 | – | 1 | – | – | 1 |
| 10. ,, INTEGUMENTARY SYSTEM -, - | 11 | 1 | – | 1 | 1 | 3 | – | – | 1 | 1 | 2 | 1 | – | 1 | – | 2 | 1 | – | – | 2 | 3 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 34 | 12 | 28 | 25 | 99 | 62 | 8 | 29 | 27 | 126 | 30 | 13 | 31 | 24 | 98 | 21 | 3 | 13 | 17 | 54 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 7 | 6 | 2 | 2 | 17 | 24 | 1 | 6 | - | 31 | 3 | 1 | 3 | 1 | 8 | 7 | - | - | - | 7 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | - | - | - | - | - | - | | - | 1 | - | 1 | 1 | 3 | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 6 | 5 | 9 | 4 | 24 | 7 | 3 | 12 | 2 | 24 | - | 6 | 4 | 1 | 11 | - | - | 3 | - | 3 |
| V. DEVELOPMENTAL ,, - | 3 | - | - | 4 | 7 | 6 | - | - | 7 | 13 | 5 | - | - | 5 | 10 | 4 | - | - | 3 | 7 |
| VI. LOCAL ,, - | 13 | 1 | 15 | 15 | 44 | 19 | 3 | 11 | 16 | 49 | 18 | 5 | 20 | 15 | 58 | 9 | 3 | 9 | 13 | 34 |
| VII. VIOLENCE - - - | | - | 2 | - | 2 | - | 1 | - | 2 | 3 | 1 | 1 | 3 | - | 5 | - | - | 1 | 1 | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 5 | - | - | - | 5 | 6 | - | - | - | 6 | 2 | - | - | 1 | 3 | 1 | - | - | - | 1 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 7 | 6 | 2 | - | 15 | 24 | - | 1 | - | 25 | 1 | - | 1 | 1 | 3 | 6 | - | - | - | 6 |
| 2. DIARRHŒAL ,, - - | - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - | 2 | - | - | - | - | - |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| 6. SEPTIC ,, - - | - | - | - | 2 | 2 | - | 1 | 3 | - | 4 | - | 1 | 1 | - | 2 | - | - | - | - | - |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 1 | 3 | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 6 | 5 | 9 | 4 | 24 | 7 | 3 | 12 | 2 | 24 | - | 6 | 4 | 1 | 11 | - | - | 3 | - | 3 |
| V. DEVELOPMENTAL DISEASES - - | 3 | - | - | 4 | 7 | 6 | - | - | 7 | 13 | 5 | - | - | 5 | 10 | 4 | - | - | 3 | 7 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | - | - | 1 | 4 | 5 | 6 | 1 | 2 | 8 | 17 | 7 | 2 | 4 | 3 | 16 | 2 | - | 1 | 3 | 6 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | | - | - | 4 | 4 | - | - | 3 | 3 | 6 | - | - | 3 | 4 | 7 | - | - | 1 | 3 | 4 |
| 4. ,, RESPIRATORY SYSTEM | 12 | - | 7 | 6 | 25 | 8 | 1 | 4 | 5 | 18 | 5 | 3 | 8 | 6 | 22 | 7 | 2 | 6 | 4 | 19 |
| 5. ,, DIGESTIVE SYSTEM - | 1 | 1 | 3 | 1 | 6 | 3 | - | 2 | - | 5 | 4 | - | 2 | 2 | 8 | - | | - | 1 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| 7. ,, URINARY SYSTEM - | - | - | 3 | - | 3 | - | 1 | - | - | 1 | 2 | - | 1 | - | 3 | - | - | 1 | - | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | 2 | - | 2 | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 1 | 2 |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | - | - | 1 | - | | - | 1 | - | - | - | - | - | - | - | - | - | - |

## DEATHS FROM ALL CAUSES at Four Periods of Life
Registered during the Month of MARCH 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 75 | 7 | 8 | 25 | 6 | 46 | 1 | 1 | 2 | 1 | 5 | 2 | 3 | 1 | 1 | 7 | 3 | – | 4 | – | 7 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 8 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 104 | 39 | – | 11 | 4 | 54 | 8 | 1 | 1 | 1 | 11 | 19 | – | – | 1 | 20 | 2 | – | – | 2 | 4 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox – Vaccinated – | 4 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – Unvaccinated – | 3 | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 220 | 107 | 9 | – | – | 116 | 16 | – | – | – | 16 | 52 | 1 | – | – | 53 | 4 | – | – | – | 4 |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 28 | 9 | 3 | – | – | 12 | 6 | 2 | 1 | – | 9 | – | – | – | – | – | – | – | – | – | – |
| Typhus – – – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 11 | – | 1 | 1 | 1 | 3 | – | 1 | 2 | 3 | 6 | – | – | – | – | – | – | – | – | 1 | 1 |
| Hooping-Cough – – – | 57 | 41 | 6 | – | – | 47 | 6 | – | – | – | 6 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Mumps – – – – | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 29 | 11 | 4 | 1 | – | 16 | 3 | 3 | – | – | 6 | – | – | 1 | – | 1 | 2 | – | – | – | 2 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Enteric Fever – – – | 7 | – | 1 | 4 | – | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 35 | 10 | 1 | 3 | 2 | 16 | 3 | – | – | 1 | 4 | 7 | – | 2 | – | 9 | 1 | – | – | 2 | 3 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 14 | 6 | – | – | – | 6 | 2 | – | – | – | 2 | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 10 | 2 | – | – | 1 | 3 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Pyæmia, Septicæmia – – | 8 | – | – | 4 | 1 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Puerperal Fever – – – | 7 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | 1 | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of March 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | – | – | 1 | – | 1 | – | 1 | – | 1 | 2 | 1 | 1 | 3 | – | 5 | – | – | 1 | 1 | 2 |
| 2. Violence other than Accidental | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 5 | – | – | – | 5 | 6 | – | – | – | 6 | 2 | – | – | 1 | 3 | 1 | – | – | – | 1 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 4 | – | – | – | 4 | 20 | – | 1 | – | 21 | – | – | – | – | – | 6 | – | – | – | 6 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | 4 | 1 | – | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | 1 | – | – | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | 1 | – | 1 | 3 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of March 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Parasitic Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Dietetic Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 6 | – | – | 3 | – | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **Constitutional Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 5 | – | 1 | 2 | 1 | 4 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 8 | – | – | 2 | 2 | 4 | – | 1 | 1 | – | 2 | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Gout | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Rickets | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 90 | 1 | – | 26 | 16 | 43 | – | – | 10 | 13 | 23 | – | – | 4 | 5 | 9 | – | – | 4 | 3 | 7 |
| Tabes Mesenterica | 33 | 14 | 6 | 1 | – | 21 | 1 | – | – | – | 1 | 5 | 1 | – | – | 6 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 58 | 27 | 6 | 3 | – | 36 | 4 | 1 | 1 | – | 6 | 3 | 1 | – | – | 4 | 3 | 2 | – | – | 5 |
| Phthisis | 274 | 10 | 30 | 101 | 8 | 149 | 2 | 3 | 30 | – | 35 | 1 | 7 | 25 | 3 | 36 | 1 | 3 | 14 | 2 | 20 |
| Other forms of Tuber. Scrofula | 26 | 7 | 3 | 1 | – | 11 | – | – | 3 | – | 3 | 1 | – | 1 | 1 | 3 | 1 | 1 | 1 | – | 3 |
| Purp., Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 7 | 1 | – | 3 | – | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Developmental Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 82 | 40 | – | – | – | 40 | 15 | – | – | – | 15 | 7 | – | – | – | 7 | 5 | – | – | – | 5 |
| Atelectasis | 3 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 4 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 |
| Spina Bifida | 2 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 4 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 86 | – | – | – | 46 | 46 | – | – | – | 10 | 10 | – | – | – | 4 | 4 | – | – | – | 7 | 7 |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 38 | 14 | 4 | 2 | – | 20 | 4 | – | – | – | 4 | 2 | 1 | – | – | 3 | 2 | – | – | – | 2 |
| Apoplexy | 83 | – | 1 | 14 | 28 | 43 | – | – | 3 | 12 | 15 | – | – | 6 | 4 | 10 | – | – | 2 | 4 | 6 |
| Softening of Brain | 9 | – | – | 1 | 2 | 3 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | – | 2 | 2 |
| Hemiplegia, Brain Paralysis | 42 | – | 1 | 6 | 14 | 21 | – | – | 5 | 6 | 11 | – | – | – | 2 | 2 | – | – | 1 | 1 | 2 |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 5 | – | 1 | – | 1 | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Chorea | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Convulsions | 59 | 31 | – | – | – | 31 | 6 | – | – | – | 6 | 7 | 1 | – | – | 8 | 6 | – | – | – | 6 |
| Laryngismus Stridulus | 4 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 12 | – | – | 5 | 1 | 6 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | 1 | 1 | 2 |
| Other Diseases of Ner. System | 29 | 8 | 1 | 3 | 1 | 13 | 1 | 1 | – | 1 | 3 | – | – | – | 1 | 1 | 1 | – | 1 | – | 2 |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | – | 1 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | 1 | 1 | – | – | 5 | 1 | 6 | – | – | – | 1 | 1 | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | – | 2 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | – | – | – | 3 | 3 | – | – | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| Phthisis | – | 5 | 7 | 3 | 15 | 1 | 3 | 6 | – | 10 | – | 5 | 3 | – | 8 | – | – | 1 | – | 1 |
| Other forms of Tuberculosis, Scrofula | 1 | – | 2 | – | 3 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 3 | – | – | – | 3 | 5 | – | – | – | 5 | 3 | – | – | – | 3 | 4 | – | – | – | 4 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 4 | 4 | – | – | – | 7 | 7 | – | – | – | 5 | 5 | – | – | – | 3 | 3 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 1 | 1 | 1 | – | 3 | 2 | 2 | 1 | | 5 | 1 | – | – | – | 1 |
| Apoplexy | – | – | – | 2 | 2 | – | – | – | 2 | 2 | – | – | 2 | – | 2 | – | – | – | 3 | 3 |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | 2 | 2 | – | – | – | 4 | 4 | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | 3 | – | – | – | 3 | 5 | – | – | – | 5 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | 2 | – | 1 | 2 | 5 | – | – | 1 | 2 | 3 | 1 | – | 1 | – | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 158 | – | 4 | 33 | 38 | 75 | – | – | 16 | 18 | 34 | – | – | 9 | 11 | 20 | – | – | 3 | 9 | 12 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 7 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | 1 | – | 1 |
| Angina Pectoris | 5 | – | – | 2 | 1 | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Syncope | 10 | 1 | – | 3 | 1 | 5 | – | 1 | – | 2 | 3 | – | – | – | 1 | 1 | – | – | – | – | – |
| Aneurism | 5 | – | – | 3 | – | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 7 | – | – | – | 5 | 5 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 8 | 2 | – | – | – | 2 | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 | – | – | – | 1 |
| Croup | 19 | 11 | – | – | – | 11 | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Dis. of Larynx & Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Emphysema, Asthma | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 275 | 53 | 1 | 39 | 42 | 135 | 11 | 1 | 4 | 15 | 31 | 36 | – | 8 | 12 | 56 | 7 | – | 5 | 10 | 22 |
| Pneumonia | 269 | 74 | 9 | 48 | 22 | 153 | 12 | 4 | 11 | 1 | 28 | 27 | – | 6 | 6 | 39 | 7 | 2 | 4 | 2 | 15 |
| Pleurisy | 19 | 1 | 2 | 5 | 1 | 9 | – | – | 2 | 1 | 3 | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Other Diseases of Resp. System | 42 | 21 | 2 | 5 | 2 | 30 | 5 | – | – | 1 | 6 | – | – | – | – | – | – | – | – | 2 | 2 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 22 | 14 | – | – | – | 14 | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | 3 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Dyspepsia | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | 2 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 16 | 4 | – | 4 | 2 | 10 | – | – | 2 | – | 2 | – | – | – | – | – | 2 | 1 | 1 | – | 4 |
| Enteritis | 26 | 4 | 2 | 2 | 1 | 9 | 4 | – | – | – | 4 | 2 | – | – | – | 2 | 5 | – | – | 1 | 6 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 10 | 1 | 1 | 4 | 1 | 7 | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strang. of Intestine | 3 | – | – | 2 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 4 | – | – | – | 1 | 1 | – | – | – | 2 | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 16 | – | 3 | 2 | 1 | 6 | 1 | – | 3 | – | 4 | 1 | – | 1 | – | 2 | – | – | 1 | 1 | 2 |
| Ascites | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 11 | – | – | 4 | 1 | 5 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 21 | 3 | – | 5 | 6 | 14 | – | 1 | 1 | 1 | 3 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Other Dis. of Digestive System | 6 | – | – | 1 | 3 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 3 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 24 | – | 2 | 8 | 5 | 15 | 1 | 1 | – | – | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Bright's Disease | 23 | – | – | 8 | 3 | 11 | – | – | 4 | – | 4 | – | – | 2 | 2 | 4 | – | – | – | 1 | 1 |
| Uræmia | 4 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 2 | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 11 | – | – | 1 | 1 | 2 | – | – | 1 | 3 | 4 | – | – | – | 4 | 4 | – | – | – | 1 | 1 |
| Other Dis. of Urinary System | 7 | 1 | – | 2 | – | 3 | – | 1 | – | 2 | 3 | – | – | – | – | – | – | – | 1 | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of March 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | – | 4 | 4 | – | – | 2 | 3 | 5 | – | – | 2 | 3 | 5 | – | – | 1 | 2 | 3 |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 |
| Croup | 1 | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Bronchitis | 6 | – | – | 4 | 10 | 3 | – | 1 | 3 | 7 | 2 | 1 | 4 | 5 | 12 | 2 | – | – | – | 2 |
| Pneumonia | 4 | – | 5 | 2 | 11 | 4 | – | 3 | 1 | 8 | 1 | 1 | 4 | – | 6 | 2 | 1 | 3 | 3 | 9 |
| Pleurisy | – | – | 2 | – | 2 | – | – | – | – | – | 1 | – | – | 1 | 2 | – | – | 1 | – | 1 |
| Other Diseases of Respiratory System | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | 3 | – | – | – | 3 | 2 | – | – | – | 2 | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 1 | – | 1 | – | 2 | – | – | 1 | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | 1 | – | 1 | – | – | 1 | 2 | – | 1 | – | 3 | – | – | – | – | – |
| Bright's Disease | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of March 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 7 | – | – | 5 | – | 5 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Puerperal Mania | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Puerperal Convulsions | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 10 | 2 | 4 | – | 1 | 7 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 4 | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 5 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | 2 | 2 |
| Eczema | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Integ. System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Vehicles and Horses: Veh. oth. than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 12 | 3 | 2 | 1 | 2 | 8 | – | 1 | – | – | 1 | – | 2 | – | – | 2 | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 9 | – | 1 | 4 | 1 | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Suffocation: In Bed | 7 | 2 | – | – | – | 2 | – | – | – | – | – | 2 | – | – | – | 2 | 2 | – | – | – | 2 |
| Suffocation: Otherwise | 4 | – | – | 2 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 8 | – | – | 6 | – | 6 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 21 | 2 | 1 | 9 | 3 | 15 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 2 | – | 2 |
| Otherwise, or Not Stated | 7 | – | 1 | 2 | – | 3 | – | – | – | 1 | 1 | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 8 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 6 | 1 | – | 1 | – | 2 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 76 | 32 | – | 4 | – | 36 | 8 | 1 | – | – | 9 | 18 | – | – | – | 18 | 1 | – | – | – | 1 |
| Mortification | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 7 | – | – | 2 | – | 4 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | 1 | 2 |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 13 | 4 | – | 3 | 3 | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries — Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries — Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Veh. other than R'ways. | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses — Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds — Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds — Other Burns and Scalds | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds — Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suffocation — In Bed | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Suffocation — Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Falls | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 3 | – | – | – | 3 | 5 | – | – | – | 5 | 2 | – | – | 1 | 3 | 1 | – | – | – | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-def. and not spec. Causes | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MARCH 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 51 | 5 | 57 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 16 | 8 |
| Ayr, | 27,132 | 67 | 8 | 41 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 7 | 4 |
| Banff, with Macduff, | 8,841 | 22 | 2 | 16 | 0 | 0 | 0 | 1 | 3 | 1 | 0 | 1 | 0 | 4 | 0 |
| Blairgowrie, | 4,481 | 10 | 0 | 6 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| Callander | 2,305 | 9 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Campbeltown, | 10,377 | 37 | 2 | 18 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 8 | 1 |
| Cathcart (Landward | 5,024 | 10 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Crieff, | 5,551 | 5 | 2 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 |
| Dumbarton, | 18,745 | 52 | 7 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 2 |
| Dumfries, with Troqueer, | 24,092 | 69 | 9 | 57 | 0 | 4 | 0 | 2 | 4 | 0 | 0 | 0 | 0 | 5 | 9 |
| Dunfermline, | 29,207 | 73 | 15 | 40 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 1 |
| Dunoon | 7,396 | 16 | 2 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Eastwood (Landward) | 13,967 | 44 | 4 | 27 | 0 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 3 | 2 |
| Elgin, | 10,614 | 20 | 2 | 29 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 1 |
| Falkirk, | 27,882 | 103 | 5 | 39 | 0 | 2 | 0 | 3 | 0 | 1 | 0 | 0 | 1 | 5 | 4 |
| Forfar, | 13,490 | 34 | 3 | 22 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 3 |
| Galashiels | 18,264 | 37 | 5 | 19 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| Govan—(1) Plantation (Landward) | 23,668 | 65 | 5 | 51 | 0 | 14 | 0 | 1 | 2 | 0 | 0 | 0 | 1 | 18 | 2 |
| (2) Govan (Landward) | 43,404 | 141 | 12 | 141 | 1 | 56 | 0 | 3 | 0 | 0 | 0 | 2 | 1 | 29 | 8 |
| (3) Partick (Landward) | 38,979 | 120 | 7 | 69 | 0 | 6 | 1 | 2 | 9 | 0 | 0 | 2 | 2 | 7 | 7 |
| Haddington, | 5,121 | 14 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Hawick, with Wilton, | 21,303 | 46 | 6 | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 7 | 4 |
| Inverness, | 24,425 | 52 | 18 | 64 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 13 | 7 |
| Kilmarnock, | 28,464 | 100 | 11 | 56 | 0 | 0 | 1 | 1 | 9 | 0 | 0 | 1 | 0 | 10 | 4 |
| Kilmore and Kilbride (Oban) | 5,870 | 13 | 3 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| Kinning Park (Landward) | 14,209 | 46 | 5 | 37 | 0 | 8 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 11 | 3 |
| Kirkcaldy and Abbotshall, | 18,494 | 50 | 7 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 2 |
| Kirkcudbright, | 3,477 | 2 | 1 | 8 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Largs | 5,359 | 8 | 0 | 12 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| Lecropt & Logie (Bridge of Allan) | 5,657 | 8 | 3 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Moffat | 2,988 | 2 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Montrose, | 14,037 | 32 | 7 | 37 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 6 | 5 |
| Moulin (Pitlochry) | 2,087 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn | 5,190 | 6 | 1 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 |
| New Monkland, (Airdrie and Landward) | 35,266 | 147 | 9 | 72 | 0 | 8 | 0 | 1 | 2 | 2 | 0 | 2 | 1 | 12 | 5 |
| North Berwick | 3,123 | 9 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 53 | 4 | 30 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 7 | 5 |
| Rothesay | 9,293 | 18 | 1 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 |
| St Andrews and St. Leonards | 8,789 | 13 | 4 | 7 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| Shettleston (Landward) | 13,476 | 37 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| Stirling, | 15,222 | 36 | 10 | 17 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Stranraer, | 6,144 | 9 | 3 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| Wick, | 12,140 | 13 | 2 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

### For the month of MARCH 1893.

Mean barometric pressure, 29·984 inches; greater than the average of the same month of 1856-92 by 0·139 inch.

Barometric monthly range, 1·168 inch; less by 0·272 inch.

Mean temperature, 43°·7; greater by 3°·6.

Mean daily range of temperature, 15°·0; greater by 3°·6.

Mean humidity, 82; less by 2.

Rain, number of days, 10; less by 5.

Rain, depth in inches, 1·36; less by 1·28 inch.

Wind, pressure on square foot, 1·55 lb.; less by 0·45 lb.

Wind, direction of, E. to W. as 6 to 15, and N. to S. as 3 to 4; the average being E. to W. as 7 to 11, and N. to S. as 5 to 5.

Hence the month of March 1893, in the towns has been singularly warm, dry, and calm, with the high and steady barometric pressure characteristic of such weather at this season.

To find so warm a March, it is necessary to go back ten years, to 1883, when the mean temperature was 45°·7; 1882 again had a high mean of 44°·3, or 0°·6 warmer than was experienced this year. The mean daily range was, however, exceptionally large, involving low night temperatures. Hence sharp frosts occurred in all the towns, the absolute minimum of 24°·0 being registered at Perth on the night of the 18th. The absolute maximum of 69°·0 obtained at the same place as early as on March, 7th. Perth, too, returns the greatest mean daily range of 17°·3, while the temperature was most equable at Leith, with a mean daily oscillation of 13°·2.

Although the average rainfall was but 1·36 inches, it was not so small as in March of last year, when the average catch in the towns was as low as 1·04 inches. The average number of wet days was the same in March of both years, viz., 10.

Especially striking is the rarity of east winds, or rather the great preponderance of west winds; inroads of air from the north and south having been very rare at all the stations except at Aberdeen, where winds from the south and north-west were more frequent than from any other quarter.

The average estimated wind pressure was appreciably below the mean for the month.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of March 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | Mean at Sea-level and 32°. | Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | Lowest in Month. | Mean Temperature. | Monthly Range. | Mean Daily Range. | Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | Elastic Force of Vapour. | Wt. of Vapour in Cub. Ft. of Air. | Humidity Sat. 100. | RAIN. Number of Days it fell. | Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·950 | 30·009 | 1·160 | 66·4 | 25·0 | 44·2 | 41·4 | 15·5 | 35·1 | 42·6 | 40·5 | 38·0 | ·229 | 2·64 | 84 | 10 | 1·40 | 0 | 1 | 4 | 0 | 1 | 2 | 11 | 4 | 8 | 0·72 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·704 | 30·008 | 1·159 | 67·0 | 24·9 | 43·9 | 42·1 | 14·8 | 28·0 | 43·3 | 40·4 | 37·0 | ·220 | 2·55 | 78 | 8 | 0·88 | 1 | 0 | 4 | 0 | 0 | 4 | 16 | 2 | 4 | 0·32 |
| DUNDEE, W. R. M'Kelvie, Esq., Curator of Cemeteries. | 164 | 29·792 | 29·972 | 1·140 | 63·9 | 26·4 | 42·6 | 37·5 | 15·5 | 31·5 | 40·2 | 38·9 | 37·2 | ·222 | 2·56 | 90 | 6 | 1·05 | 0 | 1 | 1 | 5 | 0 | 6 | 15 | 3 | 0 | 1·69 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·856 | 29·930 | 1·206 | 64·1 | 25·6 | 44·0 | 38·5 | 14·8 | 28·3 | 42·7 | 39·5 | 35·6 | ·209 | 2·43 | 77 | 11 | 0·69 | 2 | 1 | 1 | 2 | 7 | 6 | 5 | 7 | 0 | 0·81 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·920 | 29·997 | 1·145 | 62·2 | 27·1 | 44·0 | 35·1 | 13·2 | 28·3 | 42·8 | 40·2 | 37·1 | ·221 | 2·56 | 81 | 9 | 0·76 | 1 | 0 | 5 | 1 | 1 | 2 | 17 | 1 | 3 | 2·56 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·885 | 30·002 | 1·194 | 64·0 | 27·9 | 44·3 | 36·1 | 15·6 | 31·1 | 42·2 | 39·9 | 37·1 | ·222 | 2·56 | 83 | 11 | 2·02 | 0 | 1 | 4 | 0 | 0 | 4 | 15 | 4 | 3 | 1·69 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·762 | 30·018 | 1·162 | 63·7 | 26·8 | 43·0 | 36·9 | 13·6 | 27·4 | 44·0 | 41·0 | 37·5 | ·224 | 2·60 | 77 | 13 | 2·80 | 0 | 1 | 3 | 3 | 0 | 4 | 11 | 6 | 3 | 3·06 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·783 | 29·937 | 1·180 | 69·0 | 24·0 | 43·3 | 45·0 | 17·3 | 31·5 | 41·8 | 39·6 | 36·9 | ·221 | 2·54 | 84 | 11 | 1·25 | 2 | 3 | 7 | 2 | 3 | 13 | 1 | 0 | 0 | ... |
| Means, | 139 | ... | 29·984 | 1·168 | *(69·0) | †(24·0) | 43·7 | 39·1 | 15·0 | 30·1 | 42·4 | 40·0 | 37·0 | ·221 | 2·55 | 82 | 10 | 1·36 | 1 | 1 | 4 | 2 | 1 | 5 | 11 | 3 | 3 | 1·55 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH.

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

## APRIL 1893.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

## REPORT.

DURING the month of April 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3993 children, of whom 2058 were males, and 1935 females. Of these, 3730 were legitimate, and 263 illegitimate, being in the proportion of one illegitimate in every 15·2 Births; or the illegitimate Births constituted 6·6 per cent. of the whole. In Greenock 3·4 per cent. of the Births were illegitimate; in Leith, 4·6; in Paisley 5·2; in Glasgow, 6·3; in Aberdeen, 6·8; in Edinburgh, 7·6; in Dundee, 8·9 and in Perth, 10·3 per cent.

During April, 990 Marriages were registered in these Towns. When the natural increase of the population is taken into account, it is seen that this number is 80 above the average for the same month during the last ten years.

The Deaths of 2653 persons were recorded in these Towns during the month under review, of whom 1353 were males, and 1300 females. A similar allowance being made for increase of population, this number is 42 below the average for April during the last ten years.

A comparison of the Deaths registered shows that during April the mortality was at the annual rate of 17·0 per thousand persons in Leith, 17·8 in Aberdeen, 17·9 in Edinburgh, 19·1 in Dundee, 20·1 in Perth, 20·8 in Greenock, 24·7 in Paisley, and 26·2 in Glasgow.

Of the 1439 Deaths registered in Glasgow, 298 were of children under one year of age, and 238 of persons over 60 years; of the 389 in Edinburgh, 91 were under one, and 86 over 60; of the 244 in Dundee, 59 were under one, and the same number over 60; of the 187 in Aberdeen, 37 were under one, and 58 over 60; of the 98 in Leith, 32 were under one, and 25 over 60; of the 138 in Paisley, 22 were under one, and 27 over 60; of the 108 in Greenock, 20 were under one, and 17 over 60; and of the 50 in Perth, 7 were under one year, and 16 over 60 years.

Of the whole 2653 Deaths, 1102, or 41·5 per cent. were of children under five years of age. In Aberdeen, 31·0 per cent. of the persons who died were under five years; in Edinburgh, 33·9; in Perth, 34·0; in Greenock, 37·0; in Dundee, 38·1; in Paisley, 42·0; in Leith, 42·9; and in Glasgow, 46·0 per cent.

Miasmatic Diseases caused 363 Deaths, or 13·7 per cent. of the whole mortality; a rate which was somewhat exceeded in Glasgow, Paisley, and Perth, owing to the prevalence of Measles in these towns.

Three deaths, all of which took place in Glasgow, are ascribed to Small-pox, a smaller number than that recorded for either of the last three months.

The Deaths from Measles are again, for the seventh successive month, largely in excess of those from any other of the Zymotic Diseases. 209 deaths, or 7·9 per cent. of the whole mortality were registered as due to this Disease. Of these 155 occurred in Glasgow, constituting 10·8 per cent. of the total mortality in that city; 17 in Paisley, or 12·3 per cent.; and 6 in Perth, or 12·0 per cent. of the deaths there.

Among the Zymotics, Hooping-Cough is again the next most fatal disease, having caused 79 deaths, 59 of which were recorded in Glasgow. Scarlet Fever caused 21 deaths; Diarrhœa and Dysentery, 31; Diphtheria, 19; and Puerperal Fever, 6.

Twenty-one deaths in all, were attributed to Fevers. Of these 14 were described as Enteric, and 7 as Typhus Fever. Three of the Typhus deaths occurred in Glasgow, two in Aberdeen, and one each in Leith and Greenock.

Six deaths were stated to be the result of Intemperance, 3 being attributed to Chronic Alcoholism, and the same number to Delirium Tremens.

Apoplexy caused 70 Deaths; Paralysis, 58; Diseases of the Heart, 213; and Premature Birth Debility, 81.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) numbered 558, or 21·0 per cent. of the total mortality. Those from Phthisis alone amounted to 260, or 9·8 per cent. Croup caused 17 Deaths.

Seventy-nine deaths were ascribed to Violent Causes, 6 of which were stated to be suicidal. Of the Suicides, 4 resulted from Hanging, 1 from Gunshot wound, and 1 from Poisoning by Carbolic Acid.

1 male and 5 females were aged 90 years and upwards. The oldest of these, the widow of a ship-captain, was aged 96 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.
## April 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 576,847 | 658,198 | 677,883 | 1059 | 998 | 2057 | 1928 | 129 | 520 | 744 | 695 | 1439 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 288 | 288 | 576 | 532 | 44 | 190 | 206 | 183 | 389 |
| DUNDEE, . . | 140,239 | 153,308 | 156,947 | 223 | 182 | 405 | 369 | 36 | 95 | 112 | 132 | 244 |
| ABERDEEN, . | 106,306 | 124,943 | 129,543 | 161 | 161 | 322 | 300 | 22 | 59 | 95 | 92 | 187 |
| LEITH, . . | 59,485 | 68,707 | 70,972 | 100 | 95 | 195 | 186 | 9 | 39 | 53 | 45 | 98 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 100 | 93 | 193 | 183 | 10 | 47 | 75 | 63 | 138 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 100 | 77 | 177 | 171 | 6 | 25 | 46 | 62 | 108 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 27 | 41 | 68 | 61 | 7 | 15 | 22 | 28 | 50 |
| TOTAL, . | 1,268,857 | 1,426,359 | 1,465,194 | 2058 | 1935 | 3993 | 3730 | 263 | 990 | 1353 | 1300 | 2653 |
| APRIL 1892, . . . . . | Mean Temp. 44°·0 | | | 2064 | 1951 | 4015 | 3740 | 275 | 885 | 1357 | 1309 | 2666 |
| APRIL 1891, . . . . . | Mean Temp. 42°·1 | | | 2010 | 1948 | 3958 | 3666 | 292 | 951 | 1285 | 1348 | 2633 |
| APRIL 1890, . . . . . | Mean Temp. 44°·5 | | | 1854 | 1914 | 3768 | 3492 | 276 | 968 | 1362 | 1405 | 2767 |
| APRIL 1889, . . . . . | Mean Temp. 43°·3 | | | 1995 | 1862 | 3857 | 3575 | 282 | 895 | 1264 | 1298 | 2562 |
| APRIL 1888, . . . . . | Mean Temp. 43°·1 | | | 1883 | 1802 | 3685 | 3389 | 296 | 855 | 1137 | 1166 | 2303 |
| APRIL 1887, . . . . . | Mean Temp. 43°·1 | | | 1918 | 1734 | 3652 | 3366 | 286 | 690 | 1179 | 1224 | 2403 |
| APRIL 1886, . . . . . | Mean Temp. 43°·8 | | | 2052 | 1832 | 3884 | 3563 | 321 | 656 | 1081 | 1193 | 2274 |
| APRIL 1885, . . . . . | Mean Temp. 45°·0 | | | 1969 | 1873 | 3842 | 3509 | 333 | 824 | 1234 | 1179 | 2413 |
| APRIL 1884, . . . . . | Mean Temp. 43°·9 | | | 2076 | 1891 | 3967 | 3693 | 274 | 913 | 1246 | 1267 | 2513 |
| APRIL 1883, . . . . . | Mean Temp. 45°·7 | | | 1933 | 1833 | 3766 | 3461 | 305 | 934 | 1431 | 1418 | 2849 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of April 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 3 | 21 | 4 | 2 | 10 | 7 | 2 |
| 2. Camlachie, . | 0 | 9 | 0 | 0 | 6 | 0 | 1 |
| 3. Dennistoun, . | 0 | 45 | 1 | 1 | 3 | 0 | 1 |
| 4. Calton, . | 0 | 17 | 0 | 0 | 2 | 0 | 0 |
| 5. Blackfriars, . | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| 6. St Rollox, . | 0 | 13 | 8 | 0 | 0 | 0 | 0 |
| 7. Blythswood, . | 0 | 1 | 2 | 1 | 1 | 0 | 0 |
| 8. Milton, . | 0 | 1 | 2 | 1 | 5 | 0 | 3 |
| 9. Kelvin, . | 0 | 1 | 0 | 3 | 4 | 0 | 1 |
| 10. Anderston, . | 0 | 7 | 0 | 1 | 3 | 0 | 1 |
| 11. Hutchesontown, | 0 | 16 | 0 | 0 | 15 | 1 | 0 |
| 12. Gorbals, . | 0 | 3 | 0 | 0 | 3 | 0 | 2 |
| 13. Tradeston, . | 0 | 8 | 0 | 0 | 3 | 0 | 0 |
| 14. Kinning Park, | 0 | 9 | 0 | 0 | 1 | 0 | 0 |
| Cathcart, . | 0 | 3 | 0 | 0 | 1 | 0 | 0 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 1 | 0 | 2 | 0 | 0 | 0 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 2. St Andrew, . | 0 | 7 | 0 | 0 | 2 | 0 | 0 |
| 3. Canongate, . | 0 | 5 | 1 | 0 | 3 | 2 | 1 |
| 4. St Giles, . | 0 | 3 | 0 | 0 | 1 | 1 | 0 |
| 5. Newington, . | 0 | 4 | 0 | 2 | 3 | 0 | 2 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 0 | 0 | 2 | 0 | 0 | 1 |
| 2. St Mary, . | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 3. St Clement, . | 0 | 6 | 0 | 0 | 0 | 0 | 4 |
| 4. St Andrew, . | 0 | 3 | 0 | 1 | 0 | 0 | 1 |
| 5. Lochee, . | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 1 | 0 | 1 | 1 | 2 | 2 |
| 2. Aberdeen, . | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North . | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 2. South, . . | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| PAISLEY, . . | 0 | 17 | 1 | 0 | 4 | 0 | 1 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 2. West, . . | 0 | 1 | 1 | 0 | 3 | 2 | 0 |
| PERTH, . . | 0 | 6 | 0 | 0 | 0 | 2 | 0 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | T |
| ALL CAUSES - - - | 2653 | 662 | 101 | 438 | 238 | 1439 | 132 | 28 | 143 | 86 | 389 | 93 | 21 | 71 | 59 | 244 | 58 | 18 | 53 | 58 | 18 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 421 | 240 | 20 | 14 | 5 | 279 | 37 | 3 | 8 | 2 | 50 | 18 | 4 | 2 | 1 | 25 | 6 | 4 | 2 | 4 | 1 |
| II. PARASITIC DISEASE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| III. DIETETIC ,, | 7 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | |
| IV. CONSTITUTIONAL ,, | 476 | 44 | 35 | 146 | 21 | 246 | 10 | 7 | 51 | 12 | 80 | 6 | 6 | 28 | 8 | 48 | 9 | 10 | 16 | 2 | |
| V. DEVELOPMENTAL ,, | 177 | 45 | – | – | 30 | 75 | 19 | – | – | 10 | 29 | 9 | – | – | 9 | 18 | 7 | – | – | 9 | |
| VI. LOCAL ,, | 1382 | 276 | 41 | 242 | 169 | 728 | 49 | 17 | 77 | 56 | 199 | 47 | 10 | 38 | 39 | 134 | 33 | 4 | 32 | 42 | 1 |
| VII. VIOLENCE - - | 79 | 4 | 3 | 21 | 10 | 38 | 9 | – | 5 | 5 | 19 | 3 | 1 | 1 | 2 | 7 | 1 | – | 2 | 1 | |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 111 | 53 | 2 | 13 | 3 | 71 | 8 | 1 | 2 | – | 11 | 10 | – | 2 | – | 12 | 2 | – | 1 | – | |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases - | 363 | 226 | 20 | 10 | 1 | 257 | 30 | 3 | 4 | 2 | 39 | 9 | 4 | – | – | 13 | 3 | 3 | 1 | 2 | |
| 2. Diarrhœal ,, - | 32 | 11 | – | – | 1 | 12 | 3 | – | – | – | 3 | 9 | – | – | 1 | 10 | 2 | – | – | 2 | |
| 3. Malarial ,, - | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | |
| 4. Zoogenous ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 5. Venereal ,, - | 12 | 2 | – | – | 1 | 3 | 4 | – | 2 | – | 6 | – | – | – | – | – | – | – | 1 | – | |
| 6. Septic ,, - | 13 | 1 | – | 4 | 2 | 7 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | 1 | – | – | – | |
| II. Parasitic Diseases - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| III. Dietetic Diseases - - | 7 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | |
| IV. Constitutional Diseases | 476 | 44 | 35 | 146 | 21 | 246 | 10 | 7 | 51 | 12 | 80 | 6 | 6 | 28 | 8 | 48 | 9 | 10 | 16 | 2 | |
| V. Developmental Diseases | 177 | 45 | – | – | 30 | 75 | 19 | – | – | 10 | 29 | 9 | – | – | 9 | 18 | 7 | – | – | 9 | |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. Dis. of Nervous System - | 324 | 74 | 9 | 33 | 46 | 162 | 17 | 1 | 10 | 17 | 45 | 10 | 3 | 3 | 13 | 29 | 9 | 1 | 6 | 10 | |
| 2. ,, Organs of Special Sense - - | 5 | 1 | 2 | 1 | – | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | |
| 3. ,, Circulatory System | 213 | 4 | 3 | 54 | 39 | 100 | – | 5 | 26 | 11 | 42 | 1 | – | 12 | 4 | 17 | – | 1 | 6 | 10 | |
| 4. ,, Respiratory System | 558 | 164 | 18 | 81 | 66 | 329 | 22 | 7 | 12 | 15 | 56 | 30 | 5 | 15 | 17 | 67 | 14 | 1 | 8 | 15 | |
| 5. ,, Digestive System - | 171 | 27 | 6 | 35 | 12 | 80 | 9 | 2 | 12 | 9 | 32 | 6 | 2 | 5 | 1 | 14 | 7 | 1 | 7 | 4 | |
| 6. ,, Lymphatic System and Ductless Glands - - | 4 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | |
| 7. ,, Urinary System - | 61 | 1 | 1 | 16 | 4 | 22 | 1 | – | 10 | 4 | 15 | – | – | 3 | 4 | 7 | – | – | 3 | 2 | |
| 8. ,, Reproductive System:— | | | | | | | | | | | | | | | | | | | | | |
| (a) Diseases of Organs of Generation - | 11 | 1 | – | 4 | 1 | 6 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | 2 | – | |
| (b) Diseases of Parturition - - | 12 | – | – | 8 | – | 8 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | |
| 9. ,, Organs of Locomotion - - - | 16 | 2 | 2 | 5 | 1 | 10 | – | 2 | – | – | 2 | – | – | – | – | – | 1 | – | – | 1 | |
| 10. ,, Integumentary System - - | 7 | 2 | – | 3 | – | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 42 | 9 | 22 | 25 | 98 | 58 | 14 | 39 | 27 | 138 | 40 | 17 | 34 | 17 | 108 | 17 | 1 | 16 | 16 | 50 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 5 | 1 | 2 | – | 8 | 22 | – | 2 | 1 | 25 | 6 | 1 | 2 | – | 9 | 5 | 1 | 3 | – | 9 |
| II. PARASITIC DISEASES - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, - | 1 | – | – | – | 1 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, - | 6 | 3 | 6 | 3 | 18 | 6 | 5 | 13 | – | 24 | 5 | 7 | 4 | 1 | 17 | 1 | – | 5 | – | 6 |
| V. DEVELOPMENTAL ,, - | 6 | – | – | 6 | 12 | 4 | – | – | 9 | 13 | 3 | – | – | 5 | 8 | 3 | – | – | 3 | 6 |
| VI. LOCAL ,, - | 17 | 5 | 12 | 16 | 50 | 19 | 9 | 19 | 17 | 64 | 24 | 8 | 26 | 11 | 69 | 7 | – | 8 | 12 | 27 |
| VII. VIOLENCE - - - | 3 | – | 1 | – | 4 | 1 | – | 2 | – | 3 | – | 1 | 1 | – | 2 | 1 | – | – | 1 | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 4 | – | 1 | – | 5 | 6 | – | 1 | – | 7 | 2 | – | – | – | 2 | – | – | – | – | – |
| I. | | | | | | | | | | | | | | | | | | | | |
| MIASMATIC DISEASES - - | 2 | 1 | 1 | – | 4 | 22 | – | – | 1 | 23 | 6 | 1 | 2 | – | 9 | 5 | 1 | 3 | – | 9 |
| DIARRHŒAL ,, - - | 2 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| MALARIAL ,, - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS ,, - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL ,, - - | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| SEPTIC ,, - - | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | | | | | | | | | | | | | | | | | | | | |
| PARASITIC DISEASES - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | | | | | | | | | | | | | | | | | | | | |
| DIETETIC DISEASES - - - | 1 | – | – | – | 1 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. | | | | | | | | | | | | | | | | | | | | |
| CONSTITUTIONAL DISEASES - - | 6 | 3 | 6 | 3 | 18 | 6 | 5 | 13 | – | 24 | 5 | 7 | 4 | 1 | 17 | 1 | – | 5 | – | 6 |
| V. | | | | | | | | | | | | | | | | | | | | |
| DEVELOPMENTAL DISEASES - - | 6 | – | – | 6 | 12 | 4 | – | – | 9 | 13 | 3 | – | – | 5 | 8 | 3 | – | – | 3 | 6 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM - | 3 | 1 | 2 | 4 | 10 | 8 | 5 | 5 | 5 | 23 | 13 | 3 | 6 | 4 | 26 | 2 | – | 1 | – | 3 |
| ,, ORGANS OF SPECIAL SENSE - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, CIRCULATORY SYSTEM | – | – | 3 | 1 | 4 | – | 2 | 7 | 6 | 15 | – | – | 5 | 2 | 7 | – | – | 5 | 6 | 11 |
| ,, RESPIRATORY SYSTEM | 8 | 2 | 7 | 8 | 25 | 10 | 2 | 2 | 4 | 18 | 7 | 1 | 7 | 3 | 18 | 2 | – | 1 | 4 | 7 |
| ,, DIGESTIVE SYSTEM - | 5 | – | – | 3 | 8 | 1 | – | – | 1 | 2 | 4 | 1 | 6 | – | 11 | 3 | – | 1 | 1 | 5 |
| ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, URINARY SYSTEM - | 1 | 1 | – | – | 2 | – | – | 3 | 1 | 4 | – | 3 | – | 2 | 5 | – | – | – | 1 | 1 |
| ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION - - | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| ,, ORGANS OF LOCOMOTION - - - | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| ,, INTEGUMENTARY SYSTEM - - | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of April 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 71 | 4 | 3 | 19 | 9 | 35 | 9 | – | 3 | 5 | 17 | 3 | 1 | – | 2 | 6 | 1 | – | 2 | 1 | |
| 2. Violence other than Accidental – – – | 8 | – | – | 2 | 1 | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | |
| **VIII.** | | | | | | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes – – | 111 | 53 | 2 | 13 | 3 | 71 | 8 | 1 | 2 | – | 11 | 10 | – | 2 | – | 12 | 2 | – | 1 | – | |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Small-pox – Vaccinated – | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox – Unvaccinated – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox – No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chickenpox – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Measles – – – – – | 209 | 148 | 7 | – | – | 155 | 19 | – | – | – | 19 | 9 | 1 | – | – | 10 | 1 | – | – | – | |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Scarlet Fever – – – | 21 | 11 | 4 | 2 | – | 17 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Typhus – – – – | 7 | – | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Influenza – – – – | 11 | 1 | 1 | 1 | – | 3 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | 2 | |
| Hooping-Cough – – – | 79 | 58 | 1 | – | – | 59 | 10 | – | – | – | 10 | – | – | – | – | – | 1 | – | – | – | |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diphtheria – – – – | 19 | 8 | 3 | – | – | 11 | 1 | 1 | – | – | 2 | – | 3 | – | – | 3 | 1 | 1 | – | – | |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Enteric Fever – – – | 14 | – | 3 | 3 | – | 6 | – | 1 | 3 | – | 4 | – | – | – | – | – | – | 1 | – | – | |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diarrhœa, Dysentery – – | 31 | 10 | – | – | 1 | 11 | 3 | – | – | – | 3 | 9 | – | – | 1 | 10 | 2 | – | – | 2 | |
| **Malarial Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ague – – – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **Venereal Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 9 | 2 | – | – | – | 2 | 4 | – | 1 | – | 5 | – | – | – | – | – | – | – | – | – | |
| Gonorrhœa, Stricture of Urethra | 3 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | |
| **Septic Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Erysipelas – – – – | 4 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | |
| Pyæmia, Septicæmia – – | 3 | 1 | – | 1 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | |
| Puerperal Fever – – – | 6 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1893

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 3 | – | 1 | – | 4 | 1 | – | 1 | – | 2 | – | 1 | 1 | – | 2 | – | – | – | 1 | 1 |
| 2. Violence other than Accidental | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 4 | – | 1 | – | 5 | 6 | – | 1 | – | 7 | 2 | – | – | – | 2 | – | – | – | – | – |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | 17 | – | – | – | 17 | 1 | – | – | – | 1 | 5 | 1 | – | – | 6 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 1 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Typhus | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Hooping-cough | 1 | – | – | – | 1 | 4 | – | – | – | 4 | 4 | – | – | – | 4 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 2 | – | 2 |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Malarial Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Venereal Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Septic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of April 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Parasitic Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Dietetic Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Intemp. Delirium Tremens | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Constitutional Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 7 | – | 2 | 3 | – | 5 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Rheumatism | 5 | – | – | – | – | – | – | – | 1 | 2 | 3 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 5 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | 3 | – | – | – | 3 |
| Cancer | 89 | – | – | 32 | 13 | 45 | – | – | 16 | 7 | 23 | – | – | 6 | 4 | 10 | – | – | 2 | 2 | 4 |
| Tabes Mesenterica | 36 | 14 | 4 | 3 | – | 21 | 1 | 2 | – | – | 3 | 1 | 1 | – | – | 2 | 1 | 1 | – | – | 2 |
| Tubercular Meningitis (Acute Hydrocephalus) | 45 | 14 | 3 | – | – | 17 | 4 | 4 | 2 | – | 10 | 5 | – | – | – | 5 | 4 | 1 | – | – | 5 |
| Phthisis | 260 | 10 | 23 | 103 | 7 | 143 | 1 | 1 | 29 | 3 | 34 | – | 5 | 21 | 3 | 29 | – | 6 | 12 | – | 18 |
| Other forms of Tuber. Scrofula | 19 | 5 | 2 | 1 | – | 8 | 2 | – | – | – | 2 | – | – | – | – | – | 1 | 2 | – | – | 3 |
| Purp., Hæmorrhagic Diathesis | 4 | – | 1 | 1 | 1 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Developmental Diseases.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 81 | 41 | – | – | – | 41 | 16 | – | – | – | 16 | 9 | – | – | – | 9 | 7 | – | – | – | 7 |
| Atelectasis | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 8 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 81 | – | – | – | 30 | 30 | – | – | – | 10 | 10 | – | – | – | 9 | 9 | – | – | – | 9 | 9 |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 84 | 33 | 8 | 4 | 1 | 46 | 4 | 1 | 1 | – | 6 | 5 | 2 | – | – | 7 | 3 | 1 | 1 | 1 | 6 |
| Apoplexy | 70 | 3 | – | 12 | 22 | 37 | – | – | – | 8 | 8 | – | – | 1 | 6 | 7 | – | – | 2 | 5 | 7 |
| Softening of Brain | 8 | – | – | 2 | 2 | 4 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 48 | – | – | 7 | 16 | 23 | – | – | 2 | 4 | 6 | 1 | – | – | 6 | 7 | – | – | – | 4 | 4 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 8 | – | – | 2 | – | 2 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 9 | – | 1 | 4 | – | 5 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 2 | – | 2 |
| Convulsions | 55 | 25 | – | – | – | 25 | 11 | – | – | – | 11 | 3 | – | – | – | 3 | 6 | – | – | – | 6 |
| Laryngismus Stridulus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 10 | 2 | – | – | 3 | 5 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 |
| Other Diseases of Ner. System | 31 | 11 | – | 2 | 2 | 15 | 2 | – | 2 | 3 | 7 | – | 1 | – | – | 1 | – | – | – | – | – |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | 1 | 2 | 1 | – | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Parasitic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Dietetic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Constitutional Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | 3 | 4 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Tabes Mesenterica | 1 | 1 | – | – | 2 | 4 | – | – | – | 4 | 2 | – | – | – | 2 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 4 | – | – | – | 4 | 2 | – | – | – | 2 | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Phthisis | 1 | 1 | 4 | – | 6 | – | 5 | 12 | – | 17 | 1 | 4 | 4 | – | 9 | – | – | 4 | – | 4 |
| Other forms of Tuberculosis, Scrofula | – | 1 | 1 | – | 2 | – | – | – | – | – | 2 | 2 | – | – | 4 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Developmental Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 4 | – | – | – | 4 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 |
| Spina Bifida | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 6 | 6 | – | – | – | 9 | 9 | – | – | – | 5 | 5 | – | – | – | 3 | 3 |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | 1 | – | 1 | 3 | 5 | – | – | 8 | 8 | 2 | – | | 10 | – | – | – | – | – |
| Apoplexy | – | – | 1 | 3 | 4 | – | – | 1 | – | 1 | – | – | 4 | 1 | 5 | – | – | 1 | – | 1 |
| Softening of Brain | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | – | 1 | – | 1 | 3 | 5 | – | – | 1 | 2 | 3 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | – | – | – | 3 | 1 | – | – | – | 1 | 4 | – | – | – | 4 | 2 | – | – | – | 2 |
| Laryngismus Stridulus | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | – | – | 1 | 2 | – | – | 2 | 4 | 1 | 1 | – | 1 | 3 | – | – | – | – | – |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 181 | 2 | 2 | 44 | 33 | 81 | – | 5 | 23 | 11 | 39 | – | – | 8 | 4 | 12 | – | 1 | 5 | 10 | 16 |
| Pericarditis | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 4 | – | – | – | 2 | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 11 | 2 | 1 | 3 | 2 | 8 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Aneurism | 6 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 10 | 2 | – | 2 | – | 4 | 2 | – | 1 | – | 3 | 1 | – | – | – | 1 | 1 | – | 1 | – | 2 |
| Croup | 17 | 7 | – | – | – | 7 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 2 | 1 | – | – | 3 |
| Other Dis. of Larynx & Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Emphysema, Asthma | 3 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 238 | 56 | 4 | 26 | 41 | 127 | 13 | – | 4 | 7 | 24 | 17 | 1 | 9 | 10 | 37 | 7 | – | 6 | 9 | 22 |
| Pneumonia | 227 | 64 | 11 | 45 | 22 | 142 | 5 | 7 | 7 | 4 | 23 | 9 | 2 | 5 | 6 | 22 | 4 | – | – | 5 | 9 |
| Pleurisy | 11 | 2 | 2 | 2 | – | 6 | – | – | – | 1 | 1 | – | 2 | 1 | – | 3 | – | – | – | – | – |
| Other Diseases of Resp. System | 51 | 33 | 1 | 5 | 2 | 41 | 1 | – | – | 2 | 3 | 2 | – | – | – | 2 | – | – | 1 | 1 | 2 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 19 | 11 | – | – | – | 11 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | 3 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Dyspepsia | 4 | 1 | – | 2 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 21 | – | – | 3 | 2 | 5 | 1 | – | 4 | 3 | 8 | 2 | – | 1 | – | 3 | – | – | 1 | – | 1 |
| Enteritis | 29 | 9 | 1 | 3 | – | 13 | 4 | – | – | – | 4 | – | – | – | – | – | 4 | – | 1 | 1 | 6 |
| Ulceration of Intestine | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 | – | – | – | 1 |
| Ileus, Obstruction of Intestine | 8 | 1 | – | 3 | – | 4 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | 1 | 1 |
| Stricture or Strang. of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 8 | – | – | 2 | 1 | 3 | 1 | – | 3 | – | 4 | – | – | 1 | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 23 | – | 5 | 8 | 1 | 14 | – | 2 | – | – | 2 | 1 | 1 | – | – | 2 | 1 | – | 1 | – | 2 |
| Ascites | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 8 | – | – | 2 | 1 | 3 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Diseases of Liver | 29 | – | – | 9 | 7 | 16 | 1 | – | – | 3 | 4 | 1 | – | 1 | – | 2 | – | – | 2 | 2 | 4 |
| Other Dis. of Digestive System | 9 | 3 | – | 2 | – | 5 | – | – | – | 2 | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| **Dis. of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 11 | – | 1 | 5 | – | 6 | 1 | – | – | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Bright's Disease | 28 | – | – | 10 | 1 | 11 | – | – | 6 | 2 | 8 | – | – | 2 | 2 | 4 | – | – | 1 | 1 | 2 |
| Uræmia | 5 | 1 | – | – | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Hæmaturia | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Dis. of Urinary System | 11 | – | – | 1 | – | 1 | – | – | 3 | – | 3 | – | – | – | 1 | 1 | – | – | 1 | 1 | 2 |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of April 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 3 | 1 | 4 | – | 1 | 7 | 5 | 13 | – | – | 5 | 2 | 7 | – | – | 4 | 5 | 9 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Aneurism | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | – | 1 | 4 | 8 | 5 | – | – | 1 | 6 | 3 | 1 | 5 | 2 | 11 | 2 | – | – | 1 | 3 |
| Pneumonia | 3 | 2 | 6 | 3 | 14 | 4 | 1 | 2 | 2 | 9 | 2 | – | 2 | 1 | 5 | – | – | 1 | 2 | 3 |
| Pleurisy | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | 1 | – | – | – | 1 | 2 | – | – | – | 2 | 3 | – | – | – | 3 |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 3 | – | 3 | – | – | – | – | – |
| Enteritis | 4 | – | – | – | 4 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 2 | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Uræmia | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 3 | – | – | – | 1 | 1 |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of April 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Dis. of Organs of Generation.** | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 |
| Diseases of Uterus and Vagina | 4 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Parturition.** | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 8 | – | – | 7 | – | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Organs of Locomotion.** | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 11 | 2 | – | 4 | – | 6 | – | 2 | – | – | 2 | – | – | – | – | – | 1 | – | – | 1 | 2 |
| Arthritis, Ostitis, Periostitis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 4 | – | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Integumentary System.** | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 3 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Accident or Negligence.** | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 7 | 1 | 1 | 2 | – | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Drowning | 8 | – | – | 5 | 1 | 6 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | 13 | 2 | – | – | – | 2 | 4 | – | – | – | 4 | 3 | – | – | – | 3 | 1 | – | – | – | 1 |
| Suffocation: Otherwise | 4 | 1 | – | 1 | 1 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 25 | – | – | 7 | 5 | 12 | 1 | – | 2 | 5 | 8 | – | – | – | 2 | 2 | – | – | 1 | 1 | 2 |
| Otherwise, or Not Stated | 7 | – | 2 | 1 | 2 | 5 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **Violence other than Accidental.** | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 6 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Ill-defined and Not Specified Causes.** | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 2 | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 89 | 45 | – | 10 | – | 55 | 8 | 1 | – | – | 9 | 10 | – | – | – | 10 | 2 | – | – | – | 2 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 3 | – | 1 | 1 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 14 | 7 | 1 | – | 2 | 10 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Organs of Generation.** | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Parturition.** | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **Diseases of Organs of Locomotion.** | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Integumentary System.** | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Accident or Negligence.** | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Violence other than Accidental.** | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Suicide | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Ill-defined and Not Specified Causes.** | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 4 | – | 1 | – | 5 | 6 | – | – | – | 6 | 2 | – | – | – | 2 | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—APRIL 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 44 | 6 | 33 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 7 | 3 |
| Ayr, | 27,132 | 69 | 18 | 48 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 8 | 12 |
| Banff, with Macduff, | 8,841 | 25 | 1 | 9 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Blairgowrie, | 4,481 | 13 | 7 | 11 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 2 |
| Callander, | 2,305 | 7 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| Campbeltown, | 10,377 | 32 | 3 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 1 |
| Cathcart (Landward), | 4,958 | 14 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crieff, | 5,531 | 5 | 1 | 14 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |
| Dumbarton, | 18,745 | 47 | 11 | 31 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 5 |
| Dumfries, with Troqueer, | 24,092 | 64 | 16 | 64 | 0 | 0 | 0 | 0 | 5 | 1 | 0 | 1 | 0 | 13 | 4 |
| Dunfermline, | 29,207 | 82 | 12 | 42 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 5 |
| Dunoon, | 7,396 | 10 | 4 | 18 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 2 |
| Eastwood (Landward), | 13,967 | 31 | 7 | 24 | 0 | 6 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 5 | 0 |
| Elgin, | 10,614 | 17 | 2 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| Falkirk, | 27,882 | 83 | 11 | 53 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 12 | 4 |
| Forfar, | 13,490 | 37 | 7 | 22 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 8 | 3 |
| Galashiels, | 18,264 | 52 | 9 | 21 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 |
| Govan—(1) Plantation (Landward), | 23,668 | 67 | 9 | 50 | 0 | 17 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 15 | 2 |
| (2) Govan (Landward), | 43,404 | 136 | 29 | 112 | 1 | 35 | 4 | 2 | 3 | 2 | 0 | 1 | 2 | 21 | 4 |
| (3) Partick (Landward), | 38,979 | 156 | 25 | 78 | 0 | 9 | 0 | 1 | 7 | 0 | 0 | 0 | 0 | 15 | 9 |
| Haddington, | 5,121 | 14 | 6 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Hawick, with Wilton, | 21,303 | 40 | 14 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 3 |
| Inverness, | 24,689 | 46 | 9 | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 11 | 7 |
| Kilmarnock, | 28,464 | 70 | 24 | 48 | 0 | 2 | 1 | 1 | 3 | 0 | 0 | 5 | 0 | 6 | 7 |
| Kilmore and Kilbride (Oban), | 5,870 | 13 | 5 | 13 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Kinning Park (Landward), | 14,209 | 50 | 6 | 34 | 0 | 10 | 0 | 0 | 3 | 0 | 0 | 0 | 1 | 9 | 2 |
| Kirkcaldy and Abbotshall, | 18,494 | 60 | 8 | 23 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 |
| Kirkcudbright, | 3,477 | 9 | 1 | 9 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 3 | 0 |
| Largs, | 5,359 | 10 | 1 | 6 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| Logie (Bridge of Allan), | 4,308 | 5 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Moffat, | 2,988 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Montrose, | 14,037 | 26 | 4 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 2 |
| Moulin (Pitlochry), | 2,087 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn, | 5,219 | 13 | 3 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| New Monkland, (Airdrie and Landward), | 35,266 | 132 | 15 | 51 | 0 | 4 | 0 | 0 | 3 | 2 | 0 | 1 | 1 | 8 | 4 |
| North Berwick, | 3,123 | 3 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Peterhead, with Boddam, | 16,207 | 59 | 3 | 24 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 | 3 |
| Rothesay, | 9,293 | 17 | 5 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 |
| St Andrews and St. Leonards, | 8,789 | 21 | 2 | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Shettleston (Landward), | 13,476 | 41 | 2 | 22 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 4 |
| Stirling, | 15,222 | 47 | 11 | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 4 |
| Stranraer, | 6,144 | 18 | 4 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Wick, | 12,140 | 29 | 5 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

**For the month of APRIL 1893.**

Mean barometric pressure, 30·177 inches; greater than the average for the same month of 1856-92 by 0·281 inch.

Barometric monthly range, 0·924 inch; less by 0·311 inch.

Mean temperature, 47°·8; greater by 3°·1.

Mean daily range of temperature, 16°·9; greater by 3°·0.

Mean humidity, 80; being the average.

Rain, number of days, 10; less by 3.

Rain, depth in inches, 1·50; less by 0·67 inch.

Wind, pressure on square foot, 0·88; less by 0·84 lb.

Wind, direction of, E. to W. 11 to 9, and N. to S. 4 to 5; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

The month of April has therefore been unusually warm in temperature with a large diurnal variation, with high and comparatively steady barometric pressure, with a wind velocity under the average in which eastern and western winds are most frequently represented.

The temperature was 3°·1 above the average, being the highest that has occurred in April since 1870, which was 4°·2 above the average; and these are the two highest temperatures since 1856. Temperature was high from the 1st to the 6th, and from the 19th to the 29th. The marked features of the month were the unusual prevalence of easterly winds and clear skies, and, as happens in such cases, the highest maximum temperatures occurred at western and inland stations and the lowest on the east coast. Thus, while at Leith the absolute maximum was 60°·8, at Glasgow it was 74°·7 on the 24th. The lowest night temperature, 26°·5, was recorded at Perth, the most strictly inland station, on the 9th.

The rainfall on the mean of the eight towns was 31 per cent. under the average, the least deficiency, 4 per cent., being noted at Leith, and the largest, 65 per cent., at Aberdeen. Nearly the whole of it fell from the 15th to the 20th; but at Aberdeen, it fell also on the last five days of the month, the amount on no day exceeding 0·18 inch.

The extreme lightness of the winds during the anti-cyclonic weather which prevailed, in connection with the dry air, clear skies, and strong sunshine, amply account for the high temperature of the month, even though these winds were largely from the east.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of April 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS. Elastic Force of Vapour. | DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | WINDS. Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 30·118 | 30·178 | 0·858 | 74·7 | 31·1 | 49·3 | 43·6 | 19·7 | 37·1 | 47·8 | 44·5 | 40·9 | ·256 | 2·92 | 78 | 8 | 1·31 | 1 | 0 | 9 | 0 | 1 | 1 | 5 | 2 | 11 | 0·36 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·889 | 30·192 | 0·902 | 69·5 | 34·0 | 47·9 | 35·5 | 16·3 | 24·6 | 46·2 | 43·4 | 40·2 | ·250 | 2·90 | 81 | 9 | 1·64 | 1 | 4 | 9 | 1 | 2 | 0 | 8 | 1 | 4 | 0·61 |
| DUNDEE, | 164 | 29·995 | 30·174 | 0·900 | 63·9 | 28·3 | 45·8 | 35·6 | 16·2 | 26·0 | 43·9 | 42·3 | 40·4 | ·252 | 2·90 | 87 | 9 | 1·50 | 0 | 2 | 6 | 11 | 1 | 3 | 5 | 2 | 0 | 0·77 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 30·085 | 30·158 | 1·052 | 62·5 | 30·0 | 46·5 | 32·5 | 14·2 | 24·3 | 46·2 | 42·8 | 39·0 | ·238 | 2·74 | 77 | 13 | 0·79 | 6 | 2 | 1 | 2 | 6 | 4 | 6 | 3 | 0 | 0·55 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 30·108 | 30·185 | 0·971 | 60·8 | 34·8 | 47·0 | 26·0 | 12·6 | 19·3 | 46·0 | 43·5 | 40·7 | ·255 | 2·95 | 83 | 11 | 1·69 | 3 | 3 | 9 | 2 | 2 | 0 | 9 | 0 | 2 | 1·46 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 30·061 | 30·177 | 0·884 | 72·1 | 31·9 | 49·7 | 40·2 | 18·9 | 31·9 | 47·3 | 44·2 | 40·7 | ·254 | 2·87 | 78 | 8 | 1·40 | 3 | 4 | 11 | 1 | 1 | 1 | 7 | 2 | 0 | 1·21 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·923 | 30·174 | 0·868 | 69·9 | 34·3 | 49·0 | 35·6 | 17·6 | 25·8 | 47·5 | 43·7 | 39·5 | ·242 | 2·79 | 74 | 10 | 2·25 | 0 | 0 | 13 | 1 | 0 | 3 | 6 | 5 | 2 | 1·21 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 30·025 | 30·180 | 0·960 | 71·2 | 26·5 | 47·4 | 44·7 | 19·5 | 31·5 | 45·9 | 43·3 | 40·3 | ·252 | 2·87 | 82 | 8 | 1·41 | 0 | 3 | 14 | 1 | 3 | 8 | 0 | 1 | 0 | ... |
| Means, | 139 | ... | 30·177 | 0·924 | *(74·7) | †(26·5) | 47·8 | 36·7 | 16·9 | 27·6 | 46·4 | 43·5 | 40·2 | ·250 | 2·87 | 80 | 10 | 1·50 | 2 | 2 | 9 | 2 | 2 | 3 | 6 | 2 | 2 | 0·88 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH.

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

## MAY 1893.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of May 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4456 children, of whom 2221 were males, and 2235 females. Of these, 4124 were legitimate, and 332 illegitimate, being in the proportion of one illegitimate in every 13·4 Births; or the illegitimate Births constituted 7·5 per cent. of the whole. In Greenock 3·7 per cent. of the Births were illegitimate; in Perth, 4·9; in Paisley, 5·5; in Leith, 5·8; in Glasgow, 6·6; in Dundee, 9·1; in Edinburgh, 9·5; and in Aberdeen, 11·2 per cent.

During May, 567 Marriages were registered in these Towns. When the natural increase of the population is taken into account, it is seen that this number is 47 above the average for the same month during the last ten years.

The Deaths of 2691 persons were recorded in these Towns during the month under review, of whom 1378 were males, and 1313 females. A similar allowance being made for increase of population, this number is 40 above the average for May during the last ten years.

A comparison of the Deaths registered shows that during May the mortality was at the annual rate of 16·3 per thousand persons in Perth, 16·9 in Leith, 17·6 each in Edinburgh and Dundee, 18·4 in Aberdeen, 18·6 in Paisley, 22·3 in Greenock, and 25·7 in Glasgow.

Of the 1482 Deaths registered in Glasgow, 321 were of children under one year of age, and 209 of persons over 60 years; of the 400 in Edinburgh, 59 were under one, and 106 over 60; of the 235 in Dundee, 61 were under one, and 43 over 60; of the 202 in Aberdeen, 35 were under one, and 62 over 60; of the 102 in Leith, 30 were under one, and 15 over 60; of the 109 in Paisley, 19 were under one, and 29 over 60; of the 119 in Greenock, 28 were under one, and 25 over 60; and of the 42 in Perth, 7 were under one, and 12 over 60 years.

Of the whole 2691 Deaths, 1125, or 41·8 per cent. were of children under five years of age. In Aberdeen, 27·7 per cent. of the persons who died were under five years; in Edinburgh, 29·0; in Perth, 31·0; in Paisley, 31·2; in Dundee, 41·3; in Leith, 47·1; in Glasgow, 47·3; and in Greenock, 50·4.

Miasmatic Diseases caused 416 Deaths, or 15·5 per cent. of the whole mortality; a rate which was somewhat exceeded in Glasgow and Greenock, owing to the prevalence of Measles in those towns.

Four deaths, three of which took place in Glasgow, and one in Leith, were ascribed to Small-pox.

The Deaths from Measles are again, for the eighth successive month, largely in excess of those from any other of the Zymotic Diseases. 211 deaths, or 7·8 per cent. of the whole mortality were registered as due to this Disease. Of these 155 occurred in Glasgow, constituting 10·5 per cent. of the total mortality in that city, and 27 in Greenock, or 22·7 per cent. of the deaths there.

Among the Zymotics, Hooping-Cough is again the next most fatal disease, having caused 116 deaths, 88 of which were recorded in Glasgow. Scarlet Fever caused 31 deaths; Diarrhœa and Dysentery, 44; Diphtheria, 19; and Puerperal Fever, 8.

Twenty deaths in all, were attributed to Fevers. Of these 17 were described as Enteric, 1 as Simple Continued, and 2 as Typhus Fever. One of the Typhus deaths occurred in Glasgow, and one in Leith.

Four deaths were stated to be the result of Intemperance, 3 being attributed to Chronic Alcoholism, and 1 to Delirium Tremens.

Apoplexy caused 85 Deaths; Paralysis, 39; Diseases of the Heart, 227; and Premature Birth Debility, 93.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) numbered 497, or 18·5 per cent. of the total mortality. Those from Consumption alone amounted to 279, or 10·4 per cent. Croup caused 13 Deaths.

One hundred deaths were ascribed to Violent Causes, 6 of which were stated to be suicidal. Of the Suicides, 4 resulted from Hanging, 1 from Cut-Throat, and 1 from Gunshot wound.

2 males and 7 females were aged 90 years and upwards. The oldest of these, the widow of a shipping company's superintendent, was aged 97 years.

## ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.
### MAY 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 576,847 | 658,198 | 677,883 | 1074 | 1152 | 2226 | 2080 | 146 | 296 | 790 | 692 | 1482 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 378 | 325 | 703 | 636 | 67 | 94 | 195 | 205 | 400 |
| DUNDEE, . . | 140,794 | 154,118 | 157,289 | 220 | 230 | 450 | 409 | 41 | 39 | 104 | 131 | 235 |
| ABERDEEN, . | 106,306 | 124,943 | 129,543 | 209 | 183 | 392 | 348 | 44 | 65 | 93 | 109 | 202 |
| LEITH, . . | 59,485 | 68,707 | 70,972 | 94 | 95 | 189 | 178 | 11 | 22 | 60 | 42 | 102 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 101 | 100 | 201 | 190 | 11 | 24 | 65 | 44 | 109 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 102 | 112 | 214 | 206 | 8 | 18 | 50 | 69 | 119 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 43 | 38 | 81 | 77 | 4 | 9 | 21 | 21 | 42 |
| TOTAL, . | 1,269,412 | 1,427,169 | 1,465,536 | 2221 | 2235 | 4456 | 4124 | 332 | 567 | 1378 | 1313 | 2691 |
| MAY 1892, . . . . . | Mean Temp. 50°·6 | | | 2160 | 2020 | 4180 | 3875 | 305 | 546 | 1346 | 1350 | 2696 |
| MAY 1891, . . . . . | Mean Temp. 47°·6 | | | 1885 | 1866 | 3751 | 3474 | 277 | 471 | 1342 | 1308 | 2650 |
| MAY 1890, . . . . . | Mean Temp. 51°·5 | | | 1945 | 1890 | 3835 | 3505 | 330 | 475 | 1285 | 1321 | 2606 |
| MAY 1889, . . . . . | Mean Temp. 52°·3 | | | 2100 | 1962 | 4062 | 3737 | 325 | 499 | 1231 | 1238 | 2469 |
| MAY 1888, . . . . . | Mean Temp. 49°·2 | | | 2046 | 1830 | 3876 | 3578 | 298 | 501 | 1119 | 1151 | 2270 |
| MAY 1887, . . . . . | Mean Temp. 49°·8 | | | 1959 | 1903 | 3862 | 3509 | 353 | 489 | 1174 | 1197 | 2371 |
| MAY 1886, . . . . . | Mean Temp. 47°·9 | | | 1924 | 1872 | 3796 | 3512 | 284 | 526 | 1185 | 1204 | 2389 |
| MAY 1885, . . . . . | Mean Temp. 46°·6 | | | 1794 | 1832 | 3926 | 3309 | 317 | 432 | 1083 | 1140 | 2223 |
| MAY 1884, . . . . . | Mean Temp. 49°·4 | | | 2076 | 2038 | 4114 | 3784 | 330 | 440 | 1244 | 1267 | 2511 |
| MAY 1883, . . . . . | Mean Temp. 49°·0 | | | 2024 | 1932 | 3956 | 3649 | 307 | 515 | 1445 | 1335 | 2780 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of May 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 3 | 35 | 6 | 3 | 12 | 4 | 3 |
| 2. Camlachie, . | 0 | 12 | 0 | 1 | 5 | 1 | 4 |
| 3. Dennistoun, . | 0 | 23 | 3 | 0 | 7 | 1 | 0 |
| 4. Calton, . | 0 | 20 | 0 | 1 | 6 | 0 | 2 |
| 5. Blackfriars, . | 0 | 4 | 0 | 0 | 1 | 0 | 2 |
| 6. St Rollox, . | 0 | 7 | 12 | 1 | 4 | 2 | 0 |
| 7. Blythswood, . | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| 8. Milton, . | 0 | 2 | 0 | 0 | 9 | 0 | 0 |
| 9. Kelvin, . | 0 | 3 | 1 | 1 | 11 | 0 | 2 |
| 10. Anderston, . | 0 | 4 | 1 | 0 | 3 | 0 | 0 |
| 11. Hutchesontown, | 0 | 15 | 0 | 0 | 11 | 0 | 5 |
| 12. Gorbals, . | 0 | 10 | 1 | 1 | 8 | 1 | 0 |
| 13. Tradeston, . | 0 | 10 | 0 | 0 | 3 | 0 | 0 |
| 14. Kinning Park, | 0 | 7 | 1 | 0 | 3 | 0 | 0 |
| Cathcart, . | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 1 | 0 | 1 | 4 | 0 | 0 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 4 | 1 | 0 | 5 | 0 | 0 |
| 2. St Andrew, . | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 3. Canongate, . | 0 | 1 | 1 | 2 | 3 | 0 | 2 |
| 4. St Giles, . | 0 | 1 | 0 | 0 | 1 | 1 | 1 |
| 5. Newington, . | 0 | 2 | 0 | 0 | 8 | 0 | 1 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 5 | 0 | 2 | 0 | 1 | 0 |
| 2. St Mary, . | 0 | 4 | 0 | 1 | 1 | 2 | 2 |
| 3. St Clement, . | 0 | 0 | 0 | 0 | 1 | 3 | 4 |
| 4. St Andrew, . | 0 | 2 | 0 | 1 | 0 | 0 | 2 |
| 5. Lochee, . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 1 | 1 | 0 | 1 | 0 | 2 |
| 2. Aberdeen, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, . | 0 | 2 | 1 | 0 | 1 | 0 | 0 |
| 2. South, . . | 1 | 4 | 2 | 3 | 0 | 2 | 4 |
| PAISLEY, . . | 0 | 2 | 0 | 1 | 2 | 0 | 1 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 17 | 0 | 0 | 3 | 0 | 1 |
| 2. West, . . | 0 | 10 | 0 | 0 | 2 | 0 | 0 |
| PERTH, . . | 0 | 0 | 0 | 0 | 0 | 1 | 3 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2691 | 701 | 145 | 427 | 209 | 1482 | 116 | 31 | 147 | 106 | 400 | 97 | 19 | 76 | 43 | 235 | 56 | 25 | 59 | 62 | 202 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 491 | 279 | 31 | 20 | 4 | 334 | 33 | 4 | 2 | 3 | 42 | 25 | 3 | 8 | 1 | 37 | 4 | – | 4 | – | 8 |
| II. PARASITIC DISEASE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 7 | 1 | – | 2 | 1 | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 507 | 65 | 41 | 134 | 15 | 255 | 11 | 10 | 58 | 10 | 89 | 4 | 11 | 25 | 4 | 44 | 7 | 10 | 25 | 12 | 54 |
| V. DEVELOPMENTAL ,, | 192 | 51 | – | – | 39 | 90 | 17 | – | – | 11 | 28 | 16 | – | – | 7 | 23 | 6 | – | – | 8 | 14 |
| VI. LOCAL ,, | 1288 | 244 | 62 | 230 | 142 | 678 | 43 | 16 | 81 | 79 | 219 | 38 | 5 | 38 | 30 | 111 | 25 | 13 | 26 | 40 | 104 |
| VII. VIOLENCE - - | 100 | 12 | 9 | 30 | 6 | 57 | 8 | 1 | 5 | 3 | 17 | 7 | – | 4 | 1 | 12 | 2 | 2 | 3 | 1 | 8 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 106 | 49 | 2 | 11 | 2 | 64 | 4 | – | 1 | – | 5 | 7 | – | – | – | 7 | 12 | – | 1 | 1 | 14 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES – | 416 | 257 | 28 | 12 | 2 | 299 | 27 | 4 | 2 | – | 33 | 16 | 3 | 4 | – | 23 | 3 | – | 1 | – | 4 |
| 2. DIARRHŒAL ,, – | 45 | 15 | 3 | – | 1 | 19 | 3 | – | – | 2 | 5 | 8 | – | 1 | 1 | 10 | 1 | – | 1 | – | 2 |
| 3. MALARIAL ,, – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, – | 9 | 3 | – | 1 | – | 4 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| 6. SEPTIC ,, – | 20 | 3 | – | 7 | 1 | 11 | – | – | – | 1 | 1 | – | – | 3 | – | 3 | – | – | 1 | – | 1 |
| II. PARASITIC DISEASES – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - – | 7 | 1 | – | 2 | 1 | 4 | – | – | – | | – | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 507 | 65 | 41 | 134 | 15 | 255 | 11 | 10 | 58 | 10 | 89 | 4 | 11 | 25 | 4 | 44 | 7 | 10 | 25 | 12 | 5[illegible] |
| V. DEVELOPMENTAL DISEASES | 192 | 51 | – | – | 39 | 90 | 17 | – | – | 11 | 28 | 16 | – | – | 7 | 23 | 6 | – | – | 8 | 1[illegible] |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM – | 276 | 49 | 14 | 30 | 40 | 133 | 12 | 4 | 22 | 22 | 60 | 11 | – | 4 | 9 | 24 | 5 | 2 | 7 | 9 | 2[illegible] |
| 2. ,, ORGANS OF SPECIAL SENSE – – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| 3. ,, CIRCULATORY SYSTEM | 227 | 4 | 10 | 61 | 36 | 111 | 1 | 6 | 16 | 22 | 45 | – | 1 | 11 | 9 | 21 | 1 | 1 | 3 | 11 | 1 |
| 4. ,, RESPIRATORY SYSTEM | 497 | 146 | 20 | 70 | 41 | 277 | 22 | 4 | 25 | 21 | 72 | 20 | 2 | 15 | 7 | 44 | 13 | – | 7 | 13 | 3 |
| 5. ,, DIGESTIVE SYSTEM – | 147 | 35 | 3 | 30 | 8 | 76 | 8 | – | 5 | 6 | 19 | 6 | 1 | 4 | 2 | 13 | 5 | 5 | 3 | 4 | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS – – | 4 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | |
| 7. ,, URINARY SYSTEM – | 87 | 6 | 6 | 26 | 15 | 53 | – | 1 | 5 | 6 | 12 | 1 | 1 | 2 | 2 | 6 | – | 3 | 4 | 1 | |
| 8. ,, REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION – | 8 | 1 | – | 1 | – | 2 | – | 1 | 3 | – | 4 | – | – | 1 | 1 | 2 | – | – | – | – | |
| (*b*) DISEASES OF PARTURITION – – | 10 | – | 1 | 6 | – | 7 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | |
| 9. ,, ORGANS OF LOCOMOTION – – – | 18 | – | 8 | 2 | – | 10 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | 1 | 1 | – | 1 | |
| 10. ,, INTEGUMENTARY SYSTEM – – | 13 | 2 | – | 3 | 2 | 7 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 48 | 8 | 31 | 15 | 102 | 34 | 16 | 30 | 29 | 109 | 60 | 15 | 19 | 25 | 119 | 13 | 4 | 13 | 12 | 42 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 16 | 3 | 1 | 1 | 21 | 4 | 3 | - | 1 | 8 | 31 | 3 | 1 | - | 35 | 2 | 1 | 3 | - | 6 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | - | - | - | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 5 | 2 | 8 | 3 | 18 | 3 | 5 | 14 | 2 | 24 | 1 | 7 | 9 | - | 17 | 3 | 2 | 1 | - | 6 |
| V. DEVELOPMENTAL ,, - | 6 | - | - | 2 | 8 | 4 | - | - | 8 | 12 | 2 | - | - | 7 | 9 | 4 | - | - | 4 | 8 |
| VI. LOCAL ,, - | 17 | 2 | 22 | 9 | 50 | 15 | 8 | 16 | 18 | 57 | 21 | 5 | 8 | 16 | 50 | 4 | 1 | 6 | 8 | 19 |
| VII. VIOLENCE - - - | 1 | 1 | - | - | 2 | 1 | - | - | - | 1 | - | - | 1 | 1 | 2 | - | - | 1 | - | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 3 | - | - | - | 3 | 5 | - | - | - | 5 | 5 | - | - | 1 | 6 | - | - | 2 | - | 2 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 13 | 3 | - | 1 | 17 | 4 | 1 | - | - | 5 | 30 | 3 | 1 | - | 34 | - | 1 | - | - | 1 |
| 2. DIARRHŒAL ,, - - | 3 | - | 1 | - | 4 | - | 1 | - | - | 1 | 1 | - | - | - | 1 | 2 | - | 1 | - | 3 |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC ,, - - | - | - | - | - | - | - | 1 | - | 1 | 2 | - | - | - | - | - | - | - | 2 | - | 2 |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | - | - | - | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 5 | 2 | 8 | 3 | 18 | 3 | 5 | 14 | 2 | 24 | 1 | 7 | 9 | - | 17 | 3 | 2 | 1 | - | 6 |
| V. DEVELOPMENTAL DISEASES - - | 6 | - | - | 2 | 8 | 4 | - | - | 8 | 12 | 2 | - | - | 7 | 9 | 4 | - | - | 4 | 8 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 5 | - | 3 | 3 | 11 | 2 | 2 | 1 | 6 | 11 | 3 | 1 | 1 | 3 | 8 | 2 | 1 | 2 | 1 | 6 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | - | 1 | 7 | 1 | 9 | - | 1 | 4 | 6 | 11 | - | 2 | 2 | 8 | 12 | - | - | 1 | 1 | 2 |
| 4. ,, RESPIRATORY SYSTEM | 8 | - | 7 | 3 | 18 | 8 | 4 | 8 | 5 | 25 | 12 | 1 | 5 | 3 | 21 | 1 | - | 3 | 3 | 7 |
| 5. ,, DIGESTIVE SYSTEM - | 3 | 1 | 1 | - | 5 | 5 | - | 1 | 1 | 7 | 6 | - | - | 1 | 7 | 1 | - | - | 2 | 3 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM - | - | - | 2 | 2 | 4 | - | 1 | 1 | - | 2 | - | - | - | 1 | 1 | - | - | - | 1 | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | 1 | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 10. ,, INTEGUMENTARY SYSTEM - - | 1 | - | 1 | - | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |

# DEATHS FROM ALL CAUSES at Four Periods of Life

## Registered during the Month of May 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 93 | 12 | 9 | 29 | 5 | 55 | 8 | 1 | 4 | 2 | 15 | 7 | – | 3 | – | 10 | 1 | 2 | 3 | 1 | 7 |
| 2. Violence other than Accidental – – – | 7 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | 1 | – | – | – | 1 |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes – – | 106 | 49 | 2 | 11 | 2 | 64 | 4 | – | 1 | – | 5 | 7 | – | – | – | 7 | 12 | – | 1 | 1 | 14 |
| Miasmatic Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated – | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | 4 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 211 | 145 | 9 | 1 | – | 155 | 9 | – | – | – | 9 | 11 | – | – | – | 11 | 1 | – | – | – | 1 |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 31 | 20 | 5 | – | – | 25 | – | 2 | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Typhus – – – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 11 | 1 | – | 3 | 2 | 6 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Hooping-Cough – – – | 116 | 81 | 7 | – | – | 88 | 17 | – | – | – | 17 | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 19 | 5 | 4 | – | – | 9 | 1 | 1 | – | – | 2 | 2 | 2 | – | – | 4 | – | – | – | – | – |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 17 | 2 | 3 | 3 | – | 8 | – | – | 1 | – | 1 | 1 | 1 | 3 | – | 5 | – | – | – | – | – |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœal Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 44 | 15 | 3 | – | 1 | 19 | 2 | – | – | 2 | 4 | 8 | – | 1 | 1 | 10 | 1 | – | 1 | – | 2 |
| Malarial Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Zoogenous Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Venereal Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 9 | 3 | – | 1 | – | 4 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septic Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 7 | 2 | – | 1 | 1 | 4 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia – – | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Puerperal Fever – – – | 8 | – | – | 5 | – | 5 | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of May 1893

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 1 | 1 | - | - | 2 | 1 | - | - | - | 1 | - | - | 1 | 1 | 2 | - | - | 1 | - | 1 |
| 2. Violence other than Accidental | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **VIII.** | | | | | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes | 3 | - | - | - | 3 | 5 | - | - | - | 5 | 5 | - | - | 1 | 6 | - | - | 2 | - | 2 |
| **Miasmatic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox: Unvaccinated | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox: No Statement | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chickenpox | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Measles | 6 | - | - | - | 6 | 2 | - | - | - | 2 | 24 | 3 | - | - | 27 | - | - | - | - | - |
| Epidemic Rose Rash | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scarlet Fever | 2 | 1 | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Typhus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Relapsing Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Influenza | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Hooping-cough | 1 | - | - | - | 1 | 2 | - | - | - | 2 | 5 | - | - | - | 5 | - | - | - | - | - |
| Mumps | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diphtheria | 3 | - | - | - | 3 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Cerebro-spinal Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Simple and Ill-defined Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Enteric Fever | - | 2 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Other Miasmatic Diseases | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Diarrhœal Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diarrhœa, Dysentery | 3 | - | 1 | - | 4 | - | 1 | - | - | 1 | 1 | - | - | - | 1 | 2 | - | 1 | - | 3 |
| **Malarial Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ague | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Zoogenous Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Glanders | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Splenic Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cowpox and other Effects of Vaccination | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Venereal Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Syphilis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gonorrhœa, Stricture of Urethra | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Septic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Erysipelas | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| Pyæmia, Septicæmia | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| Puerperal Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of MAY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 3 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Intemp. Delirium Tremens | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Rheumatism | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 6 | 3 | – | – | – | 3 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Cancer | 89 | – | – | 17 | 12 | 29 | – | – | 18 | 8 | 26 | – | – | 7 | 4 | 11 | – | 1 | 7 | 8 | 16 |
| Tabes Mesenterica | 35 | 19 | 4 | – | – | 23 | 2 | 1 | – | – | 3 | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 45 | 20 | – | 1 | – | 21 | 6 | 2 | – | – | 8 | 2 | 5 | – | – | 7 | 1 | – | 2 | – | 3 |
| Phthisis | 279 | 13 | 29 | 109 | 3 | 154 | 1 | 5 | 37 | 1 | 44 | – | 4 | 14 | – | 18 | 2 | 7 | 14 | 4 | 27 |
| Other forms of Tuber. Scrofula | 31 | 8 | 6 | 2 | – | 16 | 2 | 2 | – | – | 4 | – | 1 | 2 | – | 3 | 2 | 1 | 1 | – | 4 |
| Purp., Hæmorrhagic Diathesis | 4 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 6 | 1 | – | 1 | – | 2 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 93 | 45 | – | – | – | 45 | 16 | – | – | – | 16 | 14 | – | – | – | 14 | 5 | – | – | – | 5 |
| Atelectasis | 5 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Cyanosis | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | 1 | – | – | – | 1 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 86 | – | – | – | 39 | 39 | – | – | – | 11 | 11 | – | – | – | 7 | 7 | – | – | – | 8 | 8 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 60 | 21 | 10 | 3 | – | 34 | 5 | 1 | 2 | – | 8 | 6 | – | – | – | 6 | – | 1 | 1 | – | 2 |
| Apoplexy | 85 | – | 2 | 16 | 24 | 42 | – | 1 | 6 | 10 | 17 | – | – | 3 | 3 | 6 | – | – | 3 | 5 | 8 |
| Softening of Brain | 11 | – | – | 1 | 3 | 4 | – | – | – | 2 | 2 | – | – | 1 | 2 | 3 | – | – | – | 1 | 1 |
| Hemiplegia, Brain Paralysis | 32 | – | 1 | 3 | 9 | 13 | – | – | 1 | 7 | 8 | – | – | – | 3 | 3 | – | – | 1 | 3 | 4 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 7 | – | – | 1 | 1 | 2 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | 1 | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | 1 | – | 1 | – | 1 | 2 | – | 3 | – | – | – | – | – | – | 1 | – | – | 1 |
| Convulsions | 40 | 23 | – | – | – | 23 | 4 | – | – | – | 4 | 3 | – | – | – | 3 | 5 | – | 1 | – | 6 |
| Laryngismus Stridulus | 2 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Idiopathic Tetanus | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 7 | – | – | 2 | 2 | 4 | – | 1 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ner. System | 23 | 4 | 1 | 3 | 1 | 9 | 1 | – | 5 | 3 | 9 | – | – | – | 1 | 1 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of May 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Parasitic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Dietetic Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Constitutional Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Cancer | – | – | 2 | 2 | 4 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | 1 | – | – | 1 | 1 | – | – | – | 1 | 1 | 2 | – | – | 3 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | – | – | – | 2 | 2 | 1 | – | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| Phthisis | 1 | 1 | 6 | 1 | 9 | – | 2 | 11 | – | 13 | – | 4 | 8 | – | 12 | – | 1 | 1 | – | 2 |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Purpura, Hæmorrhagic Diathesis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Developmental Diseases.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 5 | – | – | – | 5 | 4 | – | – | – | 4 | 1 | – | – | – | 1 | 3 | – | – | – | 3 |
| Atelectasis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Old Age | – | – | – | 2 | 2 | – | – | – | 8 | 8 | – | – | – | 7 | 7 | – | – | – | 4 | 4 |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 1 | – | 1 | – | 2 | 1 | 2 | – | – | 3 | 2 | 1 | – | – | 3 | 1 | 1 | – | – | 2 |
| Apoplexy | – | – | 2 | 2 | 4 | – | – | 1 | – | 1 | – | – | 1 | 3 | 4 | – | – | 2 | 1 | 3 |
| Softening of Brain | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | – | – | – | – | 4 | 4 | – | – | – | – | – | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | 1 | 1 | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of May 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 198 | 2 | 9 | 53 | 34 | 98 | – | 5 | 14 | 19 | 38 | – | – | 10 | 8 | 18 | – | 1 | 3 | 10 | 14 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 8 | – | – | 2 | – | 2 | – | – | 1 | 2 | 3 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 |
| Angina Pectoris | 3 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 8 | 2 | – | 2 | – | 4 | 1 | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Aneurism | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 6 | – | 1 | 2 | – | 3 | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 5 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 3 | – | – | – | 3 |
| Croup | 13 | 6 | – | – | – | 6 | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Dis. of Larynx & Trachea | 3 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 191 | 46 | 3 | 26 | 24 | 99 | 13 | 1 | 7 | 10 | 31 | 8 | – | 3 | 2 | 13 | 5 | – | 4 | 7 | 16 |
| Pneumonia | 229 | 77 | 10 | 33 | 15 | 135 | 7 | 2 | 13 | 8 | 30 | 11 | 2 | 10 | 4 | 27 | 3 | – | 3 | 4 | 10 |
| Pleurisy | 19 | 4 | 4 | 4 | – | 12 | – | – | 3 | 1 | 4 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Resp. System | 36 | 13 | 3 | 6 | 1 | 23 | – | – | 2 | 2 | 4 | – | – | 1 | – | 1 | 1 | – | – | 2 | 3 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 17 | 11 | – | – | – | 11 | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | 4 | 1 | 1 | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| Dyspepsia | 3 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 18 | 2 | – | 5 | – | 7 | 2 | – | – | 1 | 3 | – | – | 1 | – | 1 | – | 1 | – | 1 | 2 |
| Enteritis | 27 | 10 | – | 1 | – | 11 | 1 | – | – | – | 1 | 3 | – | – | – | 3 | 4 | 1 | – | – | 5 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 7 | – | 1 | 2 | – | 3 | 1 | – | – | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Stricture or Strang. of Intestine | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 10 | 1 | – | 3 | – | 4 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | 1 | 1 | 2 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 21 | 1 | 1 | 4 | 1 | 7 | 2 | – | 2 | 1 | 5 | 1 | – | 1 | – | 2 | – | 3 | 1 | 2 | 6 |
| Ascites | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 5 | – | – | 2 | 1 | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 21 | 3 | – | 7 | 5 | 15 | – | – | – | 2 | 2 | 1 | – | – | 1 | 2 | – | – | – | – | – |
| Other Dis. of Digestive System | 10 | 4 | – | 4 | – | 8 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| **Dis. of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 24 | 3 | 3 | 9 | 3 | 18 | – | – | – | – | – | – | 1 | – | – | 1 | – | 2 | 1 | – | 3 |
| Bright's Disease | 30 | 2 | 1 | 12 | – | 15 | – | – | 4 | 2 | 6 | 1 | – | – | 1 | 2 | – | 1 | 1 | – | 2 |
| Uræmia | 8 | – | – | 3 | 4 | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 12 | 1 | – | – | 6 | 7 | – | 1 | – | 3 | 4 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Dis. of Urinary System | 11 | – | 2 | 2 | 1 | 5 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of May 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | - | 1 | 5 | - | 6 | - | 1 | 4 | 6 | 11 | - | 2 | 1 | 8 | 11 | - | - | 1 | 1 | 2 |
| Pericarditis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hypertrophy of Heart | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Angina Pectoris | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Syncope | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Aneurism | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Senile Gangrene | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Embolism, Thrombosis | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlebitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Varicose Veins | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Circulatory System | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Croup | 1 | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - | 1 |
| Other Diseases of Larynx & Trachea | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Emphysema, Asthma | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Bronchitis | 4 | - | 6 | 2 | 12 | 3 | 1 | 3 | 4 | 11 | 7 | - | 1 | 1 | 9 | - | - | - | - | - |
| Pneumonia | 3 | - | 1 | - | 4 | 3 | 1 | 5 | 1 | 10 | 3 | - | 3 | 2 | 8 | - | - | 3 | 2 | 5 |
| Pleurisy | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Respiratory System | - | - | - | 1 | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 2 | - | - | - | 1 | 1 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Dentition | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Sore-throat, Quinsy | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Dyspepsia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hæmatemesis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Melæna | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Stomach | - | - | 1 | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | 1 | 2 |
| Enteritis | 2 | - | - | - | 2 | 1 | - | - | - | 1 | 4 | - | - | - | 4 | - | - | - | - | - |
| Ulceration of Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ileus, Obstruction of Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Stricture or Strangulation of Intestine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Intussusception of Intestine | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Hernia | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | 1 |
| Fistula | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Peritonitis | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ascites | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gallstones | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cirrhosis of Liver | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Liver | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Digestive System | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Lymphatics | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Thyroid Body | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Suprarenal Capsules | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Bright's Disease | - | - | 1 | 1 | 2 | - | 1 | 1 | - | 2 | - | - | - | - | - | - | - | - | 1 | 1 |
| Uræmia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suppression of Urine | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Calculus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hæmaturia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Bladder and of Prostate | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Urinary System | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of May 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 2 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | – | 6 | 2 | – | 8 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | 1 | – | – | 1 | 2 |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 4 | – | 2 | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 5 | – | – | 2 | 1 | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Eczema | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 11 | 3 | 1 | 3 | – | 7 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 4 | 1 | – | – | – | 1 | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 12 | – | 2 | 7 | – | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| Suffocation: In Bed | 15 | 5 | 1 | – | – | 6 | 3 | – | – | – | 3 | 6 | – | – | – | 6 | – | – | – | – | – |
| Suffocation: Otherwise | 5 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | 1 |
| Falls | 4 | – | 1 | 2 | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 23 | – | 3 | 11 | 1 | 15 | – | 1 | 2 | – | 3 | – | – | 2 | – | 2 | – | – | 2 | – | 2 |
| Otherwise, or Not Stated | 16 | 1 | 1 | 4 | 4 | 10 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | 1 | 1 | 2 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Suicide | 6 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 82 | 43 | 1 | 5 | – | 49 | 4 | – | – | – | 4 | 7 | – | – | – | 7 | 10 | – | 1 | – | 11 |
| Mortification | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 13 | 4 | 1 | 1 | 2 | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of May 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Organs of Generation.** | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Parturition.** | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Organs of Locomotion.** | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Integumentary System.** | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Accident or Negligence.** | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **Violence other than Accidental.** | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Ill-defined and Not Specified Causes.** | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 2 | – | – | – | 2 | 4 | – | – | – | 4 | 4 | – | – | – | 4 | – | – | 1 | – | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-def. and not spec. Causes | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—MAY 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 60 | 10 | 48 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 12 | 6 |
| Ayr, | 27,132 | 76 | 8 | 35 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 4 |
| Banff, with Macduff, | 8,841 | 23 | 1 | 26 | 0 | 7 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 3 | 4 |
| Blairgowrie, | 4,481 | 8 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Callander, | 2,305 | 7 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Campbeltown, | 10,377 | 32 | 1 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Cathcart (Landward), | 4,958 | 12 | 1 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Crieff, | 5,531 | 12 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Dumbarton, | 18,745 | 60 | 5 | 31 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 7 | 2 |
| Dumfries, with Troqueer, | 24,092 | 63 | 5 | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 3 |
| Dunfermline, | 29,207 | 87 | 7 | 46 | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 12 | 3 |
| Dunoon, | 7,396 | 5 | 1 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| Eastwood (Landward), | 13,967 | 44 | 5 | 40 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 5 |
| Elgin, | 10,614 | 16 | 4 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 1 |
| Falkirk, | 27,882 | 88 | 3 | 56 | 0 | 4 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 10 | 5 |
| Forfar, | 13,490 | 42 | 4 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 3 |
| Galashiels, | 18,264 | 37 | 0 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| Govan—(1) Plantation (Landward), | 23,668 | 78 | 6 | 68 | 0 | 13 | 0 | 1 | 10 | 1 | 0 | 2 | 0 | 11 | 4 |
| (2) Govan (Landward), | 43,404 | 180 | 12 | 83 | 0 | 15 | 1 | 0 | 2 | 2 | 0 | 1 | 0 | 13 | 9 |
| (3) Partick (Landward), | 38,979 | 148 | 15 | 55 | 0 | 1 | 0 | 1 | 4 | 0 | 0 | 1 | 0 | 10 | 4 |
| Haddington, | 5,121 | 13 | 4 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hawick, with Wilton, | 21,303 | 62 | 5 | 34 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 3 |
| Inverness, | 24,689 | 61 | 8 | 76 | 0 | 24 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 12 | 8 |
| Kilmarnock, | 28,464 | 106 | 7 | 45 | 0 | 2 | 1 | 0 | 4 | 0 | 0 | 3 | 0 | 9 | 9 |
| Kilmore and Kilbride (Oban), | 5,870 | 11 | 4 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| Kinning Park (Landward), | 14,209 | 54 | 7 | 36 | 0 | 11 | 0 | 0 | 6 | 0 | 0 | 0 | 1 | 4 | 3 |
| Kirkcaldy and Abbotshall, | 18,494 | 50 | 4 | 26 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 3 |
| Kirkcudbright, | 3,477 | 7 | 0 | 11 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 |
| Largs, | 5,359 | 11 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Logie (Bridge of Allan), | 4,308 | 5 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Moffat, | 2,988 | 7 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Montrose, | 14,037 | 41 | 1 | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 8 |
| Moulin (Pitlochry), | 2,087 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn, | 5,219 | 12 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| New Monkland, (Airdrie and Landward), | 35,266 | 138 | 8 | 62 | 0 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 9 | 9 |
| North Berwick, | 3,123 | 4 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 58 | 4 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 |
| Rothesay, | 9,293 | 20 | 1 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 |
| St Andrews and St. Leonards, | 8,789 | 20 | 1 | 13 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Shettleston (Landward), | 13,476 | 46 | 6 | 22 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 |
| Stirling, | 15,222 | 37 | 6 | 32 | 0 | 7 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 5 |
| Stranraer, | 6,144 | 21 | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| Wick, | 12,140 | 29 | 3 | 17 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 3 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

**For the month of MAY 1893.**

Mean barometric pressure, 30·044 inches; greater than the average for the same month of 1856-92 by 0·124 inch.

Barometric monthly range, 1·104 inch; greater by 0·030 inch.

Mean temperature, 53°·3; greater by 4°·4.

Mean daily range of temperature, 14°·2; less by 1°·3.

Mean humidity, 78; less by 2.

Rain, number of days, 13; being the average.

Rain, depth in inches, 1·91; less by 0·41 inch.

Wind, pressure on square foot, 1·29 lbs.; less by 0·28 lb.

Wind, direction of, E. to W. 11 to 7, and N. to S. 4 to 6; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

The month of May has, therefore, had an unusually high temperature, with a diurnal variation a little under the average, high and comparatively steady barometric pressure, and a wind velocity slightly under the average, in which east winds were 2 days above and west winds 2 days under the mean.

The temperature was 4°·4 above the average, being absolutely the warmest May since the observations began in 1856, the next warmest May being 1889, which was 3°·4 above the average. High temperatures generally ruled from the 7th to the 16th and from the 21st to the 29th. As distinguished from April, the extremes of temperature as regards the eight towns more nearly approached each other. The absolute maximum was 73°·0 at Perth on the 15th, and the minimum, 34°·0 at Aberdeen on the 2nd.

The rainfall on the mean of the eight towns was 14 per cent. under the average; but at Glasgow and Paisley it was 30 per cent. above, and at Perth 72 per cent. under the average, thus indicating great irregularity in the distribution of the rainfall. Nearly the whole fell at Glasgow and Paisley from the 15th to the 22nd.

This is the third consecutive month of unusually high temperature, and the only years since 1764 at all comparable with 1893 in this respect are 1781 and 1779, so that the past spring has been the warmest during the past 112 years.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of May 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS. Elastic Force of Vapour. | DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·985 | 30·045 | 1·105 | 72·2 | 36·0 | 54·6 | 36·2 | 16·2 | 29·8 | 53·5 | 49·9 | 46·3 | ·314 | 3·53 | 76 | 16 | 2·90 | 2 | 1 | 4 | 1 | 0 | 1 | 6 | 5 | 11 | 0·25 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·760 | 30·058 | 1·107 | 70·5 | 36·9 | 54·0 | 33·6 | 13·0 | 23·4 | 52·4 | 49·2 | 45·9 | ·311 | 3·52 | 79 | 10 | 1·37 | 2 | 1 | 10 | 1 | 3 | 2 | 10 | 0 | 2 | 1·06 |
| DUNDEE, Thomas Smillie, Esq., Curator of Cemeteries. | 164 | 29·870 | 30·050 | 1·100 | 71·1 | 35·0 | 52·8 | 36·1 | 15·1 | 29·5 | 50·2 | 47·8 | 45·3 | ·302 | 3·44 | 84 | 14 | 1·39 | 0 | 2 | 6 | 12 | 0 | 5 | 3 | 3 | 0 | 0·88 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·961 | 30·033 | 1·112 | 71·2 | 34·0 | 51·0 | 37·2 | 11·6 | 22·4 | 49·9 | 47·0 | 43·9 | ·287 | 3·31 | 81 | 15 | 1·33 | 4 | 3 | 0 | 5 | 13 | 0 | 1 | 5 | 0 | 0·75 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·972 | 30·048 | 1·128 | 72·0 | 37·9 | 53·8 | 34·1 | 13·4 | 22·2 | 52·0 | 49·0 | 45·9 | ·310 | 3·50 | 80 | 11 | 1·81 | 5 | 2 | 9 | 1 | 3 | 1 | 9 | 0 | 1 | 1·96 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·927 | 30·042 | 1·108 | 71·8 | 37·5 | 54·5 | 34·3 | 14·9 | 27·0 | 53·1 | 49·8 | 46·5 | ·316 | 3·55 | 78 | 13 | 2·75 | 1 | 1 | 14 | 2 | 3 | 2 | 5 | 3 | 0 | 1·85 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·794 | 30·043 | 1·080 | 69·4 | 36·3 | 52·5 | 33·1 | 13·4 | 22·0 | 54·4 | 50·0 | 45·7 | ·307 | 3·46 | 72 | 16 | 3·08 | 0 | 0 | 14 | 1 | 0 | 1 | 7 | 6 | 2 | 2·25 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·877 | 30·030 | 1·090 | 73·0 | 35·0 | 53·2 | 38·0 | 16·1 | 30·5 | 52·3 | 49·0 | 45·6 | ·307 | 3·47 | 78 | 8 | 0·66 | 3 | 1 | 13 | 6 | 1 | 7 | 0 | 0 | 0 | ... |
| Means, | 139 | 29·893 | 30·044 | 1·104 | *(73·0) | †(44·0) | 53·3 | 35·3 | 14·2 | 25·8 | 52·2 | 49·0 | 45·6 | ·307 | 3·47 | 78 | 13 | 1·91 | 2 | 1 | 9 | 4 | 3 | 2 | 5 | 3 | 2 | 1·29 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH.

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

**JUNE 1893.**

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

## REPORT.

DURING the month of June 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4107 children, of whom 2103 were males, and 2004 females. Of these, 3802 were legitimate, and 305 illegitimate, being in the proportion of one illegitimate in every 13·5 Births; or the illegitimate Births constituted 7·4 per cent. of the whole. In Greenock 3·7 per cent. of the Births were illegitimate; in Dundee, 5·3; in Paisley, 6·5; in Perth, 6·9; in Glasgow, 7·1; in Edinburgh, 8·8; in Leith, 8·9; and in Aberdeen, 10·8 per cent.

1663 Marriages were recorded in the above Towns during the month under review. Allowance being made for the natural increase of the population, this number is 122 above the average for June during the last ten years.

During June there were registered in the same Towns the deaths of 2563 persons, of whom 1349 were males, and 1214 females. When the natural increase of the population is taken into account, it is seen that this number is 137 above the average for the same month during the last ten years.

A comparison of the Deaths registered shows that during June the mortality was at the annual rate of 14·9 per thousand persons in Leith, 17·5 in Aberdeen, 18·6 in Edinburgh, 19·0 in Paisley, 20·4 in Dundee, 20·5 in Perth, 23·4 in Glasgow, and 29·7 in Greenock.

Of the 1305 Deaths registered in Glasgow, 299 were of children under one year of age, and 158 of persons over 60 years; of the 409 in Edinburgh, 88 were under one, and 110 over 60; of the 264 in Dundee, 70 were under one, and 60 over 60; of the 186 in Aberdeen, 36 were under one, and 52 over 60; of the 87 in Leith, 16 were under one, and 15 over 60; of the 108 in Paisley, 20 were under one, and 24 over 60; of the 153 in Greenock, 45 were under one, and 11 over 60; and of the 51 in Perth, 4 were under one, and 13 over 60.

Of the whole 2563 Deaths, 1125, or 43·9 per cent. were of children under five years of age. In Perth, 21·6 per cent. of the persons who died were under five years of age; in Paisley, 24·1; in Aberdeen, 28·5; in Edinburgh, 35·0; in Dundee, 40·2; in Leith, 42·5; in Glasgow, 49·4; and in Greenock, 68·0.

Miasmatic Diseases caused 387 Deaths, or 15·1 per cent. of the whole mortality. In Glasgow this rate was slightly exceeded; in Greenock, owing to the prevalence of Measles, it rose as high as 37·3.

The only death ascribed to Small-pox occurred in Glasgow.

For the ninth consecutive month Measles ranks as the most fatal of the Zymotic Diseases, having caused 209 deaths, or 8·2 per cent. of the total mortality. Of these 130 occurred in Glasgow, and 51 in Greenock, Measles being thus responsible for 10·0 per cent. of the total deaths in the former Town, and for 33·3 per cent. of those in the latter.

Diarrhœa comes next among the Zymotics with 127 deaths, 78 of which occurred in Glasgow. Hooping-Cough caused 94 deaths; Diphtheria, 28; Scarlatina, 23; Simple Cholera, 2; and Puerperal Fever, 8.

24 deaths were ascribed to Fevers, 18 being classed as Enteric, and 6 as Typhus. Of the Typhus deaths 5 occurred in Dundee, and 1 in Glasgow.

Intemperance was assigned as the cause of 11 deaths, 9 of which were attributed to Chronic Alcoholism, and 2 to Delirium Tremens.

Apoplexy caused 73 Deaths; Paralysis, 50; Diseases of the Heart, 166; and Premature Birth Debility, 77.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) numbered 404, or 15·8 per cent. of the total mortality. Those from Consumption alone amounted to 257, or 10·0 per cent. Croup caused 21 Deaths.

To Violent Causes 88 deaths were ascribed. Of these 7 were stated to be suicidal. Hanging, Poisoning, and Shooting in 2 cases each, and Cut-Throat in the remaining case, were the means adopted by the persons who committed suicide.

1 male and 3 females were aged 90 years and upwards. The oldest of these, the widow of an Inland Revenue Officer, had reached the age of 100 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.
## JUNE 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, | 577,419 | 658,198 | 677,883 | 1027 | 961 | 1988 | 1847 | 141 | 797 | 680 | 625 | 1305 |
| EDINBURGH, | 234,402 | 261,225 | 267,672 | 346 | 328 | 674 | 615 | 59 | 364 | 219 | 190 | 409 |
| DUNDEE, | 140,794 | 154,118 | 157,289 | 217 | 201 | 418 | 396 | 22 | 130 | 144 | 120 | 264 |
| ABERDEEN, | 106,397 | 124,943 | 129,543 | 187 | 165 | 352 | 314 | 38 | 158 | 96 | 90 | 186 |
| LEITH, | 59,485 | 68,707 | 70,972 | 111 | 114 | 225 | 205 | 20 | 73 | 44 | 43 | 87 |
| PAISLEY, | 55,638 | 66,425 | 69,128 | 98 | 103 | 201 | 188 | 13 | 59 | 57 | 51 | 108 |
| GREENOCK, | 66,704 | 63,423 | 62,713 | 79 | 83 | 162 | 156 | 6 | 43 | 78 | 75 | 153 |
| PERTH, | 29,236 | 30,130 | 30,336 | 38 | 49 | 87 | 81 | 6 | 39 | 31 | 20 | 51 |
| TOTAL, | 1,270,075 | 1,427,169 | 1,465,536 | 2103 | 2004 | 4107 | 3802 | 305 | 1663 | 1349 | 1214 | 2563 |
| JUNE 1892, | | Mean Temp. 54°·0 | | 2121 | 2062 | 4183 | 3842 | 341 | 1796 | 1141 | 1143 | 2284 |
| JUNE 1891, | | Mean Temp. 56°·2 | | 1996 | 1946 | 3942 | 3623 | 319 | 1600 | 1334 | 1360 | 2694 |
| JUNE 1890, | | Mean Temp. 55°·2 | | 1913 | 1784 | 3697 | 3414 | 283 | 1616 | 1164 | 1188 | 2352 |
| JUNE 1889, | | Mean Temp. 57°·4 | | 1815 | 1790 | 3605 | 3304 | 301 | 1384 | 1013 | 1028 | 2041 |
| JUNE 1888, | | Mean Temp. 52°·5 | | 1918 | 1782 | 3700 | 3384 | 316 | 1315 | 1002 | 1000 | 2002 |
| JUNE 1887, | | Mean Temp. 58°·4 | | 1962 | 1819 | 3781 | 3464 | 317 | 1280 | 1075 | 1112 | 2187 |
| JUNE 1886, | | Mean Temp. 53°·9 | | 1962 | 1939 | 3901 | 3584 | 317 | 1312 | 1129 | 1082 | 2211 |
| JUNE 1885, | | Mean Temp. 55°·1 | | 1959 | 1897 | 3856 | 3548 | 308 | 1332 | 1141 | 1119 | 2260 |
| JUNE 1884, | | Mean Temp. 55°·2 | | 1987 | 2028 | 4015 | 3705 | 310 | 1414 | 1172 | 1100 | 2272 |
| JUNE 1883, | | Mean Temp. 54°·3 | | 1842 | 1819 | 3661 | 3317 | 344 | 1460 | 1260 | 1287 | 2547 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of June 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, | 1 | 38 | 6 | 6 | 15 | 5 | 14 |
| 2. Camlachie, | 0 | 12 | 0 | 0 | 1 | 0 | 4 |
| 3. Dennistoun, | 0 | 11 | 2 | 2 | 4 | 0 | 1 |
| 4. Calton, | 0 | 11 | 0 | 0 | 1 | 0 | 9 |
| 5. Blackfriars, | 0 | 8 | 1 | 0 | 2 | 0 | 6 |
| 6. St Rollox, | 0 | 5 | 7 | 1 | 3 | 1 | 6 |
| 7. Blythswood, | 0 | 2 | 0 | 1 | 1 | 0 | 2 |
| 8. Milton, | 0 | 5 | 0 | 1 | 3 | 2 | 2 |
| 9. Kelvin, | 0 | 0 | 0 | 0 | 8 | 1 | 5 |
| 10. Anderston, | 0 | 3 | 0 | 0 | 3 | 0 | 3 |
| 11. Hutchesontown, | 0 | 12 | 0 | 1 | 15 | 0 | 11 |
| 12. Gorbals, | 0 | 9 | 1 | 0 | 5 | 0 | 10 |
| 13. Tradeston, | 0 | 7 | 0 | 1 | 2 | 0 | 2 |
| 14. Kinning Park, | 0 | 7 | 0 | 0 | 4 | 0 | 0 |
| Cathcart, | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Eastwood, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, | 0 | 0 | 0 | 1 | 2 | 0 | 1 |
| Shettleston, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| EDINBURGH— | | | | | | | |
| 1. St George, | 0 | 2 | 0 | 0 | 2 | 1 | 2 |
| 2. St Andrew, | 0 | 5 | 0 | 0 | 1 | 0 | 4 |
| 3. Canongate, | 0 | 7 | 1 | 3 | 3 | 3 | 2 |
| 4. St Giles, | 0 | 2 | 1 | 1 | 0 | 1 | 2 |
| 5. Newington, | 0 | 4 | 0 | 0 | 4 | 0 | 3 |
| DUNDEE— | | | | | | | |
| 1. St Peter, | 0 | 1 | 0 | 1 | 1 | 0 | 2 |
| 2. St Mary, | 0 | 1 | 0 | 1 | 2 | 0 | 2 |
| 3. St Clement, | 0 | 1 | 0 | 0 | 1 | 7 | 1 |
| 4. St Andrew, | 0 | 1 | 0 | 0 | 3 | 0 | 4 |
| 5. Lochee, | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Mains, | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, | 0 | 0 | 1 | 1 | 0 | 0 | 5 |
| 2. Aberdeen, | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| 3. Woodside, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, | 0 | 1 | 1 | 1 | 0 | 0 | 0 |
| 2. South, | 0 | 2 | 2 | 1 | 1 | 0 | 2 |
| PAISLEY, | 0 | 0 | 0 | 0 | 3 | 1 | 5 |
| GREENOCK— | | | | | | | |
| 1. East, | 0 | 41 | 0 | 0 | 3 | 0 | 6 |
| 2. West, | 0 | 10 | 0 | 1 | 1 | 1 | 3 |
| PERTH, | 0 | 1 | 0 | 2 | 0 | 0 | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2563 | 645 | 120 | 382 | 158 | 1305 | 143 | 40 | 116 | 110 | 409 | 106 | 19 | 79 | 60 | 264 | 53 | 19 | 62 | 52 | 186 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 544 | 279 | 23 | 22 | 6 | 330 | 44 | 8 | 2 | 3 | 57 | 19 | 3 | 15 | 3 | 40 | 10 | 1 | 5 | 2 | 18 |
| II. PARASITIC DISEASE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 13 | 1 | – | 2 | – | 3 | – | – | 1 | 2 | 3 | – | – | 1 | 2 | 3 | – | – | – | 1 | 1 |
| IV. CONSTITUTIONAL ,, | 497 | 57 | 52 | 121 | 12 | 242 | 13 | 13 | 48 | 12 | 86 | 10 | 9 | 26 | 9 | 54 | 7 | 8 | 17 | 8 | 40 |
| V. DEVELOPMENTAL ,, | 171 | 37 | – | – | 36 | 73 | 19 | – | – | 14 | 33 | 17 | – | – | 9 | 26 | 5 | – | – | 8 | 13 |
| VI. LOCAL ,, | 1152 | 219 | 36 | 199 | 101 | 555 | 51 | 19 | 56 | 76 | 202 | 45 | 6 | 32 | 36 | 119 | 25 | 9 | 38 | 32 | 104 |
| VII. VIOLENCE - - | 88 | 14 | 7 | 33 | 1 | 55 | 4 | – | 8 | 1 | 13 | 3 | 1 | 4 | 1 | 9 | – | 1 | 1 | 1 | 3 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 98 | 38 | 2 | 5 | 2 | 47 | 12 | – | 1 | 2 | 15 | 12 | – | 1 | – | 13 | 6 | – | 1 | – | 7 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES – | 387 | 212 | 21 | 8 | – | 241 | 32 | 8 | 1 | – | 41 | 11 | 2 | 10 | 1 | 24 | 2 | 1 | 1 | 2 | 6 |
| 2. DIARRHŒAL ,, – | 129 | 63 | 2 | 10 | 5 | 80 | 11 | – | 1 | 1 | 13 | 8 | 1 | – | 1 | 10 | 8 | – | 1 | – | 9 |
| 3. MALARIAL ,, – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, – | 7 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| 6. SEPTIC ,, – | 21 | 1 | – | 4 | 1 | 6 | 1 | – | – | 2 | 3 | – | – | 4 | 1 | 5 | – | – | 3 | – | 3 |
| II. PARASITIC DISEASES – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - – | 13 | 1 | – | 2 | – | 3 | – | – | 1 | 2 | 3 | – | – | 1 | 2 | 3 | – | – | – | 1 | 1 |
| IV. CONSTITUTIONAL DISEASES | 497 | 57 | 52 | 121 | 12 | 242 | 13 | 13 | 48 | 12 | 86 | 10 | 9 | 26 | 9 | 54 | 7 | 8 | 17 | 8 | 40 |
| V. DEVELOPMENTAL DISEASES | 171 | 37 | – | – | 36 | 73 | 19 | – | – | 14 | 33 | 17 | – | – | 9 | 26 | 5 | – | – | 8 | 13 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM – | 290 | 60 | 15 | 40 | 34 | 149 | 16 | 3 | 7 | 19 | 45 | 10 | – | 5 | 12 | 27 | 6 | 3 | 9 | 5 | 23 |
| 2. ,, ORGANS OF SPECIAL SENSE – – | 3 | 2 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 166 | 2 | 3 | 40 | 24 | 69 | – | 1 | 12 | 28 | 41 | – | 2 | 9 | 6 | 17 | – | 1 | 7 | 13 | 21 |
| 4. ,, RESPIRATORY SYSTEM | 404 | 101 | 8 | 54 | 27 | 190 | 23 | 3 | 15 | 15 | 56 | 33 | 2 | 11 | 14 | 60 | 13 | 3 | 14 | 9 | 39 |
| 5. ,, DIGESTIVE SYSTEM – | 185 | 48 | 3 | 33 | 9 | 93 | 11 | 9 | 7 | 8 | 35 | 2 | 1 | 4 | 1 | 8 | 6 | 2 | 3 | 5 | 16 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS – – | 4 | 1 | 1 | – | – | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 7. URINARY SYSTEM – | 58 | – | 2 | 18 | 7 | 27 | – | 1 | 8 | 5 | 14 | – | – | 2 | 3 | 5 | – | – | 2 | – | 2 |
| REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION – | 5 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| (*b*) DISEASES OF PARTURITION – – | 13 | – | 1 | 5 | – | 6 | – | – | 4 | – | 4 | – | – | – | | – | – | – | 1 | – | 1 |
| 9. ,, ORGANS OF LOCOMOTION – – – | 16 | 3 | 3 | 2 | – | 8 | 1 | 2 | – | 1 | 4 | – | 1 | 1 | – | 2 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM – – | 8 | 2 | – | 3 | – | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1893.

| CAUSES OF DEATH | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - - - | 37 | 11 | 24 | 15 | 87 | 26 | 14 | 44 | 24 | 108 | 104 | 14 | 24 | 11 | 153 | 11 | 8 | 19 | 13 | 51 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 10 | 1 | 1 | - | 12 | 10 | 1 | 2 | - | 13 | 57 | 7 | 2 | 2 | 68 | 3 | - | 3 | - | 6 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | 1 | 1 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 4 | 6 | 11 | 3 | 24 | 1 | 7 | 18 | 1 | 27 | 3 | 6 | 6 | - | 15 | 1 | 2 | 6 | - | 9 |
| V. DEVELOPMENTAL ,, - | 5 | - | - | 2 | 7 | 2 | - | - | 9 | 11 | 5 | - | - | - | 5 | 1 | - | - | 2 | 3 |
| VI. LOCAL ,, - | 13 | 3 | 10 | 8 | 34 | 9 | 5 | 22 | 14 | 50 | 31 | 1 | 15 | 9 | 56 | 6 | 5 | 10 | 11 | 32 |
| VII. VIOLENCE - - - | 1 | 1 | - | - | 2 | - | 1 | 1 | - | 2 | 2 | - | 1 | - | 3 | - | 1 | - | - | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 4 | - | 1 | 1 | 6 | 3 | - | 1 | - | 4 | 6 | - | - | - | 6 | - | - | - | - | - |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 8 | 1 | - | - | 9 | 4 | 1 | 1 | - | 6 | 51 | 6 | - | - | 57 | 3 | - | - | - | 3 |
| 2. DIARRHŒAL ,, - - | 2 | - | - | - | 2 | 5 | - | - | - | 5 | 6 | - | 1 | 2 | 9 | - | - | 1 | - | 1 |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | - | - | - | - | - | 1 | - | 1 | - | 2 | - | - | - | - | - | - | - | 1 | - | 1 |
| 6. SEPTIC ,, - - | - | - | 1 | - | 1 | - | - | - | - | - | - | 1 | 1 | - | 2 | - | - | 1 | - | 1 |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | 1 | 1 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 4 | 6 | 11 | 3 | 24 | 1 | 7 | 18 | 1 | 27 | 3 | 6 | 6 | - | 15 | 1 | 2 | 6 | - | 9 |
| V. DEVELOPMENTAL DISEASES - - | 5 | - | - | 2 | 7 | 2 | - | - | 9 | 11 | 5 | - | - | - | 5 | 1 | - | - | 2 | 3 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 4 | 1 | 2 | 2 | 9 | 1 | - | 4 | 7 | 12 | 7 | 1 | 5 | 1 | 14 | 4 | 2 | 2 | 3 | 11 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | - | 1 | 1 | 2 | 4 | - | 1 | 3 | 2 | 6 | - | - | 1 | 3 | 4 | - | - | 4 | - | 4 |
| 4. ,, RESPIRATORY SYSTEM | 7 | 1 | 6 | 2 | 16 | 5 | 4 | 6 | 3 | 18 | 16 | - | 2 | 1 | 19 | 1 | 1 | 1 | 3 | 6 |
| 5. ,, DIGESTIVE SYSTEM - | 2 | - | 1 | 1 | 4 | 3 | - | 4 | 2 | 9 | 8 | - | 3 | 2 | 13 | 1 | 1 | 1 | 4 | 7 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM - | - | - | - | - | - | - | - | 4 | - | 4 | - | - | 2 | 1 | 3 | - | 1 | 1 | 1 | 3 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |

# DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 80 | 13 | 7 | 29 | 1 | 50 | 4 | – | 6 | 1 | 11 | 3 | 1 | 4 | 1 | 9 | – | 1 | 1 | 1 | 3 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 8 | 1 | – | 4 | – | 5 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 98 | 38 | 2 | 5 | 2 | 47 | 12 | – | 1 | 2 | 15 | 12 | – | 1 | – | 13 | 6 | – | 1 | – | 7 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox – Vaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – Unvaccinated – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 209 | 121 | 8 | 1 | – | 130 | 20 | – | – | – | 20 | 3 | 1 | – | – | 4 | – | – | – | – | – |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 23 | 12 | 5 | – | – | 17 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 |
| Typhus – – – | 6 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 5 | – | 5 | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 3 | – | – | 1 | 2 | 3 |
| Hooping-Cough – – – | 94 | 67 | 2 | – | – | 69 | 8 | 2 | – | – | 10 | 7 | – | – | – | 7 | – | – | – | – | – |
| Mumps – – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 28 | 12 | 3 | – | – | 15 | 3 | 1 | – | – | 4 | 1 | – | 1 | – | 2 | 2 | – | – | – | 2 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 18 | – | 3 | 5 | – | 8 | – | 4 | 1 | – | 5 | – | – | 3 | – | 3 | – | – | – | – | – |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 127 | 62 | 2 | 9 | 5 | 78 | 11 | – | 1 | 1 | 13 | 8 | 1 | – | 1 | 10 | 8 | – | 1 | – | 9 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 7 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 4 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Pyæmia, Septicæmia – – | 9 | – | – | – | – | – | 1 | – | – | 2 | 3 | – | – | 1 | – | 1 | – | – | 3 | – | 3 |
| Puerperal Fever – – – | 8 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1893

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | – | – | – | 1 | – | 1 | 1 | – | 2 | 2 | – | 1 | – | 3 | – | 1 | – | – | 1 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 4 | – | 1 | 1 | 6 | 3 | – | 1 | – | 4 | 6 | – | – | – | 6 | – | – | – | – | – |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 2 | 1 | – | – | 3 | – | – | – | – | – | 46 | 5 | – | – | 51 | 1 | – | – | – | 1 |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 1 | – | – | – | 1 | 3 | – | – | – | 3 | 4 | – | – | – | 4 | – | – | – | – | – |
| Mumps | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | 2 | – | – | – | 2 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | – | – | – | 2 | 5 | – | – | – | 5 | 6 | – | 1 | 2 | 9 | – | – | 1 | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – |
| Puerperal Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60. | 60, etc. | Total. | 0–5 | 5 20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. Chronic Alcoholism | 9 | – | – | 2 | – | 2 | – | – | 1 | 1 | 2 | – | – | – | 2 | 2 | – | – | – | 1 | 1 |
| Intemp. Delirium Tremens | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 6 | 1 | – | 1 | – | 2 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Rheumatism | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Rickets | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Cancer | 100 | – | – | 32 | 8 | 40 | – | – | 12 | 9 | 21 | – | – | 9 | 8 | 17 | – | – | 6 | 5 | 11 |
| Tabes Mesenterica | 37 | 16 | 5 | 1 | – | 22 | 1 | 2 | – | – | 3 | 4 | 3 | – | – | 7 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 54 | 22 | 7 | – | – | 29 | 10 | 4 | – | – | 14 | 5 | 1 | – | – | 6 | 2 | 1 | – | – | 3 |
| Phthisis | 257 | 12 | 34 | 81 | 2 | 129 | – | 6 | 32 | 2 | 40 | – | 4 | 14 | 1 | 19 | 1 | 6 | 10 | 2 | 19 |
| Other forms of Tuber. Scrofula | 21 | 4 | 5 | – | – | 9 | 1 | – | 2 | – | 3 | – | – | 2 | – | 2 | 3 | 1 | – | – | 4 |
| Purp., Hæmorrhagic Diathesis | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 10 | – | 1 | 1 | 2 | 4 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Diabetes Mellitus | 5 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 77 | 32 | – | – | – | 32 | 17 | – | – | – | 17 | 16 | – | – | – | 16 | 3 | – | – | – | 3 |
| Atelectasis | 8 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 |
| Cyanosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 80 | – | – | – | 36 | 36 | – | – | – | 14 | 14 | – | – | – | 9 | 9 | – | – | – | 8 | 8 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 65 | 27 | 5 | 2 | – | 34 | 8 | 2 | 1 | – | 11 | 2 | – | 1 | – | 3 | 3 | 2 | 3 | – | 8 |
| Apoplexy | 73 | 1 | 4 | 20 | 13 | 38 | – | – | 2 | 9 | 11 | – | – | 1 | 5 | 6 | – | – | 1 | 3 | 4 |
| Softening of Brain | 8 | – | – | – | 2 | 2 | – | – | – | – | – | – | – | 1 | 2 | 3 | – | – | 1 | 1 | 2 |
| Hemiplegia, Brain Paralysis | 40 | – | – | 12 | 8 | 20 | – | – | – | 7 | 7 | – | – | 1 | 5 | 6 | – | – | 1 | – | 1 |
| Paralysis Agitans | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 11 | – | 1 | 1 | 3 | 5 | 1 | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 44 | 23 | 1 | – | – | 24 | 6 | – | 1 | – | 7 | 4 | – | – | – | 4 | 3 | – | – | – | 3 |
| Laryngismus Stridulus | 7 | 3 | – | – | – | 3 | 7 | – | – | – | – | 3 | – | – | – | 3 | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 9 | – | 1 | 1 | 3 | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Other Diseases of Ner. System | 28 | 6 | 3 | 3 | 5 | 17 | 1 | – | 1 | 3 | 5 | 1 | – | – | – | 1 | – | 1 | 1 | – | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | 2 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 1 | 3 | 5 | – | – | 3 | 1 | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Tabes Mesenterica | – | 2 | – | – | 2 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 2 | 2 | 9 | – | 13 | 1 | 6 | 14 | – | 21 | – | 5 | 5 | – | 10 | – | 2 | 4 | – | 6 |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diabetes Mellitus | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 3 | – | – | – | 3 | 1 | – | – | – | 1 | 4 | – | – | – | 4 | 1 | – | – | – | 1 |
| Atelectasis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Other Congenital Defects | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 2 | 2 | – | – | – | 9 | 9 | – | – | – | – | – | – | – | – | 2 | 2 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 2 | 1 | – | – | 3 | – | – | – | – | – | 3 | – | 1 | – | 4 | – | 2 | – | – | 2 |
| Apoplexy | – | – | 1 | 2 | 3 | – | – | – | 3 | 3 | – | 1 | 1 | 1 | 3 | 1 | – | 1 | 3 | 5 |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Hemiplegia, Brain Paralysis | 1 | – | – | – | 1 | – | – | – | 3 | 3 | – | – | 2 | – | 2 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | 2 | – | – | – | 2 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | – | 1 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 129 | 1 | 2 | 35 | 18 | 56 | – | 1 | 9 | 19 | 29 | – | 1 | 7 | 6 | 14 | – | 1 | 5 | 11 | 17 |
| Pericarditis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 1 |
| Hypertrophy of Heart | 6 | – | – | – | – | – | – | – | 1 | 4 | 5 | – | – | – | – | – | – | – | – | 1 | 1 |
| Angina Pectoris | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Syncope | 7 | – | 1 | 2 | 1 | 4 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 6 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Senile Gangrene | 4 | – | – | – | 2 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 6 | 1 | – | 1 | 1 | 3 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 6 | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | 1 | 1 |
| Croup | 21 | 9 | – | – | – | 9 | 1 | 1 | – | – | 2 | – | – | – | – | – | 3 | – | – | – | 3 |
| Other Dis. of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 169 | 36 | 2 | 21 | 21 | 80 | 10 | – | 3 | 10 | 23 | 20 | 1 | 4 | 8 | 33 | 4 | 1 | 3 | 5 | 13 |
| Pneumonia | 177 | 48 | 4 | 26 | 3 | 81 | 9 | 2 | 12 | 4 | 27 | 12 | 1 | 7 | 5 | 25 | 4 | 2 | 10 | 3 | 19 |
| Pleurisy | 8 | 1 | – | 3 | 2 | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Diseases of Resp. System | 21 | 6 | 1 | 4 | 1 | 12 | 2 | – | – | 1 | 3 | – | – | – | 1 | 1 | 2 | – | – | – | 2 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 4 | 3 | – | 1 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 17 | 14 | – | – | – | 14 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 4 | 1 | – | – | – | 1 | – | 2 | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Dyspepsia | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Melæna | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 28 | 3 | 1 | 7 | 4 | 15 | 2 | – | – | 1 | 3 | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 |
| Enteritis | 52 | 15 | – | 3 | 3 | 21 | 7 | 1 | 1 | – | 9 | 1 | 1 | 2 | 1 | 5 | 3 | – | 1 | – | 4 |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 10 | – | – | 1 | – | 1 | – | 1 | 2 | 1 | 4 | – | – | – | – | – | 1 | – | – | – | 1 |
| Stricture or Strang. of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 2 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 24 | 4 | 1 | 7 | 1 | 13 | 1 | 3 | 2 | – | 6 | – | – | 1 | – | 1 | – | 2 | – | 1 | 3 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 10 | – | – | 6 | 1 | 7 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Diseases of Liver | 15 | 3 | – | 4 | – | 7 | – | – | 1 | 3 | 4 | 1 | – | – | – | 1 | 1 | – | – | 1 | 2 |
| Other Dis. of Digestive System | 8 | 4 | – | 3 | – | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 12 | – | 1 | 6 | 2 | 9 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | 25 | – | – | 6 | 1 | 7 | – | – | 7 | 2 | 9 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 |
| Uræmia | 6 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 6 | – | – | – | 1 | 1 | – | – | – | 2 | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Dis. of Urinary System | 7 | – | 1 | 2 | 2 | 5 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | 1 | 1 | – | 2 | – | – | 3 | 2 | 5 | – | – | – | 3 | 3 | – | – | 3 | – | 3 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Aneurism | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Croup | 3 | – | – | – | 3 | – | – | – | – | – | 3 | – | – | – | 3 | – | 1 | – | – | 1 |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | | – | – | – | – |
| Bronchitis | – | 1 | 1 | – | 2 | 2 | 1 | 3 | 1 | 7 | 5 | – | 1 | 1 | 7 | 1 | – | 1 | 2 | 4 |
| Pneumonia | 3 | – | 5 | 1 | 9 | 2 | 2 | 3 | – | 7 | 7 | – | 1 | – | 8 | – | – | – | 1 | 1 |
| Pleurisy | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | 1 | | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | 4 | 1 | 5 | 2 | – | | | 2 | | – | – | | – |
| Enteritis | 2 | – | – | | 2 | 1 | – | | – | 1 | 6 | – | 1 | – | 7 | 1 | – | – | 2 | 3 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | | – | – | – | | – | 1 | 1 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | 1 | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Bright's Disease | – | – | – | – | – | – | – | 4 | – | 4 | – | – | – | – | – | – | 1 | | – | 1 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | 1 | – | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 4 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Uterus and Vagina | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 3 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 7 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 8 | 1 | 1 | – | – | 2 | 1 | 1 | – | – | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 4 | 1 | 1 | 1 | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 4 | 1 | 1 | 1 | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 3 | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Eczema | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 7 | 3 | 1 | 1 | – | 5 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Poisons, Poisonous Vapours | 4 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 9 | 2 | 1 | 4 | – | 7 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | 7 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – |
| Suffocation: Otherwise | 3 | – | – | 2 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Falls | 4 | 3 | 1 | – | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 24 | 1 | 2 | 10 | – | 13 | 1 | – | 3 | 1 | 5 | – | 1 | 2 | 1 | 4 | – | 1 | – | 1 | 2 |
| Otherwise, or Not Stated | 15 | 4 | 2 | 5 | – | 11 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 7 | – | – | 4 | – | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 5 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – | | – | – | 1 | – | 1 |
| Debility, Atrophy, Inanition | 76 | 31 | 2 | 2 | – | 35 | 11 | – | – | – | 11 | 12 | – | 1 | – | 13 | 6 | – | – | – | 6 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 3 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 3 | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 9 | 6 | – | – | 1 | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of JUNE 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Uterus and Vagina | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Disorders of Menstruation | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pelvic Abscess | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Perineal Abscess | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Testes, Penis, Scrotum, &c. | - | - | - | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Mania | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Convulsions | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Placenta Prævia, Flooding | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlegmasia Dolens | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Accidents of Childbirth | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Arthritis, Ostitis, Periostitis | | | | - | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Dis. of Organs of Locomotion | - | - | - | - | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlegmon, Cellulitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Lupus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ulcer, Bedsore | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Eczema | - | - | - | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | - | - |
| Pemphigus | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Other Dis. of Integumentary System | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | - | - | | - | - | | - | | - | - | - | - | - | - | - | - | - | - | - | - |
| Mines and Quarries: Other Mines | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Mines and Quarries: Quarries | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Vehicles and Horses: Railways | - | - | | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Vehicles and Horses: Veh. other than R'ways. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Vehicles and Horses: Horses | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ships, Boats, Docks (ex. Drowning) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Building Operations | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Machinery | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Weapons and Implements | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns, Scalds: Conflagrations | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns, Scalds: Other Burns and Scalds | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns, Scalds: Explosions | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Poisons, Poisonous Vapours | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drowning | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Suffocation: In Bed | 1 | - | - | - | 1 | - | - | - | - | - | 2 | - | - | - | 2 | - | - | - | - | - |
| Suffocation: Otherwise | - | - | - | - | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Falls | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Weather Agencies | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Fractures (not stated) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Otherwise, or Not Stated | - | - | - | - | - | - | - | 1 | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suicide | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Execution | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Debility, Atrophy, Inanition | 4 | - | | - | 4 | 2 | - | - | - | 2 | 5 | - | - | - | 5 | - | - | - | - | - |
| Mortification | - | - | | - | | - | | | | - | - | - | | | | | | | | |
| Tumour | - | - | | 1 | 1 | | | - | | | | | - | | | | | - | | |
| Abscess | - | - | - | - | | | | 1 | | 1 | - | | - | - | - | | | | | |
| Hæmorrhage | - | - | - | - | | - | - | - | - | | - | - | - | - | | - | - | - | - | - |
| Sudden (Cause unascertained) | - | - | - | - | - | | - | - | - | | - | - | - | - | - | - | - | - | | |
| Other ill-def. and not spec. Causes | | - | - | - | | 1 | | - | | 1 | 1 | - | - | - | 1 | | | | | |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—JUNE 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 55 | 19 | 32 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 2 |
| Ayr, | 27,132 | 80 | 29 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 14 | 6 |
| Banff, with Macduff, | 8,841 | 15 | 9 | 16 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 4 | 2 |
| Blairgowrie, | 4,481 | 13 | 3 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Callander, | 2,305 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Campbeltown, | 10,377 | 31 | 4 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Cathcart (Landward), | 4,958 | 9 | 3 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Crieff, | 5,531 | 11 | 4 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| Dumbarton, | 18,745 | 52 | 19 | 59 | 0 | 20 | 1 | 1 | 1 | 0 | 0 | 6 | 0 | 9 | 2 |
| Dumfries, with Troqueer, | 24,092 | 60 | 29 | 46 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 7 | 3 |
| Dunfermline, | 29,207 | 83 | 27 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 5 |
| Dunoon, | 7,396 | 14 | 5 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| Eastwood (Landward), | 13,967 | 43 | 10 | 17 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 4 |
| Elgin, | 10,614 | 23 | 9 | 19 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 1 | 0 | 3 | 3 |
| Falkirk, | 27,882 | 87 | 29 | 47 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 5 | 3 |
| Forfar, | 13,490 | 25 | 24 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 |
| Galashiels, | 18,264 | 42 | 27 | 24 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| Govan—(1) Plantation (Landward), | 23,668 | 67 | 17 | 45 | 0 | 7 | 0 | 0 | 8 | 0 | 0 | 1 | 0 | 8 | 5 |
| (2) Govan (Landward), | 43,404 | 131 | 27 | 136 | 2 | 10 | 1 | 1 | 5 | 0 | 0 | 9 | 2 | 14 | 15 |
| (3) Partick (Landward), | 38,979 | 124 | 38 | 62 | *1 | 1 | 1 | 1 | 1 | 0 | 0 | 8 | 0 | 11 | 9 |
| Haddington, | 5,121 | 11 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hawick, with Wilton, | 21,303 | 42 | 13 | 22 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 0 |
| Inverness, | 24,689 | 60 | 36 | 42 | 0 | 12 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 4 | 1 |
| Kilmarnock, | 28,464 | 104 | 34 | 53 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 10 | 0 | 10 | 2 |
| Kilmore and Kilbride (Oban), | 5,870 | 8 | 7 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Kinning Park (Landward), | 14,209 | 42 | 5 | 38 | 0 | 14 | 0 | 0 | 9 | 0 | 0 | 4 | 0 | 1 | 2 |
| Kirkcaldy and Abbotshall, | 18,494 | 47 | 14 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 1 |
| Kirkcudbright, | 3,477 | 10 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Largs, | 5,359 | 9 | 6 | 13 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Logie (Bridge of Allan), | 4,308 | 5 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Moffat, | 2,988 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Montrose, | 14,037 | 33 | 8 | 27 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 5 |
| Moulin (Pitlochry), | 2,087 | 9 | 2 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn, | 5,219 | 13 | 3 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| New Monkland, (Airdrie and Landward), | 35,266 | 139 | 44 | 54 | 0 | 4 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 7 | 4 |
| North Berwick, | 3,123 | 7 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 56 | 14 | 19 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 2 | 0 | 1 | 1 |
| Rothesay, | 9,293 | 23 | 11 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 |
| St Andrews and St. Leonards, | 8,789 | 21 | 4 | 8 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Shettleston (Landward), | 13,476 | 43 | 7 | 15 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 2 | 2 |
| Stirling, | 15,222 | 41 | 18 | 39 | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 |
| Stranraer, | 6,144 | 16 | 5 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Wick, | 12,140 | 33 | 3 | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 |

* Chicken-pox.

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

**For the month of JUNE 1893.**

Mean barometric pressure, 29·977 inches; greater than the average for the same month of 1856-92 by 0·036 inch.

Barometric monthly range, 1·120 inch; greater by 0·197 inch.

Mean temperature, 58°·4; greater by 2°·6.

Mean daily range of temperature, 17°·1; gteater by 1°·9.

Mean humidity, 75; less by 2.

Rain, number of days, 10; less by 3.

Rain, depth in inches, 2·30; less by 0·11 inch.

Wind, pressure on square foot, 0·93 lb.; less by 0·46 lb.

Wind, direction of, E. to W. as 9 to 8, and N. to S. as 4 to 6; the average E. to W. as 8 to 10, and N. to S. as 4 to 6.

Hence June 1893 has been on the average, a month with a temperature decidedly above the average, a mean rainfall nearly the average, and a barometric pressure and range a little above the average.

The excess of temperature was unequally distributed, the extremes being Edinburgh and Glasgow, each being 3°·9, and Aberdeen 1°·9. The least mean daily range was 14°·2, at Aberdeen, and the greatest, 19°·8 at Glasgow. This is now the fourth consecutive month of phenomenally high temperature in Scotland, the only year, since 1856 at all comparable to it being 1868, which on the mean of these months was nearly as warm.

The absolutely highest temperature 88°·5, was registered at Perth, and the lowest 40°·4, at Glasgow, the difference being 48°·1. From the 16th to the 19th, temperature was remarkably high over Scotland. The maximum temperature of the 20th as compared with that of the 19th, was nearly 20°·0 lower in Glasgow, Edinburgh, and Perth.

The distribution of the rainfall among the large towns was most unequal, the amount at Aberdeen being 95 per cent. above its average, but the amount at Greenock was 48 per cent. under its average. The differences were due, almost wholly, to the amounts collected for the 22nd and 23rd of the month. On these two days, the amounts were 2·21 inches at Aberdeen, 1·88 inch at Edinburgh, 1·17 inch at Perth, 1·00 inch at Dundee, 0·86 inch at Glasgow, 0·65 inch at Paisley, and 0·57 inch at Greenock.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of June 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS. Elastic Force of Vapour. | DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·922 | 29·981 | 1·110 | 82·6 | 40·4 | 59·8 | 42·2 | 19·8 | 30·6 | 58·8 | 54·4 | 50·5 | ·367 | 3·42 | 74 | 7 | 1·89 | 3 | 1 | 4 | 1 | 0 | 1 | 5 | 2 | 13 | 0·16 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·691 | 29·983 | 1·160 | 85·9 | 43·6 | 58·6 | 42·3 | 16·3 | 28·5 | 57·8 | 53·5 | 49·7 | ·357 | 3·25 | 75 | 11 | 2·48 | 4 | 1 | 7 | 2 | 2 | 2 | 8 | 2 | 2 | 0·38 |
| DUNDEE, Thomas Smellie, Esq., Curator of Cemeteries. | 164 | 29·804 | 29·982 | 1·100 | 84·7 | 42·5 | 58·1 | 42·2 | 17·0 | 29·3 | 55·8 | 53·2 | 50·8 | ·373 | 3·46 | 83 | 11 | 2·09 | 0 | 4 | 1 | 14 | 1 | 4 | 2 | 4 | 0 | 0·72 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·891 | 29·963 | 1·108 | 84·5 | 45·8 | 56·7 | 38·7 | 14·2 | 33·1 | 55·3 | 52·0 | 48·8 | ·346 | 3·93 | 79 | 12 | 3·54 | 2 | 3 | 2 | 4 | 11 | 2 | 2 | 4 | 0 | 0·64 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | ... | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·866 | 29·980 | 1·110 | 81·2 | 42·8 | 59·8 | 38·4 | 17·9 | 27·2 | 58·8 | 54·5 | 50·7 | ·370 | 3·45 | 75 | 10 | 2·18 | 4 | 3 | 7 | 0 | 3 | 2 | 6 | 4 | 1 | 1·56 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·734 | 29·981 | 1·105 | 77·2 | 42·2 | 58·0 | 35·0 | 16·1 | 23·8 | 60·9 | 54·6 | 49·1 | ·350 | 2·88 | 65 | 10 | 1·78 | 0 | 1 | 9 | 1 | 0 | 1 | 7 | 11 | 0 | 2·10 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·815 | 29·967 | 1·150 | 88·5 | 44·0 | 58·0 | 44·5 | 18·3 | 28·5 | 58·1 | 53·8 | 49·9 | ·361 | 3·94 | 74 | 7 | 2·16 | 4 | 5 | 11 | 2 | 3 | 5 | 0 | 0 | 0 | ... |
| Means, | 139 | | 29·977 | 1·120 | *(88·5) | †(40·4) | 58·4 | 40·5 | 17·1 | 27·7 | 57·9 | 53·7 | 49·9 | ·361 | 3·48 | 75 | 10 | 2·30 | 2 | 3 | 6 | 3 | 3 | 3 | 4 | 4 | 2 | 0·93 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH.

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

## JULY 1893.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of July 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3890 children, of whom 1974 were males, and 1916 females. Of these, 3594 were legitimate, and 296 illegitimate, being in the proportion of one illegitimate in every 13·1 Births, or the illegitmate Births constituted 7·6 per cent. of the whole. In Leith, 4·4 per cent. of the Births were illegitimate; in Greenock, 4·8; in Paisley, 6·1; in Dundee, 7·3; in Glasgow, 7·6; in Perth, 7·7; in Edinburgh, 8·3; and in Aberdeen, 10·6.

During July, 1514 Marriages were registered in the same Towns. Taking into account the natural increase of the population, this number is seen to be 129 above the average for the corresponding month during the last ten years.

The Deaths of 2588 persons were recorded in these Towns during the month under review. Of these, 1305 were males, and 1283 females. When allowance is made for the natural increase of the population, this number is seen to be 322 above the average for July during the last ten years.

A comparison of the Deaths registered, shows that during July, the mortality was at the annual rate of 17·4 per thousand persons in Edinburgh, 18·3 in Dundee, 19·0 in Aberdeen, 19·1 in Leith, 21·0 in Paisley, 22·8 in Glasgow, 23·8 in Greenock, and 24·5 in Perth.

Of the 1311 Deaths registered in Glasgow, 386 were of children under one year of age, and 181 of persons over 60 years; of the 396 in Edinburgh, 82 were under one, and 87 over 60; of the 244 in Dundee, 79 were under one, and 50 over 60; of the 209 in Aberdeen, 52 were under one, and 61 over 60; of the 115 in Leith, 35 were under one, and 18 over 60; of the 123 in Paisley, 32 were under one, and 23 over 60; of the 127 in Greenock, 24 were under one, and 20 over 60; and of the 63 in Perth, 17 were under one year, and 14 over 60 years.

Of the whole 2588 Deaths, 1192 or 46·1 per cent. were of children under five years of age. In Aberdeen, 32·1 per cent. of those who died were under five years of age; in Perth, 33·3; in Edinburgh, 37·4; in Paisley, 43·9; in Dundee, 45·9; in Leith, 48·7; in Glasgow, 50·9; and in Greenock, 52·7.

Miasmatic Diseases caused 306 Deaths, or 11·8 per cent. of the whole mortality. This rate was exceeded in Greenock, owing mainly to the prevalence of Measles in that Town.

Small-pox proved fatal in one case, which occurred in Edinburgh.

Hooping-Cough was the most prevalent of the Miasmatic Diseases, having caused 111 deaths or 4·3 per cent. of the total mortality.

Measles came next with 104 deaths, 31 of which, or 24·4 per cent. of the whole mortality occurred in Greenock. Scarlet-Fever caused 28 deaths, Diphtheria, 22; and Puerperal Fever, 3.

Diarrhœa and Dysentery caused 249 deaths, or 9·6 per cent. of the total mortality. This rate was exceeded in Glasgow with 161 deaths, or 12·3 per cent.; in Paisley with 14 deaths, or 11·4 per cent.; and in Perth with 9 deaths, or 14·3 per cent.

To Fevers 25 deaths were attributed, 2 of which were classed as Typhus, 21 as Enteric Fever, and 2 as Simple or Ill-defined Fever. One of the Typhus deaths was reported from Glasgow, and the other from Dundee.

Intemperance was assigned as the cause of 11 deaths, 9 being attributed to Chronic Alcoholism, and 2 to Delirium Tremens.

Apoplexy caused 65 deaths; Paralysis, 52; Diseases of the Heart, 178; and Premature Birth Debility, 76.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 355 or 13·7 per cent. of the total mortality. Those from Consumption numbered 242, or 9·4 per cent. Croup caused 12 deaths.

To Violent causes 79 deaths were ascribed, of which 4 were stated to be suicidal. Poison in 2 cases, Cut-throat and Drowning each in 1 case, were the means adopted by those persons who took their own lives.

1 Male and 5 females were aged 90 years and upwards. The oldest of these was described as a wholesale provision merchant, aged 96 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.
## JULY 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 577,419 | 658,198 | 677,883 | 988 | 927 | 1915 | 1769 | 146 | 728 | 657 | 654 | 1311 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 304 | 300 | 604 | 554 | 50 | 266 | 206 | 190 | 396 |
| DUNDEE, . . | 140,794 | 154,118 | 157,289 | 189 | 207 | 396 | 367 | 29 | 176 | 118 | 126 | 244 |
| ABERDEEN, . | 106,397 | 124,943 | 129,543 | 193 | 166 | 359 | 321 | 38 | 132 | 110 | 99 | 209 |
| LEITH, . . | 59,485 | 68,707 | 70,972 | 101 | 105 | 206 | 197 | 9 | 71 | 61 | 54 | 115 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 88 | 110 | 198 | 186 | 12 | 53 | 64 | 59 | 123 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 76 | 71 | 147 | 140 | 7 | 60 | 62 | 65 | 127 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 35 | 30 | 65 | 60 | 5 | 28 | 27 | 36 | 63 |
| TOTAL, . | 1,270,075 | 1,427,169 | 1,465,536 | 1974 | 1916 | 3890 | 3594 | 296 | 1514 | 1305 | 1283 | 2588 |
| JULY 1892, . . . . | | | Mean Temp. 55°·9 | 1981 | 1810 | 3791 | 3510 | 281 | 1407 | 1112 | 996 | 2108 |
| JULY 1891, . . . . | | | Mean Temp. 59°·1 | 2010 | 1838 | 3848 | 3534 | 314 | 1358 | 1042 | 952 | 2094 |
| JULY 1890, . . . . | | | Mean Temp. 56°·2 | 1847 | 1808 | 3655 | 3329 | 326 | 1452 | 1118 | 1112 | 2230 |
| JULY 1889, . . . . | | | Mean Temp. 57°·1 | 1919 | 1795 | 3714 | 3412 | 302 | 1441 | 1168 | 1102 | 2270 |
| JULY 1888, . . . . | | | Mean Temp. 54°·7 | 1903 | 1759 | 3662 | 3343 | 319 | 1372 | 919 | 940 | 1859 |
| JULY, 1887, . . . . | | | Mean Temp. 60°·6 | 1778 | 1791 | 3569 | 3270 | 299 | 1164 | 1047 | 1050 | 2097 |
| JULY 1886, . . . . | | | Mean Temp. 58°·0 | 1893 | 1805 | 3698 | 3400 | 298 | 1178 | 1025 | 1084 | 2109 |
| JULY 1885, . . . . | | | Mean Temp. 59°·1 | 1871 | 1814 | 3685 | 3352 | 333 | 1143 | 981 | 1045 | 2026 |
| JULY 1884, . . . . | | | Mean Temp. 58°·1 | 2047 | 1853 | 3900 | 3576 | 324 | 1241 | 1178 | 1189 | 2367 |
| JULY 1883, . . . . | | | Mean Temp. 57°·0 | 1944 | 1791 | 3735 | 3431 | 304 | 1289 | 1055 | 1124 | 2179 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of July 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 0 | 16 | 3 | 0 | 13 | 0 | 23 |
| 2. Camlachie, . | 0 | 4 | 0 | 0 | 2 | 0 | 25 |
| 3. Dennistoun, . | 0 | 4 | 2 | 1 | 4 | 0 | 6 |
| 4. Calton, . | 0 | 0 | 0 | 0 | 1 | 0 | 16 |
| 5. Blackfriars, . | 0 | 4 | 0 | 1 | 6 | 0 | 14 |
| 6. St Rollox, . | 0 | 7 | 7 | 1 | 6 | 0 | 9 |
| 7. Blythswood, . | 0 | 1 | 0 | 1 | 0 | 2 | 4 |
| 8. Milton, . | 0 | 1 | 4 | 1 | 7 | 1 | 6 |
| 9. Kelvin, . | 0 | 2 | 0 | 3 | 4 | 0 | 8 |
| 10. Anderston, . | 0 | 0 | 0 | 0 | 4 | 0 | 15 |
| 11. Hutchesontown, | 0 | 10 | 0 | 1 | 12 | 0 | 13 |
| 12. Gorbals, . | 0 | 6 | 0 | 0 | 8 | 0 | 11 |
| 13. Tradeston, . | 0 | 3 | 0 | 1 | 5 | 0 | 4 |
| 14. Kinning Park, | 0 | 1 | 0 | 0 | 1 | 0 | 2 |
| Cathcart, . | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 0 | 0 | 0 | 4 | 0 | 4 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 2 | 1 | 0 | 3 | 0 | 4 |
| 2. St Andrew, . | 0 | 1 | 1 | 0 | 7 | 0 | 4 |
| 3. Canongate, . | 1 | 3 | 3 | 2 | 2 | 2 | 5 |
| 4. St Giles, . | 0 | 3 | 0 | 0 | 2 | 0 | 1 |
| 5. Newington, . | 0 | 1 | 0 | 1 | 4 | 0 | 1 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 2. St Mary, . | 0 | 1 | 0 | 0 | 3 | 1 | 1 |
| 3. St Clement, . | 0 | 0 | 0 | 1 | 2 | 2 | 3 |
| 4. St Andrew, . | 0 | 0 | 0 | 1 | 4 | 0 | 12 |
| 5. Lochee, . | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Mains. . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 2. Aberdeen, . | 0 | 0 | 0 | 0 | 1 | 1 | 5 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, . | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 2. South, . . | 0 | 0 | 5 | 1 | 1 | 1 | 8 |
| PAISLEY, . . | 0 | 3 | 0 | 4 | 1 | 6 | 14 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 26 | 0 | 0 | 2 | 0 | 4 |
| 2. West, . . | 0 | 5 | 0 | 1 | 1 | 1 | 7 |
| PERTH, . . | 0 | 0 | 2 | 0 | 0 | 0 | 9 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2588 | 667 | 130 | 333 | 181 | 1311 | 148 | 38 | 123 | 87 | 396 | 112 | 19 | 63 | 50 | 244 | 67 | 19 | 62 | 61 | 209 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 587 | 291 | 28 | 23 | 9 | 351 | 48 | 6 | 3 | 3 | 60 | 35 | 2 | 7 | 2 | 46 | 11 | – | 4 | 7 | 22 |
| II. PARASITIC DISEASE | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 17 | 2 | – | 3 | – | 5 | 1 | – | 2 | – | 3 | 1 | – | 1 | – | 2 | 1 | – | 1 | 1 | 3 |
| IV. CONSTITUTIONAL ,, | 482 | 50 | 54 | 104 | 20 | 228 | 23 | 13 | 42 | 17 | 95 | 6 | 11 | 17 | 3 | 37 | 7 | 10 | 23 | 6 | 46 |
| V. DEVELOPMENTAL ,, | 167 | 37 | – | – | 28 | 65 | 19 | – | – | 15 | 34 | 13 | – | – | 7 | 20 | 8 | – | – | 16 | 24 |
| VI. LOCAL ,, | 1148 | 235 | 44 | 177 | 118 | 574 | 46 | 16 | 66 | 50 | 178 | 41 | 5 | 33 | 37 | 116 | 27 | 8 | 31 | 31 | 97 |
| VII. VIOLENCE - - | 79 | 3 | 3 | 18 | 6 | 30 | 4 | 3 | 7 | 2 | 16 | 4 | 1 | 4 | 1 | 10 | 3 | 1 | 3 | – | 7 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 107 | 48 | 1 | 8 | – | 57 | 7 | – | 3 | – | 10 | 12 | – | 1 | – | 13 | 10 | – | – | – | 10 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - | 306 | 146 | 22 | 4 | 2 | 174 | 33 | 5 | – | 1 | 39 | 13 | 2 | 4 | 2 | 21 | 1 | – | 3 | 6 | 10 |
| 2. DIARRHŒAL ,, - | 257 | 142 | 6 | 12 | 7 | 167 | 13 | – | 1 | 2 | 16 | 19 | – | 3 | – | 22 | 7 | – | 1 | 1 | 9 |
| 3. MALARIAL ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - | 11 | 1 | – | 1 | – | 2 | 2 | – | 1 | – | 3 | 3 | – | – | – | 3 | 2 | – | – | – | 2 |
| 6. SEPTIC ,, - | 13 | 2 | – | 6 | – | 8 | – | 1 | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| II. PARASITIC DISEASES - | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - | 17 | 2 | – | 3 | – | 5 | 1 | – | 2 | – | 3 | 1 | – | 1 | – | 2 | 1 | – | 1 | 1 | 3 |
| IV. CONSTITUTIONAL DISEASES | 482 | 50 | 54 | 104 | 20 | 228 | 23 | 13 | 42 | 17 | 95 | 6 | 11 | 17 | 3 | 37 | 7 | 10 | 23 | 6 | 46 |
| V. DEVELOPMENTAL DISEASES | 167 | 37 | – | – | 28 | 65 | 19 | – | – | 15 | 34 | 13 | – | – | 7 | 20 | 8 | – | – | 16 | 24 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM - | 287 | 66 | 10 | 32 | 38 | 146 | 15 | 2 | 10 | 13 | 40 | 8 | 1 | 8 | 11 | 28 | 5 | 4 | 7 | 8 | 24 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 4 | 2 | – | – | – | 2 | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 178 | 4 | 3 | 38 | 25 | 70 | 1 | 2 | 21 | 17 | 41 | – | – | 9 | 11 | 20 | – | 1 | 9 | 6 | 16 |
| 4. ,, RESPIRATORY SYSTEM | 355 | 95 | 14 | 50 | 29 | 188 | 18 | 7 | 13 | 11 | 49 | 14 | 1 | 13 | 12 | 40 | 11 | 1 | 4 | 11 | 27 |
| 5. ,, DIGESTIVE SYSTEM - | 223 | 67 | 6 | 25 | 19 | 117 | 12 | 3 | 10 | 5 | 30 | 18 | 1 | 2 | 2 | 23 | 8 | 2 | 7 | 5 | 22 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 5 | – | – | 3 | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 7. URINARY SYSTEM - | 56 | – | 3 | 17 | 5 | 25 | – | – | 6 | 3 | 9 | – | 1 | – | 1 | 2 | – | – | 3 | 1 | 4 |
| REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | 5 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| (b) DISEASES OF PARTURITION - - | 10 | – | – | 6 | – | 6 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | 18 | – | 8 | 2 | – | 10 | – | – | 3 | – | 3 | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 |
| 10. ,, INTEGUMENTARY SYSTEM - - | 7 | 1 | – | 1 | 2 | 4 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – | – | 2 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 56 | 9 | 32 | 18 | 115 | 54 | 13 | 33 | 23 | 123 | 67 | 13 | 27 | 20 | 127 | 21 | 5 | 23 | 14 | 63 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 13 | 3 | 1 | 1 | 18 | 16 | 5 | 5 | 3 | 29 | 42 | 3 | 2 | 3 | 50 | 8 | 1 | 2 | - | 11 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | - | 2 | - | 2 | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 12 | 4 | 11 | - | 27 | 3 | 3 | 12 | 2 | 20 | 2 | 3 | 11 | 2 | 18 | 1 | 2 | 8 | - | 11 |
| V. DEVELOPMENTAL ,, - | 6 | - | - | 1 | 7 | 4 | - | - | 4 | 8 | 3 | - | - | 2 | 5 | 2 | - | - | 2 | 4 |
| VI. LOCAL ,, - | 21 | 2 | 17 | 16 | 56 | 26 | 5 | 13 | 13 | 57 | 14 | 6 | 11 | 12 | 43 | 6 | 2 | 8 | 11 | 27 |
| VII. VIOLENCE - - - | 1 | - | 2 | - | 3 | 1 | - | 3 | 1 | 5 | - | 1 | 1 | 1 | 3 | - | - | 4 | 1 | 5 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 3 | - | - | - | 3 | 3 | - | - | - | 3 | 6 | - | - | - | 6 | 4 | - | 1 | - | 5 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 5 | 3 | 1 | - | 9 | 7 | 4 | 3 | - | 14 | 34 | 2 | 1 | - | 37 | 1 | 1 | - | - | 2 |
| 2. DIARRHŒAL ,, - - | 8 | - | - | 1 | 9 | 9 | 1 | 1 | 3 | 14 | 8 | - | - | 3 | 11 | 7 | - | 2 | - | 9 |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| 6. SEPTIC ,, - - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | - | 2 | - | 2 | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 12 | 4 | 11 | - | 27 | 3 | 3 | 12 | 2 | 20 | 2 | 3 | 11 | 2 | 18 | 1 | 2 | 8 | - | 11 |
| V. DEVELOPMENTAL DISEASES - - | 6 | - | - | 1 | 7 | 4 | - | - | 4 | 8 | 3 | - | - | 2 | 5 | 2 | - | - | 2 | 4 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 4 | 1 | 2 | 3 | 10 | 9 | 1 | 4 | 5 | 19 | 4 | 3 | 2 | 3 | 12 | 3 | 1 | - | 4 | 8 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | - | 1 | 6 | 4 | 11 | - | - | 2 | 5 | 7 | - | - | 1 | 6 | 7 | - | 1 | 1 | 4 | 6 |
| 4. ,, RESPIRATORY SYSTEM | 10 | - | 4 | 4 | 18 | 10 | 1 | 4 | - | 15 | 6 | 1 | 3 | 2 | 12 | 3 | - | 2 | 1 | 6 |
| 5. ,, DIGESTIVE SYSTEM - | 7 | - | 2 | 1 | 10 | 7 | 1 | - | 3 | 11 | 3 | 1 | 2 | - | 6 | - | - | 3 | 1 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 |
| 7. ,, URINARY SYSTEM - | - | - | 3 | 4 | 7 | - | 1 | 1 | - | 2 | 1 | 1 | 3 | 1 | 6 | - | - | 1 | - | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | - | - | - | - | - | 2 | - | 2 | - | - | - | - | - | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | 1 | 1 |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

## DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 75 | 3 | 3 | 16 | 6 | 28 | 4 | 3 | 7 | 2 | 16 | 4 | 1 | 4 | 1 | 10 | 3 | 1 | 3 | – | 7 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 107 | 48 | 1 | 8 | – | 57 | 7 | – | 3 | – | 10 | 12 | – | 1 | – | 13 | 10 | – | – | – | 10 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox – Vaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – Unvaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – No Statement – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 104 | 56 | 3 | – | – | 59 | 10 | – | – | – | 10 | 1 | – | – | – | 1 | – | – | – | – | – |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 28 | 10 | 6 | – | – | 16 | 3 | 2 | – | – | 5 | – | – | – | – | – | – | – | – | – | – |
| Typhus – – – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 13 | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | 1 | 2 | 4 | – | – | 2 | 6 | 8 |
| Hooping-Cough – – – | 111 | 71 | 6 | – | – | 77 | 18 | – | – | – | 18 | 10 | – | – | – | 10 | 1 | – | – | – | 1 |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 22 | 8 | 2 | – | – | 10 | 2 | 1 | – | – | 3 | 1 | 1 | – | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 21 | – | 5 | 1 | 1 | 7 | – | 2 | – | – | 2 | – | – | 3 | – | 3 | – | – | 1 | – | 1 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 8 | 4 | – | 2 | – | 6 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 249 | 138 | 6 | 10 | 7 | 161 | 12 | – | 1 | 2 | 15 | 19 | – | 2 | – | 21 | 7 | – | 1 | 1 | 9 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 10 | 1 | – | – | – | 1 | 2 | – | 1 | – | 3 | 3 | – | – | – | 3 | 2 | – | – | – | 2 |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 7 | 2 | – | 4 | – | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Pyæmia, Septicæmia – – | 3 | – | – | 1 | – | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever – – – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 1 | – | 2 | – | 3 | 1 | – | 2 | – | 3 | – | 1 | 1 | 1 | 3 | – | – | 4 | 1 | 5 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 3 | – | – | – | 3 | 3 | – | – | – | 3 | 6 | – | – | – | 6 | 4 | – | 1 | – | 5 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Measles | – | – | – | – | – | 3 | – | – | – | 3 | 29 | 2 | – | – | 31 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | 2 | – | – | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 3 | – | – | – | 3 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | 1 | – | – | 2 | 3 | 1 | – | – | 4 | 1 | – | – | – | 1 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 1 | – | 1 | – | 3 | 3 | – | 6 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 8 | – | – | 1 | 9 | 9 | 1 | 1 | 3 | 14 | 8 | – | – | 3 | 11 | 7 | – | 2 | – | 9 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | Grand Total | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 6 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 9 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Intemp. { Delirium Tremens | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 5 | – | 2 | 1 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 89 | – | 1 | 22 | 17 | 40 | – | – | 12 | 12 | 24 | 1 | – | 2 | 2 | 5 | – | – | 4 | 5 | 9 |
| Tabes Mesenterica | 45 | 19 | 6 | – | – | 25 | 5 | – | – | – | 5 | 2 | 2 | – | – | 4 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 52 | 19 | 4 | 1 | – | 24 | 9 | 2 | 1 | – | 12 | 2 | 1 | 1 | – | 4 | 4 | 1 | – | – | 5 |
| Phthisis | 242 | 8 | 35 | 75 | 2 | 120 | 2 | 7 | 22 | 2 | 33 | – | 8 | 14 | 1 | 23 | 2 | 6 | 18 | 1 | 27 |
| Other forms of Tuber. Scrofula | 31 | 3 | 5 | 2 | – | 10 | 7 | 3 | 4 | – | 14 | 1 | – | – | – | 1 | – | 3 | – | – | 3 |
| Purp., Hæmorrhagic Diathesis | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Anæmia, Chl., Leucocythæmia | 8 | 1 | 1 | 1 | – | 3 | – | – | 2 | 2 | 4 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 76 | 35 | – | – | – | 35 | 15 | – | – | – | 15 | 11 | – | – | – | 11 | 4 | – | – | – | 4 |
| Atelectasis | 5 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Cyanosis | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Spina Bifida | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 6 | – | – | – | – | – | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 2 | – | – | – | 2 |
| Old Age | 75 | – | – | – | 28 | 28 | – | – | – | 15 | 15 | – | – | – | 7 | 7 | – | – | – | 16 | 16 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 70 | 29 | 6 | 2 | 1 | 38 | 3 | 1 | 2 | – | 6 | 1 | 1 | 1 | – | 3 | 5 | 3 | – | – | 8 |
| Apoplexy | 65 | 2 | 1 | 14 | 12 | 29 | – | – | 3 | 4 | 7 | – | – | 4 | 5 | 9 | – | – | 2 | 5 | 7 |
| Softening of Brain | 9 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | 1 | 4 | 5 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 44 | – | – | 7 | 22 | 29 | – | – | 1 | 7 | 8 | – | – | – | 1 | 1 | – | – | 2 | 3 | 5 |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Convulsions | 43 | 23 | 1 | – | – | 24 | 9 | – | – | – | 9 | 3 | – | – | – | 3 | – | – | 1 | – | 1 |
| Laryngismus Stridulus | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 6 | 1 | – | – | – | 1 | – | – | – | – | – | 4 | – | – | – | 4 | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 7 | – | – | 4 | – | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 |
| Other Diseases of Ner. System | 29 | 10 | 1 | 2 | – | 13 | 2 | 1 | 1 | 1 | 5 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 4 | 2 | – | – | – | 2 | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 2 | – | 2 | – | – | 3 | 1 | 4 | – | – | 3 | 1 | 4 | – | – | 1 | – | 1 |
| Tabes Mesenterica | 4 | 1 | – | – | 5 | 1 | 1 | – | – | 2 | 2 | – | – | – | 2 | – | 1 | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 4 | – | – | – | 4 | 1 | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Phthisis | 1 | 3 | 6 | – | 10 | – | 2 | 8 | 1 | 11 | – | 3 | 7 | – | 10 | – | 1 | 7 | – | 8 |
| Other forms of Tuberculosis, Scrofula | – | – | 2 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 5 | – | – | – | 5 | 3 | – | – | – | 3 | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| Atelectasis | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 1 | 1 | – | – | – | 4 | 4 | – | – | – | 2 | 2 | – | – | – | 2 | 2 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 7 | 1 | – | – | 8 | 2 | 3 | 1 | | 6 | 1 | – | – | – | 1 |
| Apoplexy | – | – | 1 | 3 | 4 | – | – | 1 | 3 | 4 | – | – | – | 2 | 2 | – | – | – | 3 | 3 |
| Softening of Brain | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – | | 1 | – | – | 1 |
| Convulsions | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | – | – | 2 | 1 | – | 1 | 1 | 3 | – | – | 1 | – | 1 | 1 | – | – | 1 | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 146 | – | 2 | 31 | 22 | 55 | – | 1 | 17 | 16 | 34 | – | – | 8 | 10 | 18 | – | 1 | 8 | 4 | 13 |
| Pericarditis | 5 | 1 | 1 | 1 | – | 3 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 2 | 2 |
| Angina Pectoris | 3 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 10 | 2 | – | 2 | 1 | 5 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Aneurism | 3 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 4 | 1 | – | – | – | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Croup | 12 | 3 | – | – | – | 3 | 1 | 2 | – | – | 3 | – | – | – | – | – | 1 | – | 2 | 1 | 4 |
| Other Dis. of Larynx & Trachea | 3 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 129 | 28 | 2 | 14 | 15 | 59 | 9 | – | 5 | 4 | 18 | 8 | 1 | 4 | 5 | 18 | 7 | – | 1 | 8 | 16 |
| Pneumonia | 169 | 53 | 11 | 26 | 11 | 101 | 4 | 4 | 7 | 5 | 20 | 5 | – | 6 | 4 | 15 | 3 | – | 1 | 1 | 5 |
| Pleurisy | 12 | – | – | 6 | 1 | 7 | – | – | – | – | – | – | – | 2 | – | 2 | – | 1 | – | 1 | 2 |
| Other Diseases of Resp. System | 25 | 9 | 1 | 4 | 2 | 16 | 3 | – | – | 1 | 4 | 1 | – | – | 3 | 4 | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 3 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 24 | 13 | – | – | – | 13 | 5 | – | – | – | 5 | – | – | – | – | – | 3 | – | – | – | 3 |
| Sore-throat, Quinsy | 3 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Dyspepsia | 7 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 3 |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 31 | 5 | 1 | 5 | 2 | 13 | 2 | – | 1 | 2 | 5 | 5 | – | 1 | – | 6 | – | – | 1 | – | 1 |
| Enteritis | 82 | 36 | 2 | 1 | 5 | 44 | 5 | – | 1 | – | 6 | 11 | – | – | 1 | 12 | 4 | – | – | 1 | 5 |
| Ulceration of Intestine | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 2 | 1 | 3 |
| Ileus, Obstruction of Intestine | 3 | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strang. of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Intussusception of Intestine | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 31 | 1 | 2 | 10 | 2 | 15 | – | 3 | 3 | 1 | 7 | 1 | 1 | 1 | – | 3 | – | 2 | – | 1 | 3 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | – | – | 3 | 1 | 4 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Liver | 19 | 2 | – | 4 | 5 | 11 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Other Dis. of Digestive System | 5 | 1 | – | 1 | 2 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 16 | – | 2 | 6 | – | 8 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Bright's Disease | 17 | – | – | 6 | – | 6 | – | – | 3 | 2 | 5 | – | – | – | – | – | – | – | 1 | – | 1 |
| Uræmia | 4 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 5 | – | – | 1 | 2 | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Urinary System | 11 | – | 1 | 3 | – | 4 | – | – | 2 | – | 2 | – | 1 | – | – | 1 | – | – | 2 | 1 | 3 |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 5 | 2 | 7 | – | – | 2 | 4 | 6 | – | – | 1 | 6 | 7 | – | 1 | 1 | 4 | 6 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 1 | 3 | 5 | 5 | – | – | – | 5 | – | – | 1 | 2 | 3 | 3 | – | 1 | 1 | 5 |
| Pneumonia | 7 | – | 3 | 1 | 11 | 3 | 1 | 3 | – | 7 | 6 | 1 | 2 | – | 9 | – | – | 1 | – | 1 |
| Pleurisy | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | 1 | 2 | 2 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Enteritis | 5 | – | 1 | – | 6 | 3 | 1 | – | 1 | 5 | 3 | – | 1 | – | 4 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | 2 | 3 | – | – | 1 | – | 1 | 1 | 1 | 1 | – | 3 | – | – | – | – | – |
| Bright's Disease | – | – | 1 | 1 | 2 | – | 1 | – | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Uterus and Vagina | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 4 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 11 | – | 4 | 1 | – | 5 | – | – | 3 | – | 3 | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Arthritis, Ostitis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 6 | – | 4 | 1 | – | 5 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Dis. of Integ. System | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Vehicles and Horses: Veh. oth. than R'wys. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 9 | 2 | – | 3 | 2 | 7 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 14 | – | 1 | 3 | – | 4 | – | – | – | – | – | 1 | 1 | 3 | – | 5 | 1 | 1 | – | – | 2 |
| Suffocation: In Bed | 5 | – | – | – | – | – | 1 | – | – | – | 1 | 3 | – | – | – | 3 | 1 | – | – | – | 1 |
| Suffocation: Otherwise | 5 | – | – | 1 | 1 | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Falls | 7 | – | – | 1 | – | 1 | – | 1 | 3 | 1 | 5 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 16 | – | 2 | 3 | 2 | 7 | – | 1 | 2 | – | 3 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Otherwise, or Not Stated | 15 | 1 | – | 5 | 1 | 7 | 1 | 1 | – | – | 2 | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 82 | 38 | – | 4 | – | 42 | 6 | – | 1 | – | 7 | 12 | – | 1 | – | 13 | 8 | – | – | – | 8 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Hæmorrhage | 5 | 2 | 1 | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sudden (Cause unascertained) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 12 | 8 | – | 4 | – | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 2 | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Falls | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | 3 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 6 | – | – | – | 6 | 3 | – | – | – | 3 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—JULY 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 53 | 27 | 30 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 9 | 3 |
| Ayr, | 27,132 | 85 | 21 | 60 | 0 | 4 | 1 | 0 | 2 | 0 | 0 | 9 | 0 | 5 | 7 |
| Banff, with Macduff, | 8,841 | 19 | 4 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Blairgowrie, | 4,481 | 7 | 3 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Callander, | 2,305 | 5 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Campbeltown, | 10,377 | 32 | 3 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 |
| Cathcart (Landward), | 4,958 | 10 | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| Crieff, | 5,531 | 13 | 5 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 |
| Dumbarton, | 18,745 | 51 | 24 | 67 | 0 | 32 | 0 | 1 | 0 | 1 | 0 | 10 | 0 | 5 | 4 |
| Dumfries, with Troqueer, | 24,092 | 57 | 27 | 40 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 0 | 6 | 6 |
| Dunfermline | 29,207 | 82 | 33 | 30 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 0 | 2 | 2 |
| Dunoon, | 7,396 | 7 | 1 | 18 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 3 | 0 | 1 | 0 |
| Eastwood (Landward), | 13,967 | 42 | 18 | 25 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 4 | 0 | 4 | 5 |
| Elgin, | 10,614 | 22 | 8 | 15 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 0 |
| Falkirk, | 27,882 | 90 | 51 | 40 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 4 | 5 |
| Forfar, | 13,490 | 26 | 20 | 20 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| Galashiels, | 18,264 | 31 | 15 | 19 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| Govan—(1) Plantation (Landward), | 23,668 | 74 | 11 | 36 | 0 | 1 | 0 | 0 | 4 | 0 | 0 | 9 | 1 | 9 | 2 |
| (2) Govan (Landward), | 43,404 | 128 | 32 | 99 | 1 | 4 | 2 | 0 | 4 | 1 | 0 | 6 | 2 | 6 | 12 |
| (3) Partick (Landward), | 38,979 | 141 | 37 | 73 | 0 | 2 | 1 | 0 | 3 | 0 | 0 | 14 | 0 | 11 | 2 |
| Haddington, | 5,121 | 11 | 3 | 11 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 3 |
| Hawick, with Wilton, | 21,303 | 44 | 10 | 26 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 5 |
| Inverness, | 24,689 | 55 | 16 | 43 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 5 |
| Kilmarnock, | 28,464 | 79 | 30 | 57 | 0 | 2 | 3 | 0 | 3 | 1 | 0 | 10 | 0 | 3 | 4 |
| Kilmore and Kilbride (Oban), | 5,870 | 12 | 2 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| Kinning Park (Landward), | 14,209 | 48 | 8 | 30 | 0 | 1 | 0 | 0 | 5 | 0 | 0 | 3 | 0 | 5 | 0 |
| Kirkcaldy and Abbotshall, | 18,494 | 46 | 26 | 27 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 |
| Kirkcudbright, | 3,477 | 9 | 1 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Largs, | 5,359 | 9 | 3 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| Logie (Bridge of Allan), | 4,308 | 11 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Moffat, | 2,988 | 2 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Montrose, | 14,037 | 30 | 11 | 28 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 |
| Moulin (Pitlochry), | 2,087 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Nairn, | 5,219 | 6 | 6 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| New Monkland, (Airdrie and Landward), | 35,266 | 123 | 45 | 66 | 0 | 5 | 0 | 2 | 2 | 2 | 0 | 10 | 1 | 5 | 5 |
| North Berwick, | 3,123 | 6 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 58 | 8 | 62 | 0 | 21 | 0 | 0 | 10 | 1 | 0 | 0 | 0 | 8 | 6 |
| Rothesay, | 9,293 | 22 | 3 | 14 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 2 |
| St Andrews and St. Leonards, | 8,789 | 16 | 1 | 21 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 3 |
| Shettleston (Landward), | 13,476 | 43 | 11 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 1 |
| Stirling, | 15,222 | 38 | 13 | 27 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 3 |
| Stranraer, | 6,144 | 20 | 4 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| Wick, | 12,140 | 22 | 4 | 17 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

**For the month of JULY 1893.**

Mean barometric pressure, 29·851 inches; less than the average for the same month of 1856-92 by 0·028 inch.

Barometric monthly range, 0·929 inch; greater by 0·017 inch.

Mean temperature, 58°·7; greater by 0°·5.

Mean daily range of temperature, 14°·4; being the average.

Mean humidity, 79; being the average.

Rain, number of days, 16; being the average.

Rain, depth in inches, 3·16; greater by 0·08 inch.

Wind, pressure on square foot, 1·11 lb.; less by 0·23 lb.

Wind, direction of, E. to W. as 11 to 9, and N. to S. as 3 to 3; the average being E. to W. as 6 to 13, and N. to S. as 4 to 6.

Thus July 1893 has been, on the average, a month with a barometric pressure and a temperature a little above the average, a daily range of temperature, a mean humidity, and a rainfall, both as regards amount and frequency of fall, the average.

The barometric pressure was, more than usually, distributed equably from south to north, and from east to west, and this distribution brought with it a great prevalence of easterly winds.

Temperature was unequally distributed, being a little under the average at the eastern, but a degree above it at the western towns. The absolutely highest temperature was 78°·8 at Paisley on the 7th, and the lowest, 41°·0, at Glasgow on the 23rd. On the same day the maximum temperature at Glasgow was 74°·6, and at all the other stations the range of temperature on the 23rd was very large. On the mean of the seven stations the rainfall was nearly the average of the month, the extremes being 33 per cent. below the average at Leith, but 30 per cent. above it at Greenock. The rain fell mostly from the 8th to the 12th, the 16th, 18th, 24th, and 25th. During these times thunderstorms were widely prevalent over the country, accompanied with heavy and repeated showers of rain, and, on several occasions, of hail. On the 18th, there fell 1·64 inch at Greenock, 0·91 inch at Paisley, and 0·79 inch at Perth; and on the 8th, 0·88 inch fell at Dundee, 0·68 inch at Greenock, and 0·63 inch at Paisley.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of July 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Elastic Force of Vapour. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·794 | 29·853 | 0·928 | 77·0 | 41·0 | 59·4 | 36·0 | 15·9 | 33·6 | 59·1 | 55·3 | 51·9 | ·387 | 4·37 | 77 | 14 | 2·76 | 2 | 2 | 2 | 1 | 0 | 1 | 4 | 7 | 12 | 0·23 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·562 | 29·860 | 0·917 | 72·5 | 44·2 | 57·8 | 28·3 | 13·3 | 25·3 | 56·7 | 53·6 | 50·7 | ·371 | 4·14 | 81 | 19 | 2·53 | 1 | 5 | 7 | 1 | 1 | 1 | 10 | 2 | 3 | 0·30 |
| DUNDEE, Thomas Smellie Esq., Curator of Cemeteries. | 164 | 29·670 | 29·847 | 0·970 | 71·9 | 44·8 | 58·3 | 27·1 | 14·6 | 27·9 | 55·8 | 53·6 | 51·5 | ·384 | 4·30 | 86 | 18 | 3·42 | 1 | 4 | 3 | 9 | 1 | 4 | 3 | 6 | 0 | 0·90 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·776 | 29·852 | 0·966 | 71·3 | 46·5 | 58·3 | 24·8 | 12·4 | 21·8 | 57·1 | 54·2 | 51·5 | ·382 | 4·25 | 81 | 17 | 2·11 | 1 | 3 | 10 | 2 | 1 | 1 | 10 | 1 | 2 | 1·59 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·740 | 29·854 | 0·956 | 78·8 | 43·9 | 60·0 | 34·9 | 15·5 | 27·5 | 58·5 | 55·2 | 52·2 | ·392 | 4·36 | 79 | 15 | 3·38 | 2 | 1 | 11 | 1 | 1 | 3 | 6 | 6 | 0 | 1·46 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·606 | 29·852 | 0·894 | 76·7 | 45·3 | 58·5 | 31·4 | 14·4 | 23·0 | 59·9 | 55·1 | 50·9 | ·373 | 4·15 | 72 | 16 | 5.33 | 0 | 1 | 11 | 1 | 0 | 1 | 9 | 8 | 0 | 2·13 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·690 | 29·841 | 0·870 | 76·0 | 43·0 | 58·6 | 33·0 | 14·4 | 23·0 | 57·5 | 54·3 | 51·4 | ·380 | 4·24 | 80 | 15 | 2·61 | 3 | 0 | 18 | 1 | 0 | 9 | 0 | 0 | 0 | ... |
| Means, | 139 | 29·691 | 29·851 | 0·929 | *(78·8) | †(41·0) | 58·7 | 30·8 | 14·4 | 26·0 | 57·8 | 54·5 | 51·5 | ·383 | 4·26 | 79 | 16 | 3·16 | 1 | 3 | 9 | 2 | 1 | 3 | 6 | 4 | 2 | 1·11 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH.

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

## AUGUST 1893.

**Published by Authority of the Registrar-General.**

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of August 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3963 children, of whom 2021 were males, and 1942 females. Of these, 3642 were legitimate, and 321 illegitimate, being in the proportion of one illegitimate in every 12·3 Births, or the illegitmate Births constituted 8·1 per cent. of the whole. In Greenock 5·4 per cent. of the Births were illegitimate; in Leith and in Perth, 5·8; in Paisley, 6·4; in Glasgow, 7·4; in Edinburgh, 8·5; in Dundee, 11·2; and in Aberdeen, 11·8 per cent.

869 Marriages were recorded in the same Towns during August. When allowance is made for the natural increase of the population, this number is seen to be 93 above the average for the corresponding month of the last ten years.

The Deaths of 2471 persons were recorded in these Towns during the month under review, 1243 of these being males, and 1228 females. When, as before the natural increase of the population, is taken into account, it is seen that this number is 288 above the average for August during the last ten years.

A comparison of the Deaths registered shows that during August, the mortality was at the annual rate of 17·3 per thousand persons in Aberdeen, 18·2 in Greenock, 18·4 in Leith, 18·5 in Edinburgh, 19·4 in Perth, 20·0 in Glasgow, 22·5 in Paisley, and 24·1 in Dundee.

Of the 1149 Deaths registered in Glasgow, 321 were of children under one year of age, and 165 of persons over 60 years; of the 420 in Edinburgh, 118 were under one, and 71 over 60; of the 322 in Dundee, 114 were under one, and 64 over 60; of the 190 in Aberdeen, 47 were under one, and 65 over 60; of the 111 in Leith, 37 were under one, and 16 over 60; of the 132 in Paisley, 29 were under one, and 23 over 60; of the 97 in Greenock, 29 were under one, and 17 over 60; and of the 50 in Perth, 12 were under one and 18 over 60.

Of the whole 2471 Deaths, 1109 or 44·9 per cent. were of children under five years of age. In Aberdeen, 31·6 per cent. of the persons who died were under five years; in Perth, 32·0; in Paisley, 32·6; in Edinburgh, 42·1; in Glasgow, 46·0; in Leith, 49·5; in Dundee, 54·0; and in Greenock, 57·7 per cent.

Miasmatic Diseases caused 284 Deaths, or 11·5 per cent. of the whole mortality, a rate slightly exceeded in Dundee, and to a larger extent in Leith, Paisley and Greenock, the highest rate being 20·6 in the last-named town.

Diarrhœa was this month by far the most fatal of the Zymotic Diseases, having caused 210 deaths, or 8·5 per cent. of the whole. In Dundee 57 deaths were ascribed to Diarrhœa, constituting 17·7 per cent. of the whole mortality in that town.

Hooping-Cough was the cause of 115 deaths, 60 of which occurred in Glasgow, and 28 in Dundee.

Measles caused 47 deaths, 16 of which occured in Greenock, being 16·5 per cent. of the total deaths there; Scarlatina 34; Diphtheria 34; Simple Cholera, 12; and Puerperal Fever, 10.

In all, 39 deaths were attributed to Fevers. Of these 36 were described as Enteric, 2 as Typhus, and 1 as Simple or Ill-defined Fever. 15 of the deaths from Enteric Fever occurred in Paisley, while of the Typhus cases one occurred in Dundee, and the other in Perth.

Intemperance was ascribed as the cause of 10 deaths, 6 being due to Chronic Alcoholism, and 4 to Delirium Tremens.

Apoplexy caused 63 deaths; Paralysis, 31; Diseases of the Heart, 168; and Premature Birth Debility, 60.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 335 or 13·6 per cent. of the total mortality. Those from Consumption alone numbered 213, or 8·6 per cent. Croup caused 15 deaths.

89 deaths were ascribed to Violent causes, 8 of which were stated to be suicidal. Hanging in 4 cases, Poisoning in 2, and Shooting and Drowning in one case each, were the means adopted by the persons who committed suicide.

6 Males and 3 females were aged 90 years and upwards. Of these the oldest was a weaver aged 96 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.
## August 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 577,419 | 658,198 | 677,883 | 967 | 947 | 1914 | 1773 | 141 | 356 | 592 | 557 | 1149 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 350 | 297 | 647 | 592 | 55 | 212 | 217 | 203 | 420 |
| DUNDEE, . . | 140,794 | 154,118 | 157,289 | 204 | 207 | 411 | 365 | 46 | 85 | 153 | 169 | 322 |
| ABERDEEN, . | 106,397 | 124,943 | 129,543 | 172 | 174 | 346 | 305 | 41 | 78 | 78 | 112 | 190 |
| LEITH, . . | 59,485 | 68,707 | 70,972 | 97 | 92 | 189 | 178 | 11 | 30 | 59 | 52 | 111 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 115 | 88 | 203 | 190 | 13 | 60 | 59 | 73 | 132 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 84 | 100 | 184 | 174 | 10 | 25 | 59 | 38 | 97 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 32 | 37 | 69 | 65 | 4 | 23 | 26 | 24 | 50 |
| TOTAL, . | 1,270,075 | 1,427,169 | 1,465,536 | 2021 | 1942 | 3963 | 3642 | 321 | 869 | 1243 | 1228 | 2471 |
| AUGUST 1892, . . . | Mean Temp. 56°·8 | | | 1910 | 1845 | 3755 | 3467 | 288 | 962 | 1125 | 1061 | 2186 |
| AUGUST 1891, . . | Mean Temp. 56°·8 | | | 1696 | 1666 | 3362 | 3099 | 263 | 812 | 1032 | 941 | 1973 |
| AUGUST 1890, . . . | Mean Temp. 56°·6 | | | 1724 | 1677 | 3401 | 3159 | 242 | 685 | 1006 | 979 | 1985 |
| AUGUST 1889, . . . | Mean Temp. 56°·8 | | | 1779 | 1577 | 3356 | 3094 | 262 | 709 | 996 | 1023 | 2019 |
| AUGUST 1888, . . . | Mean Temp. 56°·0 | | | 1726 | 1730 | 3456 | 3152 | 304 | 664 | 901 | 926 | 1827 |
| AUGUST 1887, . . . | Mean Temp. 57°·7 | | | 1818 | 1799 | 3617 | 3299 | 318 | 769 | 1036 | 1090 | 2126 |
| AUGUST 1886, . . . | Mean Temp. 57°·5 | | | 1821 | 1748 | 3569 | 3276 | 293 | 738 | 1011 | 999 | 2010 |
| AUGUST 1885, . . . | Mean Temp. 54°·6 | | | 1817 | 1661 | 3478 | 3176 | 302 | 671 | 1074 | 1011 | 2085 |
| AUGUST 1884, . . . | Mean Temp. 59°·1 | | | 1827 | 1658 | 3485 | 3172 | 313 | 642 | 1099 | 1049 | 2148 |
| AUGUST 1883, . . . | Mean Temp. 57°·3 | | | 1816 | 1728 | 3544 | 3273 | 271 | 661 | 1102 | 1102 | 2204 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of August 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 0 | 5 | 8 | 4 | 4 | 8 | 7 |
| 2. Camlachie, . | 0 | 1 | 0 | 0 | 4 | 1 | 8 |
| 3. Dennistoun, . | 0 | 1 | 1 | 2 | 4 | 0 | 5 |
| 4. Calton, . | 0 | 1 | 0 | 1 | 4 | 0 | 8 |
| 5. Blackfriars, . | 0 | 2 | 0 | 1 | 4 | 0 | 4 |
| 6. St Rollox, . | 0 | 3 | 12 | 0 | 2 | 0 | 3 |
| 7. Blythswood, . | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 8. Milton, . | 0 | 2 | 1 | 1 | 7 | 1 | 2 |
| 9. Kelvin, . | 0 | 1 | 0 | 0 | 4 | 0 | 4 |
| 10. Anderston, . | 0 | 0 | 0 | 1 | 5 | 1 | 10 |
| 11. Hutchesontown, | 0 | 2 | 0 | 1 | 12 | 0 | 7 |
| 12. Gorbals, . | 0 | 2 | 0 | 0 | 5 | 0 | 5 |
| 13. Tradeston, . | 0 | 1 | 0 | 2 | 3 | 0 | 3 |
| 14. Kinning Park, | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Cathcart, . | 0 | 0 | 0 | 2 | 0 | 0 | 1 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 0 | 0 | 0 | 2 | 0 | 5 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 2 | 2 | 0 | 7 | 0 | 5 |
| 2. St Andrew, . | 0 | 1 | 2 | 1 | 1 | 2 | 9 |
| 3. Canongate, . | 0 | 2 | 4 | 4 | 3 | 1 | 11 |
| 4. St Giles, . | 0 | 0 | 0 | 1 | 2 | 0 | 4 |
| 5. Newington, . | 0 | 0 | 0 | 0 | 1 | 1 | 4 |

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 2 | 0 | 0 | 5 | 0 | 8 |
| 2. St Mary, . | 0 | 1 | 0 | 1 | 2 | 0 | 12 |
| 3. St Clement, . | 0 | 0 | 0 | 2 | 10 | 2 | 11 |
| 4. St Andrew, . | 0 | 1 | 0 | 0 | 11 | 0 | 22 |
| 5. Lochee, . | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 0 | 0 | 1 | 0 | 0 | 8 |
| 2. Aberdeen, . | 0 | 0 | 0 | 3 | 0 | 0 | 6 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, . | 0 | 0 | 0 | 1 | 3 | 0 | 2 |
| 2. South, . . | 0 | 1 | 2 | 2 | 6 | 4 | 5 |
| PAISLEY, . . | 0 | 0 | 0 | 3 | 1 | 16 | 8 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 12 | 0 | 0 | 1 | 1 | 4 |
| 2. West, . . | 0 | 4 | 0 | 0 | 2 | 0 | 3 |
| PERTH, . . | 0 | 0 | 2 | 0 | 0 | 1 | 6 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2471 | 528 | 114 | 342 | 165 | 1149 | 177 | 35 | 137 | 71 | 420 | 174 | 15 | 69 | 64 | 322 | 60 | 20 | 45 | 65 | 190 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 533 | 178 | 19 | 17 | 13 | 227 | 61 | 9 | 7 | 2 | 79 | 80 | 3 | 8 | 9 | 100 | 15 | 4 | 4 | 6 | 29 |
| II. PARASITIC DISEASE | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 12 | | – | 2 | – | 2 | – | – | 4 | 1 | 5 | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 426 | 52 | 40 | 105 | 13 | 210 | 14 | 9 | 51 | 7 | 81 | 12 | 5 | 25 | 5 | 47 | 4 | 13 | 12 | 2 | 31 |
| V. DEVELOPMENTAL ,, | 156 | 33 | – | – | 46 | 79 | 12 | – | – | 10 | 22 | 8 | – | – | 5 | 13 | 4 | – | – | 13 | 17 |
| VI. LOCAL ,, | 1136 | 205 | 47 | 182 | 81 | 515 | 79 | 13 | 64 | 49 | 205 | 63 | 6 | 32 | 44 | 145 | 28 | 2 | 25 | 42 | 97 |
| VII. VIOLENCE - - | 89 | 10 | 7 | 23 | 9 | 49 | 3 | 4 | 11 | 1 | 19 | 1 | 1 | 3 | 1 | 6 | 2 | 1 | 2 | 1 | 6 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 118 | 49 | 1 | 13 | 3 | 66 | 8 | – | – | 1 | 9 | 10 | – | – | – | 10 | 7 | – | 2 | 1 | 10 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - | 284 | 107 | 16 | 7 | 1 | 131 | 26 | 6 | 3 | 1 | 38 | 33 | 2 | 3 | 1 | 39 | 2 | 2 | 3 | 5 | 12 |
| 2. DIARRHŒAL ,, - | 222 | 66 | 2 | 6 | 10 | 84 | 32 | 2 | 1 | – | 35 | 47 | 1 | 2 | 8 | 58 | 12 | 1 | – | 1 | 14 |
| 3. MALARIAL ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - | 5 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| 6. SEPTIC ,, - | 22 | 2 | 1 | 4 | 2 | 9 | – | 1 | 3 | 1 | 5 | – | – | 3 | – | 3 | – | 1 | 1 | – | 2 |
| II. PARASITIC DISEASES - | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - | 12 | – | – | 2 | – | 2 | – | – | 4 | 1 | 5 | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 426 | 52 | 40 | 105 | 13 | 210 | 14 | 9 | 51 | 7 | 81 | 12 | 5 | 25 | 5 | 47 | 4 | 13 | 12 | 2 | 31 |
| V. DEVELOPMENTAL DISEASES | 156 | 33 | – | – | 46 | 79 | 12 | – | – | 10 | 22 | 8 | – | – | 5 | 13 | 4 | – | – | 13 | 17 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM - | 252 | 54 | 11 | 30 | 14 | 109 | 16 | 6 | 10 | 7 | 39 | 12 | – | 7 | 9 | 28 | 9 | – | 7 | 10 | 26 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 3 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 168 | 4 | 5 | 42 | 18 | 69 | 1 | 1 | 19 | 22 | 43 | – | 3 | 6 | 10 | 19 | – | – | 7 | 8 | 15 |
| 4. ,, RESPIRATORY SYSTEM | 335 | 67 | 13 | 47 | 32 | 159 | 27 | 2 | 6 | 9 | 44 | 27 | 1 | 7 | 15 | 50 | 10 | – | 8 | 14 | 32 |
| 5. ,, DIGESTIVE SYSTEM - | 260 | 73 | 4 | 32 | 11 | 120 | 34 | 2 | 13 | 6 | 55 | 23 | – | 6 | 5 | 34 | 9 | 1 | 1 | 3 | 14 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 7. URINARY SYSTEM - | 65 | 2 | 3 | 19 | 5 | 29 | 1 | – | 8 | 4 | 13 | – | – | 3 | 4 | 7 | – | 1 | 1 | 6 | 8 |
| REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | 8 | 1 | – | 4 | – | 5 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION - - | 9 | – | – | 4 | – | 4 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | – | – | 1 | – | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 26 | 1 | 10 | 2 | – | 13 | – | 1 | 2 | – | 3 | 1 | 2 | 1 | – | 4 | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM - - | 9 | 1 | 1 | 2 | 1 | 5 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1893.

| CAUSES OF DEATH | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 55 | 5 | 35 | 16 | 111 | 43 | 21 | 45 | 23 | 132 | 56 | 7 | 17 | 17 | 97 | 16 | 2 | 14 | 18 | 50 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 23 | 3 | 2 | - | 28 | 8 | 8 | 13 | 1 | 30 | 24 | 1 | 3 | 2 | 30 | 6 | 1 | 2 | 1 | 10 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | 1 | - | 1 | 2 | - | - | - | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 5 | - | 13 | 3 | 21 | 4 | 5 | 12 | 1 | 22 | 4 | 2 | 3 | 1 | 10 | 2 | - | 1 | 1 | 4 |
| V. DEVELOPMENTAL ,, - | 5 | - | - | 1 | 6 | 1 | 1 | - | 5 | 7 | 4 | - | - | 3 | 7 | 3 | - | - | 2 | 5 |
| VI. LOCAL ,, - | 22 | 2 | 16 | 11 | 51 | 18 | 6 | 19 | 14 | 57 | 16 | 4 | 9 | 11 | 40 | 4 | - | 9 | 13 | 26 |
| VII. VIOLENCE - - - | - | - | 2 | 1 | 3 | - | 1 | 1 | 1 | 3 | - | - | 1 | - | 1 | - | 1 | 1 | - | 2 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | - | - | 1 | - | 1 | 10 | - | - | 1 | 11 | 8 | - | - | - | 8 | 1 | - | 1 | 1 | 3 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 15 | 3 | 2 | - | 20 | 2 | 8 | 10 | - | 20 | 18 | 1 | 1 | - | 20 | 2 | - | 1 | 1 | 4 |
| 2. DIARRHŒAL ,, - - | 8 | - | - | - | 8 | 6 | - | 1 | 1 | 8 | 6 | - | 1 | 2 | 9 | 4 | 1 | 1 | - | 6 |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC ,, - - | - | - | - | - | - | - | - | 2 | - | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | 1 | - | 1 | 2 | - | - | - | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 5 | - | 13 | 3 | 21 | 4 | 5 | 12 | 1 | 22 | 4 | 2 | 3 | 1 | 10 | 2 | - | 1 | 1 | 4 |
| V. DEVELOPMENTAL DISEASES - - | 5 | - | - | 1 | 6 | 1 | 1 | - | 5 | 7 | 4 | - | - | 3 | 7 | 3 | - | - | 2 | 5 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 5 | 1 | 4 | 2 | 12 | 4 | - | 5 | 6 | 15 | 5 | 1 | 3 | 5 | 14 | 1 | - | 1 | 7 | 9 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | - | - | 6 | 1 | 7 | - | - | 5 | 2 | 7 | - | - | - | 2 | 2 | - | - | 3 | 3 | 6 |
| 4. ,, RESPIRATORY SYSTEM | 5 | - | 2 | 6 | 13 | 9 | 3 | 6 | 5 | 23 | 5 | - | 4 | - | 9 | 1 | - | 2 | 2 | 5 |
| 5. ,, DIGESTIVE SYSTEM - | 12 | 1 | 1 | - | 14 | 4 | - | 3 | 1 | 8 | 6 | 1 | 2 | 2 | 11 | 2 | - | 1 | 1 | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM - | - | - | 3 | 2 | 5 | 1 | - | - | - | 1 | - | - | - | 1 | 1 | - | - | 1 | - | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | - | - | - | - | 3 | - | - | 3 | - | 1 | - | 1 | 2 | - | - | 1 | - | 1 |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

# DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of August 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 79 | 10 | 7 | 21 | 7 | 45 | 3 | 4 | 7 | 1 | 15 | 1 | 1 | 2 | 1 | 5 | 2 | 1 | 1 | 1 | 5 |
| 2. Violence other than Accidental – – – | 10 | – | – | 2 | 2 | 4 | – | – | 4 | – | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| Ill-Defined and Not Specified Causes – – | 118 | 49 | 1 | 13 | 3 | 66 | 8 | – | – | 1 | 9 | 10 | – | – | – | 10 | 7 | – | 2 | 1 | 10 |
| Miasmatic Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox – Vaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – Unvaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 47 | 21 | – | – | – | 21 | 4 | 1 | – | – | 5 | 4 | – | – | – | 4 | – | – | – | – | – |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 34 | 13 | 8 | 1 | – | 22 | 6 | 2 | – | – | 8 | – | – | – | – | – | – | – | – | – | – |
| Typhus – – – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 14 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | 1 | 1 | 2 | – | – | 3 | 5 | 8 |
| Hooping-Cough – – – | 115 | 59 | 1 | – | – | 60 | 13 | 1 | – | – | 14 | 27 | 1 | – | – | 28 | – | – | – | – | – |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 34 | 12 | 3 | – | – | 15 | 4 | 2 | – | – | 6 | 2 | 1 | – | – | 3 | 2 | 2 | – | – | 4 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 36 | 2 | 4 | 5 | – | 11 | 1 | – | 3 | – | 4 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœal Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 12 | 6 | – | – | – | 6 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 210 | 60 | 2 | 6 | 10 | 78 | 30 | 2 | 1 | – | 33 | 46 | 1 | 2 | 8 | 57 | 12 | 1 | – | 1 | 14 |
| Malarial Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Zoogenous Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Venereal Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 5 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septic Diseases. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 5 | 1 | – | 1 | 2 | 4 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia – – | 7 | 1 | 1 | – | – | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Puerperal Fever – – – | 10 | – | – | 3 | – | 3 | – | – | 2 | – | 2 | – | – | 3 | – | 3 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1893

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | – | – | 2 | 1 | 3 | – | 1 | 1 | 1 | 3 | – | – | 1 | – | 1 | – | 1 | 1 | – | 2 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | – | – | 1 | – | 1 | 10 | – | – | 1 | 11 | 8 | – | – | – | 8 | 1 | – | 1 | 1 | 3 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | 1 | – | – | – | – | – | 15 | 1 | – | – | 16 | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Hooping-cough | 9 | – | – | – | 9 | 1 | – | – | – | 1 | 3 | – | – | – | 3 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 1 | – | – | 3 | 1 | 2 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 2 | 2 | – | 4 | – | 5 | 10 | – | 15 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Diarrhœa, Dysentery | 7 | – | – | – | 7 | 6 | – | 1 | 1 | 8 | 5 | – | – | 2 | 7 | 4 | 1 | 1 | – | 6 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1893.

| CAUSES OF DEATH. | Grand Total | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 6 | – | – | 1 | – | 1 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 3 | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 76 | – | – | 26 | 11 | 37 | – | – | 14 | 6 | 20 | – | – | 4 | 1 | 5 | – | – | 3 | 1 | 4 |
| Tabes Mesenterica | 42 | 21 | 6 | 1 | – | 28 | 2 | 1 | 1 | – | 4 | 4 | – | – | – | 4 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 48 | 18 | 2 | 2 | – | 22 | 9 | – | – | – | 9 | 3 | 1 | – | – | 4 | 3 | 3 | – | – | 6 |
| Phthisis | 213 | 4 | 25 | 67 | 2 | 98 | – | 7 | 32 | 1 | 40 | 3 | 2 | 17 | 3 | 25 | – | 10 | 8 | 1 | 19 |
| Other forms of Tuber. Scrofula | 30 | 8 | 3 | 4 | – | 15 | 2 | 1 | 3 | – | 6 | 2 | 1 | 2 | 1 | 6 | – | – | – | – | – |
| Purp., Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 4 | – | 1 | 2 | – | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | 4 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 60 | 26 | – | – | – | 26 | 10 | – | – | – | 10 | 6 | – | – | – | 6 | 4 | – | – | – | 4 |
| Atelectasis | 5 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Cyanosis | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Old Age | 85 | – | – | – | 46 | 46 | – | – | – | 10 | 10 | – | – | – | 5 | 5 | – | – | – | 13 | 13 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 61 | 29 | 4 | 3 | – | 36 | 6 | 1 | – | – | 7 | 7 | – | 2 | – | 9 | 2 | – | 1 | – | 3 |
| Apoplexy | 63 | 1 | – | 16 | 7 | 24 | – | – | 5 | 5 | 10 | – | – | 2 | 7 | 9 | – | – | 2 | 4 | 6 |
| Softening of Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Hemiplegia, Brain Paralysis | 27 | 1 | 1 | 4 | 7 | 13 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | 2 | 2 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | 1 | 3 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 46 | 17 | 2 | – | – | 19 | 7 | 2 | – | – | 9 | 4 | – | 1 | – | 5 | 7 | – | – | – | 7 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 5 | 1 | – | – | – | 1 | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 | – | – | – | 1 | 1 |
| Paraplegia, Dis. of Spinal Cord | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Ner. System | 36 | 5 | 3 | 3 | – | 11 | 2 | 2 | 3 | 1 | 8 | – | – | 1 | 1 | 2 | – | – | 3 | 1 | 4 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 2 | 3 | 5 | – | – | 1 | 1 | 2 | – | – | 2 | 1 | 3 | – | – | – | – | – |
| Tabes Mesenterica | – | – | 1 | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 3 | – | – | – | 3 | 2 | 1 | – | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 |
| Phthisis | 2 | – | 9 | – | 11 | – | 4 | 10 | – | 14 | 1 | 2 | 1 | – | 4 | – | – | 1 | 1 | 2 |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | 1 | – | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 5 | – | – | – | 5 | 1 | 1 | – | – | 2 | 4 | – | – | – | 4 | 3 | – | – | – | 3 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 1 | 1 | – | – | – | 5 | 5 | – | – | – | 3 | 3 | – | – | – | 2 | 2 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 2 | – | – | – | 2 | 2 | – | – | 1 | 3 | 1 | – | – | – | 1 |
| Apoplexy | – | – | 2 | 1 | 3 | – | – | 4 | 2 | 6 | – | – | 1 | – | 1 | – | – | 1 | 3 | 4 |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 2 | 1 | 3 | – | – | – | 3 | 3 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | – | – | – | 3 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Other Diseases of Nervous System | 2 | – | – | – | 2 | 1 | – | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 4 | – | – | – | 2 | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. – | 140 | 3 | 5 | 31 | 14 | 53 | 1 | 1 | 14 | 20 | 36 | – | 3 | 6 | 10 | 19 | – | – | 7 | 6 | 13 |
| Pericarditis – – – – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart – – | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris – – – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope – – – – | 4 | – | – | 1 | 2 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Aneurism – – – – | 10 | – | – | 4 | 1 | 5 | – | – | 4 | 1 | 5 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene – – – | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Embolism, Thrombosis – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis – – – – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 4 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis – – – – | 8 | 3 | – | 1 | – | 4 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Croup – – – – – | 15 | 5 | 2 | – | – | 7 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – |
| Other Dis. of Larynx & Trachea | 4 | 1 | – | 1 | – | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Emphysema, Asthma – – | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis – – – – | 142 | 26 | 2 | 21 | 20 | 69 | 7 | 1 | – | 2 | 10 | 12 | – | 2 | 9 | 23 | 7 | – | 2 | 10 | 19 |
| Pneumonia – – – – | 131 | 24 | 7 | 20 | 8 | 59 | 12 | 1 | 6 | 4 | 23 | 13 | – | 4 | 5 | 22 | 3 | – | 3 | 2 | 8 |
| Pleurisy – – – – | 8 | 1 | – | 1 | 2 | 4 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Other Diseases of Resp. System | 25 | 7 | 2 | 2 | 1 | 12 | 4 | – | – | 2 | 6 | – | 1 | – | 1 | 2 | – | – | 2 | 1 | 3 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition – – – – | 16 | 9 | – | – | – | 9 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Sore-throat, Quinsy – – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia – – – – | 4 | 1 | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Hæmatemesis – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach – – | 43 | 7 | 1 | 5 | 3 | 16 | 7 | – | 1 | – | 8 | 3 | – | 2 | 2 | 7 | 3 | – | – | – | 3 |
| Enteritis – – – – | 95 | 34 | 1 | 2 | – | 37 | 19 | – | 3 | – | 22 | 17 | – | – | 1 | 18 | 3 | – | – | – | 3 |
| Ulceration of Intestine – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Ileus, Obstruction of Intestine | 17 | 3 | – | 8 | 2 | 13 | 1 | – | – | 2 | 3 | – | – | 1 | – | 1 | – | – | – | – | – |
| Stricture or Strang. of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine – | 3 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Hernia – – – – | 6 | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula – – – – | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis – – – – | 18 | 3 | 2 | 1 | 1 | 7 | 1 | – | 5 | 2 | 8 | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Ascites – – – – | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 2 | 3 | – | – | – | – | – |
| Gallstones – – – – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver – – | 5 | – | – | – | 2 | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Liver – | 19 | 2 | – | 4 | 1 | 7 | 2 | – | 1 | 2 | 5 | 1 | – | – | – | 1 | 1 | – | 1 | 1 | 3 |
| Other Dis. of Digestive System | 24 | 12 | – | 5 | 1 | 18 | – | 2 | 1 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen – – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis – – – | 12 | 2 | 1 | 1 | 1 | 5 | 1 | – | – | – | 1 | – | – | 2 | – | 2 | – | 1 | – | – | 1 |
| Bright's Disease – – – | 29 | – | 2 | 12 | 1 | 15 | – | – | 4 | 2 | 6 | – | – | 1 | 1 | 2 | – | – | – | 3 | 3 |
| Uræmia – – – – | 4 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine – – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia – – – – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 8 | – | – | – | 1 | 1 | – | – | 1 | 2 | 3 | – | – | – | 2 | 2 | – | – | – | 1 | 1 |
| Other Dis. of Urinary System | 9 | – | – | 4 | 1 | 5 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | 2 | 3 |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of August 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 6 | 1 | 7 | – | – | 4 | 1 | 5 | – | – | – | 2 | 2 | – | – | 3 | 2 | 5 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Croup | – | – | – | – | – | 2 | 1 | – | – | 3 | 2 | – | – | – | 2 | – | – | – | – | – |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | – | 1 | 3 | 6 | 5 | – | 1 | 3 | 9 | 1 | – | 2 | – | 3 | 1 | – | 1 | 1 | 3 |
| Pneumonia | 3 | – | – | 3 | 6 | 1 | 2 | 5 | 2 | 10 | 1 | – | – | – | 1 | – | – | 1 | 1 | 2 |
| Pleurisy | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 2 | – | – | – | 2 | 2 | – | 3 | 1 | 6 | – | – | – | – | – | 1 | – | – | – | 1 |
| Enteritis | 10 | – | – | – | 10 | – | – | – | – | – | 4 | 1 | – | – | 5 | – | – | – | – | – |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Bright's Disease | – | – | 2 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Uræmia | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of August 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 5 | 1 | – | 3 | – | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Placenta Prævia, Flooding | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 15 | 1 | 5 | 1 | – | 7 | – | 1 | – | – | 1 | 1 | 2 | – | – | 3 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 3 | – | 2 | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 8 | – | 3 | 1 | – | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | 1 | 1 | 1 | 1 | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Eczema | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 9 | 3 | 1 | 1 | 1 | 6 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 8 | – | – | 2 | – | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 8 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | 1 | 1 | – | 2 | – | 1 | 1 | – | 2 |
| Suffocation: In Bed | 7 | 3 | – | – | – | 3 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| Suffocation: Otherwise | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 8 | 1 | – | 2 | 1 | 4 | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 25 | – | 4 | 11 | 4 | 19 | – | 2 | 1 | – | 3 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Otherwise, or Not Stated | 6 | 2 | 1 | – | – | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | 1 | – | – | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Suicide | 8 | – | – | 2 | 2 | 4 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Debility, Atrophy, Inanition | 95 | 45 | 1 | 5 | – | 51 | 8 | – | – | – | 8 | 9 | – | – | – | 9 | 7 | – | – | – | 7 |
| Mortification | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Hæmorrhage | 5 | – | – | 2 | – | 2 | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| Sudden (Cause unascertained) | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 10 | 3 | – | 4 | 3 | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 | – | – | 1 | – | 1 |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Drowning | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or Not Stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | – | – | 1 | – | 1 | 10 | – | – | – | 10 | 7 | – | – | – | 7 | 1 | – | 1 | – | 2 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Abscess | – | – | – | – | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—AUGUST 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 48 | 8 | 32 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 3 | 0 | 6 | 4 |
| Ayr, | 27,132 | 65 | 30 | 53 | 0 | 1 | 1 | 1 | 2 | 0 | 0 | 6 | 1 | 8 | 7 |
| Banff, with Macduff, | 8,841 | 18 | 6 | 14 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 6 | 0 | 0 | 2 |
| Blairgowrie, | 4,481 | 9 | 2 | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| Callander, | 2,305 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Campbeltown, | 10,377 | 26 | 1 | 17 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 5 |
| Cathcart (Landward), | 4,958 | 13 | 3 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 1 |
| Crieff, | 5,531 | 5 | 1 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| Dumbarton, | 18,745 | 56 | 5 | 41 | 0 | 12 | 0 | 0 | 1 | 2 | 0 | 5 | 0 | 1 | 2 |
| Dumfries, with Troqueer, | 24,092 | 63 | 13 | 47 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 7 | 1 | 3 | 4 |
| Dunfermline | 29,207 | 82 | 8 | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 1 | 4 | 2 |
| Dunoon, | 7,396 | 11 | 1 | 19 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 1 | 1 |
| Eastwood (Landward), | 13,967 | 38 | 9 | 20 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 2 | 1 |
| Elgin, | 10,614 | 16 | 10 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| Falkirk, | 27,882 | 89 | 11 | 48 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 2 | 0 | 7 | 3 |
| Forfar, | 13,490 | 29 | 9 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 |
| Galashiels, | 18,264 | 32 | 8 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 |
| Govan—(1) Plantation (Landward), | 23,668 | 59 | 5 | 27 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 5 | 8 |
| (2) Govan (Landward), | 43,404 | 138 | 14 | 87 | 0 | 1 | 0 | 0 | 6 | 2 | 0 | 10 | 1 | 19 | 6 |
| (3) Partick (Landward), | 38,979 | 125 | 12 | 54 | 0 | 1 | 0 | 0 | 3 | 1 | 0 | 9 | 0 | 5 | 5 |
| Haddington, | 5,121 | 7 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Hawick, with Wilton, | 21,303 | 47 | 16 | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 2 | 7 |
| Inverness, | 24,689 | 54 | 14 | 47 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 5 | 0 | 3 | 2 |
| Kilmarnock, | 28,464 | 82 | 16 | 59 | 0 | 3 | 1 | 0 | 2 | 9 | 0 | 12 | 1 | 7 | 6 |
| Kilmore and Kilbride (Oban), | 5,870 | 18 | 3 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Kinning Park (Landward), | 14,209 | 51 | 7 | 28 | 0 | 1 | 0 | 0 | 3 | 0 | 0 | 5 | 1 | 4 | 4 |
| Kirkcaldy and Abbotshall, | 18,494 | 40 | 2 | 29 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 1 | 2 | 4 |
| Kirkcudbright, | 3,477 | 8 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Largs, | 5,359 | 7 | 2 | 10 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Logie (Bridge of Allan), | 4,308 | 6 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Moffat, | 2,988 | 2 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Montrose, | 14,037 | 30 | 3 | 31 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 6 |
| Moulin (Pitlochry), | 2,087 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn, | 5,219 | 12 | 1 | 13 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| New Monkland, (Airdrie and Landward), | 35,266 | 103 | 12 | 54 | 0 | 2 | 0 | 2 | 1 | 1 | 0 | 6 | 1 | 8 | 5 |
| North Berwick, | 3,123 | 8 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Peterhead, with Boddam, | 16,207 | 64 | 9 | 75 | 0 | 23 | 0 | 0 | 25 | 0 | 0 | 1 | 0 | 4 | 3 |
| Rothesay, | 9,293 | 23 | 2 | 25 | 0 | 0 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 3 | 1 |
| St Andrews and St. Leonards, | 8,789 | 19 | 1 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 |
| Shettleston (Landward), | 13,476 | 41 | 5 | 25 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 2 | 1 |
| Stirling, | 15,222 | 32 | 15 | 22 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 0 | 0 | 3 |
| Stranraer, | 6,144 | 11 | 3 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 2 | 0 |
| Wick, | 12,140 | 25 | 2 | 18 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 139 feet above the sea-level,

**For the month of AUGUST 1893.**

Mean barometric pressure, 29·916 inches; greater than the average for the same month of 1856-92 by 0·064 inch.

Barometric monthly range, 1·176 inch; greater by 0·183 inch.

Mean temperature, 61°·0; greater by 3°·5.

Mean daily range of temperature, 15°·9; greater by 2°·0.

Mean humidity, 80; less by 2.

Rain, number of days, 18; greater by 2.

Rain, depth in inches, 3·41; less by 0·10 inch.

Wind, pressure on square foot, 1·02 lb.; less by 0·33 lb.

Wind, direction of, E. to W. as 6 to 13, and N. to S. as 3 to 6; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

The weather of August 1893 has thus been characterised by a temperature higher than has been yet recorded since the Society was established in 1855. An average rainfall, and a barometric pressure and range above the average.

The mean temperature was 3°·5 above the average of the past 37 years, being higher than any recorded in August since 1780, the mean temperature of which was 2°·0 higher than last August. This is now the sixth month whose temperature has been uninterruptedly above the average, in each case, except July, very considerably so, these six months being 3°·5 above their normals.

The maximum shade temperature was 84°·0 at Perth and Edinburgh, and 83°·9 at Glasgow and Greenock, and the lowest maximum 78°·0 at Aberdeen; and the minimum 37°·8 at Perth, this low reading being confirmed by a number of stations surrounding Perth.

The total rainfall was smallest, 2·36 inches, at Aberdeen, and greatest, 5·71 inches, at Greenock. On the 20th, 0·90 inch fell at Dundee, and 0·79 inch at Glasgow; and on the 15th, 0·79 inch fell at Aberdeen. Thunder and heavy thunder showers were of repeated occurrence during the month, which, however, 'laid' only comparatively small breadths of the grain crops.

The winds as regards direction, were above the average; and as regards force, a good deal under it.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of August 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | Mean at Sea-level and 32°. | Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | Lowest in Month. | Mean Temperature. | Monthly Range. | Mean Daily Range. | Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | Elastic Force of Vapour. | Wt. of Vapour in Cub. Ft. of Air. | Humidity Sat. 100. | RAIN. Number of Days it fell. | Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·864 | 29·923 | 1·183 | 83·9 | 41·9 | 61·3 | 42·0 | 16·9 | 32·0 | 60·7 | 57·0 | 53·8 | ·414 | 4·63 | 78 | 19 | 3·38 | 0 | 0 | 2 | 1 | 0 | 3 | 7 | 2 | 16 | 0·20 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·632 | 29·928 | 1·126 | 84·0 | 42·6 | 61·6 | 41·4 | 15·9 | 25·6 | 60·1 | 56·6 | 53·5 | ·411 | 4·57 | 80 | 17 | 3·16 | 2 | 0 | 4 | 1 | 1 | 0 | 14 | 3 | 6 | 0·58 |
| DUNDEE, John Carnachan, Esq., Curator of Cemeteries. | 164 | 29·738 | 29·914 | 1·180 | 82·9 | 40·9 | 60·4 | 42·0 | 17·4 | 28·4 | 59·0 | 57·0 | 55·2 | ·436 | 4·90 | 88 | 20 | 3·04 | 2 | 2 | 2 | 5 | 1 | 7 | 6 | 6 | 0 | 0·85 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·811 | 29·893 | 1·148 | 78·0 | 45 0 | 59.0 | 33·0 | 13·5 | 22·2 | 58·8 | 55·6 | 52·7 | ·400 | 4·42 | 81 | 19 | 2·36 | 1 | 1 | 1 | 5 | 8 | 6 | 1 | 8 | 0 | 0·94 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·841 | 29·917 | 1·226 | 83·5 | 43·9 | 61·9 | 39·6 | 15·6 | 26·5 | 60·2 | 59·6 | 54·0 | ·418 | 4·65 | 80 | 15 | 2·93 | 2 | 1 | 4 | 1 | 2 | 2 | 15 | 2 | 2 | 1·19 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·808 | 29·922 | 1·190 | 82·8 | 41·2 | 61·2 | 41·6 | 15·8 | 28·1 | 60·3 | 56·9 | 54·0 | ·416 | 4·64 | 80 | 15 | 3·82 | 1 | 1 | 4 | 1 | 7 | 2 | 8 | 7 | 0 | 1·30 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·666 | 29·912 | 1·177 | 83·9 | 43·8 | 61·0 | 40·1 | 15·0 | 27·1 | 61·5 | 57·0 | 53·1 | ·404 | 4·50 | 74 | 18 | 5·71 | 0 | 0 | 6 | 1 | 2 | 4 | 10 | 6 | 2 | 2·10 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | .. | .. | .. | 84 0 | 37·8 | 60·5 | 46·2 | 17·1 | 27·5 | 59·1 | 56·6 | 53·9 | ·417 | 4·66 | 82 | 17 | 2·90 | 3 | 3 | 7 | 1 | 1 | 13 | 0 | 3 | 0 | ... |
| Means, | 139 | 29·766 | 29·916 | 1·176 | *(84·0) | †(37·8) | 61·0 | 40·7 | 15·9 | 27·2 | 60·0 | 57·0 | 53·8 | ·414 | 4·62 | 80 | 18 | 3·41 | 1 | 1 | 4 | 2 | 3 | 4 | 8 | 5 | 3 | 1·02 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

## IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

**SEPTEMBER 1893.**

**Published by Authority of the Registrar-General.**

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of September 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3668 children, of whom 1869 were males, and 1799 females. Of these, 3364 were legitimate, and 304 illegitimate, being in the proportion of one illegitimate in every 12·1 Births, or the illegitmate Births constituted 8·3 per cent. of the whole. In Greenock 4·3 per cent. of the Births were illegitimate; in Paisley, 7·1; in Glasgow, 7·5; in Dundee, 8·1; in Edinburgh, 9·0; in Leith, 10·6; in Aberdeen, 11·1; and in Perth, 14·3 per cent.

821 Marriages were recorded in the same Towns during September. When allowance is made for the natural increase of the population, this number is seen to be 43 above the average for the corresponding month of the last ten years.

The Deaths of 2289 persons were recorded in these Towns during the month under review, 1151 of these being males, and 1138 females. When, as before, the natural increase of the population is taken into account, it is seen that this number is 182 above the average for September during the last ten years.

A comparison of the Deaths registered shows that during September, the mortality was at the annual rate of 16·5 per thousand persons in Leith, 17·6 in Perth, 17·7 in Aberdeen, 18·2 in Greenock, 18·4 in Edinburgh, 19·5 in Glasgow, 19·9 in Paisley, and 20·4 in Dundee.

Of the 1085 Deaths registered in Glasgow, 287 were of children under one year of age, and 177 of persons over 60 years; of the 405 in Edinburgh, 106 were under one, and 88 over 60; of the 264 in Dundee, 109 were under one, and 42 over 60; of the 188 in Aberdeen, 54 were under one, and 48 over 60; of the 96 in Leith, 31 were under one, and 17 over 60; of the 113 in Paisley, 25 were under one, and 23 over 60; of the 94 in Greenock, 27 were under one, and 21 over 60; and of the 44 in Perth, 7 were under one and 10 over 60 years.

Of the whole 2289 Deaths, 1005 or 43·9 per cent. were of children under five years of age. In Perth, 29·5 per cent. of the persons who died were under five years; in Paisley, 38·1; in Aberdeen, 39·4; in Edinburgh, 42·5; in Glasgow, 43·1; in Greenock, 45·7; in Leith, 52·1; and in Dundee, 53·8 per cent.

Miasmatic Diseases caused 250 Deaths, or 10·9 per cent. of the whole mortality, a rate slightly exceeded in Glasgow, and to a larger extent in Paisley.

Diarrhœa was again this month the most fatal of the Zymotic Diseases, having caused 201 deaths, or 8·8 per cent. of the whole. In Dundee 51 deaths were ascribed to Diarrhœa, constituting 19·3 per cent. of the whole mortality in that town.

Hooping-Cough was the cause of 101 deaths, 50 of which occurred in Glasgow, 25 in Edinburgh, and 16 in Dundee.

Scarlatina caused 26 deaths; Measles 10; Diphtheria 56; Simple Cholera, 13; and Puerperal Fever, 6.

In all, 49 deaths were attributed to Fevers. Of these 44 were described as Enteric, 3 as Typhus, and 2 as Simple or Ill-defined Fever. 25 of the deaths from Enteric Fever occurred in Glasgow and 11 in Paisley, while of the Typhus cases 2 occurred in Dundee and 1 in Greenock.

Intemperance was assigned as the cause of 10 deaths, 9 being due to Chronic Alcoholism, and 1 to Delirium Tremens.

Apoplexy caused 67 deaths; Paralysis, 62; Diseases of the Heart, 148; and Premature Birth Debility, 60.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 298 or 13·0 per cent. of the total mortality. Those from Consumption alone numbered 213, or 9·3 per cent. Croup caused 24 deaths.

80 deaths were ascribed to Violent causes, 10 of which were stated to be suicidal. Hanging in 5 cases, Cut-throat in 2, Shooting in 2, and jumping out of a window in 1 were the means adopted by the persons who committed suicide.

2 Males and 8 females were aged 90 years and upwards. Of these the oldest was the widow of a coachman aged 97 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

## September 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 577,419 | 658,198 | 677,883 | 906 | 902 | 1808 | 1672 | 136 | 377 | 572 | 513 | 1085 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 279 | 263 | 542 | 493 | 49 | 168 | 199 | 206 | 405 |
| DUNDEE, . . | 140,794 | 154,118 | 157,289 | 187 | 171 | 358 | 329 | 29 | 46 | 121 | 143 | 264 |
| ABERDEEN, . | 106,397 | 124,943 | 129,543 | 181 | 188 | 369 | 328 | 41 | 93 | 102 | 86 | 188 |
| LEITH, . . | 59,48 | 68,707 | 70,972 | 98 | 72 | 170 | 152 | 18 | 53 | 44 | 52 | 96 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 95 | 88 | 183 | 170 | 13 | 28 | 45 | 68 | 113 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 85 | 76 | 161 | 154 | 7 | 40 | 45 | 49 | 94 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 38 | 39 | 77 | 66 | 11 | 16 | 23 | 21 | 44 |
| TOTAL, . | 1,270,075 | 1,427,169 | 1,465,536 | 1869 | 1799 | 3668 | 3364 | 304 | 821 | 1151 | 1138 | 2289 |
| SEPTEMBER 1892, . . | Mean Temp. 51°·5 | | | 1819 | 1694 | 3513 | 3238 | 275 | 828 | 1035 | 998 | 2033 |
| SEPTEMBER 1891, . . | Mean Temp. 55°·4 | | | 1703 | 1655 | 3358 | 3124 | 234 | 792 | 952 | 1028 | 1980 |
| SEPTEMBER 1890, . . | Mean Temp. 57°·7 | | | 1736 | 1609 | 3345 | 3080 | 265 | 816 | 1062 | 1059 | 2121 |
| SEPTEMBER 1889, . . | Mean Temp. 53°·1 | | | 1708 | 1664 | 3372 | 3099 | 273 | 775 | 997 | 939 | 1936 |
| SEPTEMBER 1888, . . | Mean Temp. 52°·5 | | | 1602 | 1504 | 3106 | 2845 | 261 | 686 | 890 | 846 | 1736 |
| SEPTEMBER 1887, . . | Mean Temp. 52°·6 | | | 1684 | 1637 | 3321 | 3068 | 253 | 643 | 966 | 1017 | 1983 |
| SEPTEMBER 1886, . . | Mean Temp. 53°·1 | | | 1744 | 1679 | 3423 | 3141 | 282 | 659 | 957 | 1006 | 1963 |
| SEPTEMBER 1885, . . | Mean Temp. 52°·0 | | | 1778 | 1692 | 3470 | 3167 | 303 | 669 | 901 | 921 | 1822 |
| SEPTEMBER 1884, . . | Mean Temp. 54°·9 | | | 1987 | 1798 | 3785 | 3429 | 356 | 752 | 1135 | 1180 | 2315 |
| SEPTEMBER 1883, . . | Mean Temp. 53°·9 | | | 1617 | 1511 | 3128 | 2869 | 259 | 711 | 990 | 964 | 1954 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of September 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 0 | 2 | 4 | 10 | 12 | 16 | 16 |
| 2. Camlachie, . | 0 | 0 | 0 | 0 | 0 | 1 | 8 |
| 3. Dennistoun, . | 0 | 0 | 1 | 1 | 3 | 2 | 2 |
| 4. Calton, . | 0 | 2 | 0 | 0 | 5 | 1 | 4 |
| 5. Blackfriars, . | 0 | 0 | 0 | 1 | 1 | 1 | 3 |
| 6. St Rollox, . | 0 | 0 | 11 | 0 | 0 | 0 | 5 |
| 7. Blythswood, . | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 8. Milton, . | 0 | 0 | 1 | 0 | 5 | 0 | 9 |
| 9. Kelvin, . | 0 | 0 | 1 | 3 | 2 | 1 | 2 |
| 10. Anderston, . | 0 | 0 | 0 | 0 | 5 | 0 | 4 |
| 11. Hutchesontown, | 0 | 3 | 1 | 1 | 6 | 1 | 5 |
| 12. Gorbals, . | 0 | 1 | 0 | 2 | 3 | 1 | 5 |
| 13. Tradeston, . | 0 | 0 | 0 | 1 | 1 | 1 | 3 |
| 14. Kinning Park, | 0 | 0 | 0 | 1 | 1 | 0 | 1 |
| Cathcart, . | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| Eastwood, . | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Maryhill, . | 0 | 1 | 0 | 2 | 4 | 0 | 2 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 0 | 1 | 3 | 12 | 0 | 11 |
| 2. St Andrew, . | 0 | 0 | 0 | 1 | 3 | 0 | 7 |
| 3. Canongate, . | 0 | 0 | 1 | 2 | 5 | 1 | 6 |
| 4. St Giles, . | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 5. Newington, . | 0 | 1 | 1 | 0 | 5 | 1 | 7 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 0 | 0 | 0 | 4 | 0 | 9 |
| 2. St Mary, . | 0 | 0 | 0 | 4 | 0 | 0 | 11 |
| 3. St Clement, . | 0 | 0 | 0 | 1 | 0 | 3 | 8 |
| 4. St Andrew, . | 0 | 0 | 0 | 0 | 12 | 3 | 19 |
| 5. Lochee, . | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 0 | 1 | 3 | 1 | 1 | 6 |
| 2. Aberdeen, . | 0 | 0 | 0 | 2 | 0 | 0 | 8 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, . | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 2. South, . . | 0 | 0 | 2 | 5 | 3 | 0 | 3 |
| PAISLEY, . . | 0 | 0 | 0 | 6 | 5 | 1 | 7 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 0 | 0 | 3 | 1 | 0 | 5 |
| 2. West, . . | 0 | 0 | 0 | 2 | 0 | 3 | 1 |
| PERTH, . . | 0 | 0 | 1 | 1 | 0 | 0 | 3 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2289 | 468 | 106 | 334 | 177 | 1085 | 172 | 16 | 129 | 88 | 405 | 142 | 18 | 62 | 42 | 264 | 74 | 14 | 52 | 48 | 188 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 491 | 157 | 27 | 24 | 10 | 218 | 60 | 5 | 9 | 9 | 83 | 71 | 5 | 4 | 2 | 82 | 17 | 3 | 5 | 6 | 31 |
| II. PARASITIC DISEASE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| III. DIETETIC ,, | 12 | – | – | 8 | – | 8 | – | – | 2 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 412 | 31 | 32 | 122 | 7 | 192 | 17 | 3 | 42 | 12 | 74 | 9 | 3 | 26 | 3 | 41 | 5 | 6 | 23 | 5 | 39 |
| V. DEVELOPMENTAL ,, | 158 | 39 | – | – | 37 | 76 | 13 | – | – | 7 | 20 | 6 | – | – | 11 | 17 | 7 | – | – | 9 | 16 |
| VI. LOCAL ,, | 1025 | 182 | 39 | 147 | 118 | 486 | 68 | 8 | 62 | 56 | 194 | 44 | 9 | 29 | 25 | 107 | 33 | 4 | 23 | 28 | 88 |
| VII. VIOLENCE - - | 80 | 10 | 7 | 17 | 3 | 37 | 5 | – | 14 | 2 | 21 | 3 | 1 | 3 | 1 | 8 | 1 | 1 | 1 | – | 3 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 110 | 49 | 1 | 16 | 2 | 68 | 9 | – | – | 2 | 11 | 8 | – | – | – | 8 | 10 | – | – | – | 10 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - | 250 | 88 | 26 | 13 | – | 127 | 31 | 4 | 2 | 1 | 38 | 20 | 5 | 2 | – | 27 | 5 | 3 | 2 | 4 | 14 |
| 2. DIARRHŒAL ,, - | 214 | 66 | 1 | 7 | 8 | 82 | 27 | – | 2 | 7 | 36 | 51 | – | – | 2 | 53 | 12 | – | 1 | 1 | 14 |
| 3. MALARIAL ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - | 10 | 2 | – | – | – | 2 | – | 1 | 3 | – | 4 | – | – | 1 | – | 1 | – | – | – | – | – |
| 6. SEPTIC ,, - | 17 | 1 | – | 4 | 2 | 7 | 2 | – | 2 | 1 | 5 | – | – | 1 | – | 1 | – | – | 2 | 1 | 3 |
| II. PARASITIC DISEASES - | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| III. DIETETIC DISEASES - - | 12 | – | – | 8 | – | 8 | – | – | 2 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 412 | 31 | 32 | 122 | 7 | 192 | 17 | 3 | 42 | 12 | 74 | 9 | 3 | 26 | 3 | 41 | 5 | 6 | 23 | 5 | 39 |
| V. DEVELOPMENTAL DISEASES | 158 | 39 | – | – | 37 | 76 | 13 | – | – | 7 | 20 | 6 | – | – | 11 | 17 | 7 | – | – | 9 | 16 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM - | 244 | 36 | 7 | 25 | 37 | 105 | 12 | 1 | 13 | 28 | 54 | 4 | 2 | 2 | 10 | 18 | 8 | – | 7 | 9 | 24 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 7 | 2 | 1 | – | – | 3 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | 2 | – | – | – | 2 |
| 3. ,, CIRCULATORY SYSTEM | 148 | – | 6 | 28 | 26 | 60 | – | 2 | 22 | 10 | 34 | 1 | 2 | 8 | 6 | 17 | – | 1 | 4 | 9 | 14 |
| 4. ,, RESPIRATORY SYSTEM | 298 | 78 | 7 | 48 | 30 | 163 | 26 | 1 | 7 | 7 | 41 | 16 | 2 | 9 | 4 | 31 | 11 | 3 | 5 | 4 | 23 |
| 5. ,, DIGESTIVE SYSTEM - | 214 | 57 | 5 | 24 | 14 | 100 | 27 | – | 7 | 4 | 38 | 23 | 2 | 5 | 3 | 33 | 11 | – | 2 | 4 | 17 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 6 | – | – | – | – | – | – | 1 | 1 | 1 | 3 | – | – | 1 | – | 1 | – | – | – | – | – |
| 7. URINARY SYSTEM - | 71 | 5 | 1 | 17 | 11 | 34 | 1 | 1 | 10 | 3 | 15 | – | 1 | 2 | 2 | 5 | – | – | 5 | 1 | 6 |
| REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | 3 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION - - | 5 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | 20 | – | 12 | 2 | – | 14 | – | 2 | – | 2 | 4 | – | – | – | – | – | – | – | – | 1 | |
| 10. ,, INTEGUMENTARY SYSTEM - - | 9 | 3 | – | 1 | – | 4 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | 1 | – | – | – | |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 50 | 7 | 22 | 17 | 96 | 43 | 17 | 30 | 23 | 113 | 43 | 6 | 24 | 21 | 94 | 13 | 5 | 16 | 10 | 44 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 18 | 3 | 1 | 1 | 23 | 18 | 8 | 4 | 1 | 31 | 12 | – | 5 | – | 17 | 3 | 1 | 1 | 1 | 6 |
| II. PARASITIC DISEASES - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, - | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, - | 5 | 4 | 11 | 1 | 21 | 4 | 6 | 10 | 2 | 22 | 3 | 1 | 4 | 4 | 12 | 1 | 3 | 6 | 1 | 11 |
| V. DEVELOPMENTAL ,, - | 3 | – | – | 1 | 4 | 6 | – | – | 8 | 14 | 4 | – | – | 3 | 7 | 1 | – | – | 3 | 4 |
| VI. LOCAL ,, - | 19 | – | 9 | 13 | 41 | 12 | 3 | 16 | 11 | 42 | 21 | 3 | 12 | 14 | 50 | 4 | 1 | 8 | 4 | 17 |
| VII. VIOLENCE - - - | 2 | – | 1 | 1 | 4 | – | – | – | 1 | 1 | – | 1 | 2 | – | 3 | 1 | – | 1 | 1 | 3 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 3 | – | – | – | 3 | 3 | – | – | – | 3 | 2 | 1 | 1 | – | 4 | 3 | – | – | – | 3 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 7 | 3 | – | – | 10 | 10 | 8 | 4 | 1 | 23 | 6 | – | 3 | – | 9 | – | 1 | 1 | – | 2 |
| 2. DIARRHŒAL ,, - - | 9 | – | 1 | – | 10 | 8 | – | – | – | 8 | 5 | – | 2 | – | 7 | 3 | – | – | 1 | 4 |
| 3. MALARIAL ,, - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - - | 1 | – | – | 1 | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| 6. SEPTIC ,, - - | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. PARASITIC DISEASES - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - - | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES - - | 5 | 4 | 11 | 1 | 21 | 4 | 6 | 10 | 2 | 22 | 3 | 1 | 4 | 4 | 12 | 1 | 3 | 6 | 1 | 11 |
| V. DEVELOPMENTAL DISEASES - - | 3 | – | – | 1 | 4 | 6 | – | – | 8 | 14 | 4 | – | – | 3 | 7 | 1 | – | – | 3 | 4 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 3 | – | 1 | 2 | 6 | 3 | | 6 | 6 | 15 | 8 | 2 | 1 | 3 | 14 | 3 | 1 | 2 | 2 | 8 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | – | – | 5 | 1 | 6 | – | – | 3 | 2 | 5 | – | – | 4 | 5 | 9 | – | – | 2 | 1 | 3 |
| 4. ,, RESPIRATORY SYSTEM | 5 | – | – | 3 | 8 | 6 | – | 2 | 3 | 11 | 11 | – | 3 | 2 | 16 | 1 | – | 3 | 1 | 5 |
| 5. ,, DIGESTIVE SYSTEM - | 10 | – | 1 | 3 | 14 | 2 | 1 | 2 | – | 5 | 2 | 1 | 1 | 2 | 6 | – | – | 1 | – | 1 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| 7. ,, URINARY SYSTEM - | – | – | 2 | 4 | 6 | – | 1 | 1 | – | 2 | – | – | 1 | 2 | 3 | – | – | – | – | – |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| (b) DISEASES OF PARTURITION - - | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM - - | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 68 | 10 | 7 | 15 | 3 | 35 | 4 | – | 8 | 2 | 14 | 3 | 1 | 1 | 1 | 6 | 1 | 1 | 1 | – | 3 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 12 | – | – | 2 | – | 2 | 1 | – | 6 | – | 7 | – | – | 2 | – | 2 | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 110 | 49 | 1 | 16 | 2 | 68 | 9 | – | – | 2 | 11 | 8 | – | – | – | 8 | 10 | – | – | – | 10 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 10 | 9 | – | – | – | 9 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 26 | 14 | 4 | 1 | – | 19 | 3 | – | – | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 |
| Typhus – – – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 8 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | 4 | 5 |
| Hooping-Cough – – – | 101 | 45 | 5 | – | – | 50 | 24 | 1 | – | – | 25 | 15 | 1 | – | – | 16 | 1 | – | – | – | 1 |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 56 | 18 | 5 | – | – | 23 | 3 | 3 | – | – | 6 | 5 | – | – | – | 5 | 3 | 2 | – | – | 5 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 44 | – | 12 | 11 | – | 23 | – | – | 2 | – | 2 | – | 4 | – | – | 4 | – | 1 | 1 | – | 2 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 13 | 5 | 1 | 1 | – | 7 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 201 | 61 | – | 6 | 8 | 75 | 27 | – | 2 | 7 | 36 | 49 | – | – | 2 | 51 | 12 | – | 1 | 1 | 14 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 6 | 2 | – | – | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 4 | – | – | – | – | – | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 9 | 1 | – | 1 | 2 | 4 | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Pyæmia, Septicæmia – – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Puerperal Fever – – – | 6 | – | – | 3 | – | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 2 | – | 1 | 1 | 4 | – | – | – | – | – | – | 1 | 2 | – | 3 | 1 | – | 1 | 1 | 3 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 3 | – | – | – | 3 | 3 | – | – | – | 3 | 2 | 1 | 1 | – | 4 | 3 | – | – | – | 3 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 3 | – | – | – | 3 | 5 | – | – | – | 5 | 1 | – | – | – | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | 1 | – | – | 5 | 4 | 2 | – | – | 6 | 5 | – | – | – | 5 | – | 1 | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | 1 | 6 | 4 | – | 11 | – | – | 2 | – | 2 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Diarrhœa, Dysentery | 8 | – | 1 | – | 9 | 7 | – | – | – | 7 | 4 | – | 2 | – | 6 | 2 | – | – | 1 | 3 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | 1 | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 9 | – | – | 7 | – | 7 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 9 | – | 2 | 1 | – | 3 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | 1 | – | – | 1 |
| Rheumatism | 3 | – | – | – | 1 | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 84 | – | – | 24 | 4 | 28 | – | – | 15 | 9 | 24 | – | – | 7 | 3 | 10 | – | – | 5 | 3 | 8 |
| Tabes Mesenterica | 42 | 15 | 4 | 1 | – | 20 | 2 | – | 1 | – | 3 | 5 | 1 | – | – | 6 | 4 | – | 1 | – | 5 |
| Tubercular Meningitis (Acute Hydrocephalus) | 27 | 7 | 2 | 1 | – | 10 | 9 | – | – | – | 9 | 2 | – | 1 | – | 3 | 1 | – | – | – | 1 |
| Phthisis | 213 | 4 | 22 | 90 | 1 | 117 | – | 2 | 18 | 2 | 22 | 1 | 2 | 15 | – | 18 | – | 4 | 17 | 2 | 23 |
| Other forms of Tuber. Scrofula | 20 | 3 | 2 | 3 | – | 8 | 4 | – | 4 | – | 8 | 1 | – | – | – | 1 | – | – | – | – | – |
| Purp., Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 5 | 1 | – | 1 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Diabetes Mellitus | 4 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Constitutional Diseases | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 60 | 30 | – | – | – | 30 | 8 | – | – | – | 8 | 5 | – | – | – | 5 | 3 | – | – | – | 3 |
| Atelectasis | 8 | 1 | – | – | – | 1 | 4 | – | – | – | 4 | – | – | – | – | – | 3 | – | – | – | 3 |
| Cyanosis | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 4 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 5 | 3 | – | – | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Old Age | 79 | – | – | – | 37 | 37 | – | – | – | 7 | 7 | – | – | – | 11 | 11 | – | – | – | 9 | 9 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 49 | 18 | 4 | 1 | – | 23 | 4 | 1 | – | 2 | 7 | 3 | 2 | – | – | 5 | 2 | – | – | – | 2 |
| Apoplexy | 67 | 1 | – | 13 | 22 | 36 | – | – | 3 | 10 | 13 | – | – | – | 2 | 2 | – | – | 2 | 7 | 9 |
| Softening of Brain | 2 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | 49 | – | – | 3 | 10 | 13 | – | – | 4 | 9 | 13 | – | – | – | 7 | 7 | – | – | 2 | 2 | 4 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 6 | – | – | – | 1 | 1 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | 2 | – | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | 1 | – | 1 |
| Convulsions | 29 | 11 | – | 2 | – | 13 | 6 | – | – | – | 6 | – | – | – | – | – | 5 | – | – | – | 5 |
| Laryngismus Stridulus | 3 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 13 | – | 1 | 2 | 3 | 6 | – | – | 2 | 2 | 4 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ner. System | 20 | 3 | 2 | 4 | 1 | 10 | 2 | – | 1 | 2 | 5 | 1 | – | – | 1 | 2 | 1 | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 6 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | 1 | – | 1 | 2 | – | – | – | 2 |
| Epistaxis and Dis. of Nose | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Cancer | – | – | 3 | 1 | 4 | – | – | 1 | 2 | 3 | – | – | 1 | 4 | 5 | – | – | 1 | 1 | 2 |
| Tabes Mesenterica | 3 | – | – | – | 3 | 2 | 1 | – | – | 3 | 2 | – | – | – | 2 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 2 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Phthisis | – | 4 | 8 | – | 12 | 2 | 4 | 6 | – | 12 | – | – | 3 | – | 3 | – | 1 | 5 | – | 6 |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | 1 | – | – | 1 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 3 | – | – | – | 3 | 6 | – | – | – | 6 | 4 | – | – | – | 4 | 1 | – | – | – | 1 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 1 | 1 | – | – | – | 8 | 8 | – | – | – | 3 | 3 | – | – | – | 3 | 3 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 3 | – | – | – | 3 | 5 | 2 | – | – | 7 | 2 | – | – | – | 2 |
| Apoplexy | – | – | – | 1 | 1 | – | – | 2 | 1 | 3 | – | – | 1 | – | 1 | – | 1 | 1 | – | 2 |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | 1 | 1 | – | – | 2 | 5 | 7 | – | – | – | 3 | 3 | – | – | 1 | – | 1 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | – | – | – | 3 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 124 | – | 6 | 25 | 21 | 52 | – | 2 | 15 | 10 | 27 | 1 | 1 | 7 | 4 | 13 | – | 1 | 4 | 8 | 13 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 8 | – | – | 3 | 2 | 5 | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Embolism, Thrombosis | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 4 | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 5 | 3 | 1 | – | – | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Croup | 24 | 7 | – | – | – | 7 | 7 | – | – | – | 7 | 3 | – | – | – | 3 | 3 | 1 | – | – | 4 |
| Other Dis. of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Bronchitis | 118 | 31 | – | 18 | 20 | 69 | 9 | – | – | 4 | 13 | 7 | – | 5 | 1 | 13 | 2 | – | 2 | 4 | 8 |
| Pneumonia | 116 | 32 | 2 | 24 | 6 | 64 | 7 | 1 | 3 | 3 | 14 | 6 | 2 | 4 | 1 | 13 | 4 | 1 | 2 | – | 7 |
| Pleurisy | 15 | 3 | 2 | 2 | 1 | 8 | – | – | 3 | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Resp. System | 19 | 2 | 2 | 4 | 3 | 11 | 3 | – | 1 | – | 4 | – | – | – | 1 | 1 | 1 | 1 | – | – | 2 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dentition | 14 | 9 | – | – | – | 9 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Sore-throat, Quinsy | 5 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | 3 |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 36 | 9 | – | 4 | 4 | 17 | 3 | – | 2 | 1 | 6 | 4 | – | 3 | 1 | 8 | 2 | – | – | – | 2 |
| Enteritis | 79 | 22 | 3 | 2 | – | 27 | 19 | – | – | – | 19 | 16 | – | – | 1 | 17 | 6 | – | – | – | 6 |
| Ulceration of Intestine | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 12 | – | – | 4 | 2 | 6 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Stricture or Strang. of Intestine | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | 5 | 2 | – | 2 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 24 | 5 | 1 | 7 | 3 | 16 | – | – | 1 | – | 1 | 1 | 2 | 1 | 1 | 5 | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 2 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 6 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Liver | 10 | 1 | – | 1 | 2 | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | 1 | – | – | 1 | 2 |
| Other Dis. of Digestive System | 13 | 5 | 1 | 1 | 2 | 9 | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | 1 | 1 |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 5 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 19 | 2 | – | 5 | 2 | 9 | 1 | | 2 | 2 | 5 | – | 1 | – | 1 | 2 | – | – | 1 | – | 1 |
| Bright's Disease | 26 | 3 | – | 8 | 3 | 14 | – | 1 | 5 | 1 | 7 | – | – | 2 | – | 2 | – | – | – | – | – |
| Uræmia | 3 | – | – | – | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 12 | – | – | 1 | 3 | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 4 | – | 4 |
| Other Dis. of Urinary System | 10 | – | 1 | 3 | – | 4 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 3 | 1 | 4 | – | – | 3 | 1 | 4 | – | – | 4 | 5 | 9 | – | – | 1 | 1 | 2 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | – | – | – | 2 | 1 | – | – | 2 | 3 | 6 | – | 1 | 2 | 9 | – | – | – | 1 | 1 |
| Pneumonia | 3 | – | – | 2 | 5 | 3 | – | 2 | 1 | 6 | 4 | – | 2 | – | 6 | – | – | 1 | – | 1 |
| Pleurisy | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 |
| Other Diseases of Respiratory System | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – |
| Enteritis | 7 | – | – | – | 7 | 1 | – | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestine | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Liver | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bright's Disease | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 7 | – | 4 | 1 | – | 5 | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 5 | – | 3 | – | – | 3 | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 8 | – | 5 | 1 | – | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 4 | 2 | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Eczema | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | 3 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 9 | 3 | 1 | 2 | – | 6 | 1 | – | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | – | 2 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 8 | 4 | – | – | – | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Suffocation: Otherwise | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 3 | – | 2 | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 23 | – | – | 6 | 2 | 8 | 1 | – | 5 | 1 | 7 | – | 1 | 1 | 1 | 3 | – | – | 1 | – | 1 |
| Otherwise, or Not Stated | 11 | 2 | 1 | 1 | 1 | 5 | – | – | 2 | – | 2 | – | – | – | – | – | 1 | 1 | – | – | 2 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | 2 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Suicide | 10 | – | – | 2 | – | 2 | – | – | 5 | – | 5 | – | – | 2 | – | 2 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 88 | 44 | 1 | 7 | – | 52 | 8 | – | – | – | 8 | 8 | – | – | – | 8 | 9 | – | – | – | 9 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 5 | 2 | – | 1 | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 11 | 2 | – | 7 | 1 | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Suffocation: Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Otherwise, or Not Stated | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 3 | – | – | – | 3 | 3 | – | – | – | 3 | 2 | – | – | – | 2 | 3 | – | – | – | 3 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—SEPTEMBER 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 60 | 11 | 33 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 6 | 3 |
| Ayr, | 27,132 | 75 | 31 | 48 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 12 | 1 |
| Banff, with Macduff, | 8,841 | 23 | 2 | 11 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 2 |
| Blairgowrie, | 4,481 | 7 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 2 |
| Callander, | 2,305 | 4 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Campbeltown, | 10,377 | 36 | 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 3 |
| Cathcart (Landward), | 4,958 | 19 | 3 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| Crieff, | 5,531 | 16 | 1 | 13 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 2 |
| Dumbarton, | 18,745 | 50 | 4 | 42 | 0 | 1 | 1 | 0 | 1 | 2 | 0 | 4 | 1 | 3 | 4 |
| Dumfries, with Troqueer, | 24,092 | 51 | 10 | 31 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 4 | 1 | 3 | 2 |
| Dunfermline | 29,207 | 57 | 11 | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 6 |
| Dunoon, | 7,396 | 16 | 1 | 15 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| Eastwood (Landward), | 13,967 | 34 | 2 | 26 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 4 | 7 |
| Elgin, | 10,614 | 29 | 2 | 13 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Falkirk, | 27,882 | 97 | 13 | 54 | 0 | 0 | 1 | 1 | 2 | 2 | 0 | 2 | 1 | 8 | 4 |
| Forfar, | 13,490 | 30 | 2 | 21 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 3 |
| Galashiels, | 18,264 | 45 | 6 | 23 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 0 | 2 | 0 |
| Govan—(1) Plantation (Landward), | 23,668 | 61 | 5 | 20 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 2 | 1 |
| (2) Govan (Landward), | 43,404 | 114 | 14 | 66 | 0 | 2 | 1 | 2 | 2 | 5 | 0 | 2 | 3 | 6 | 7 |
| (3) Partick (Landward), | 38,979 | 114 | 16 | 47 | 0 | 0 | 3 | 2 | 2 | 2 | 0 | 5 | 3 | 3 | 8 |
| Haddington, | 5,121 | 5 | 2 | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| Hawick, with Wilton, | 21,303 | 38 | 7 | 24 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 0 | 3 | 2 |
| Inverness, | 24,689 | 60 | 12 | 33 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 5 | 1 | 3 | 1 |
| Kilmarnock, | 28,464 | 70 | 7 | 48 | 0 | 0 | 1 | 1 | 1 | 9 | 0 | 10 | 0 | 3 | 2 |
| Kilmore and Kilbride (Oban), | 5,870 | 5 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kinning Park (Landward), | 14,209 | 40 | 3 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| Kirkcaldy and Abbotshall, | 18,494 | 41 | 4 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 3 |
| Kirkcudbright, | 3,477 | 7 | 2 | 4 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Largs, | 5,359 | 4 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Logie (Bridge of Allan), | 4,308 | 9 | 1 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Moffat, | 2,988 | 7 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Montrose, | 14,037 | 33 | 4 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 |
| Moulin (Pitlochry), | 2,087 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn, | 5,219 | 11 | 3 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 |
| New Monkland, (Airdrie and Landward), | 35,266 | 120 | 10 | 50 | 0 | 0 | 0 | 2 | 4 | 1 | 0 | 2 | 0 | 6 | 5 |
| North Berwick, | 3,123 | 5 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 53 | 17 | 34 | 0 | 7 | 1 | 0 | 8 | 0 | 0 | 2 | 0 | 3 | 2 |
| Rothesay, | 9,293 | 22 | 5 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| St Andrews and St. Leonards, | 8,789 | 18 | 0 | 14 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| Shettleston (Landward), | 13,476 | 34 | 2 | 17 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 2 | 1 |
| Stirling, | 15,222 | 47 | 9 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 |
| Stranraer, | 6,144 | 21 | 3 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Wick, | 12,140 | 29 | 4 | 18 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 136 feet above the sea-level,

**For the month of SEPTEMBER 1893.**

Mean barometric pressure, 29·725 inches; less than the average of the same month of 1856-92 by 0·131 inch.

Barometric monthly range, 1·438 inch; more by 0·251 inch.

Mean temperature, 53°·2; less by 0°·5.

Mean daily range of temperature, 14°·3; greater by 1°·0.

Mean humidity, 80; less by 4.

Rain, number of days, 17; greater by 1.

Rain, depth in inches, 2·56; less by 0·91 inch.

Wind, pressure on square foot, 1·80 lb.; greater by 0·36 lb.

Wind, direction of, E. to W. as 3 to 16, and N. to S. as 5 to 5; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Hence the month of September has been characterised by a marked predominance of westerly winds somewhat above the average strength, with a temperature and rainfall under the average.

Barometric pressure was rather low but a little higher at western than at eastern stations in the same latitude, resulting in an excess of northerly winds and a reduced temperature, and humidity.

As regards temperature, Leith was the average, but Aberdeen 1°·3 under it. Dundee returns the absolute highest temperature 74°·5 on the 4th, and Perth the lowest 32°·0 on the 12th.

The rainfall was very irregulary distributed, being 1·26 inches, or 63 per cent. under the average at Perth, and 3·57 inches, or 18 per cent. above it at Aberdeen. The largest fall on any day was 0·95 inch at Aberdeen on the 21st.

Generally good harvest weather prevailed till about the 20th, after which heavy rains were of frequent occurrence.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of September 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS. Elastic Force of Vapour. | DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | WINDS. Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·686 | 29·745 | 1·430 | 72·1 | 32·2 | 53·4 | 39·9 | 15·7 | 29·5 | 53·2 | 50·2 | 47·2 | ·325 | 3·61 | 80 | 17 | 2·81 | 2 | 1 | 0 | 0 | 0 | 2 | 10 | 4 | 11 | 0·30 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·442 | 29·739 | 1·447 | 72·7 | 34·9 | 53·6 | 37·8 | 13·9 | 23·5 | 52·4 | 49·3 | 46·1 | ·314 | 3·55 | 80 | 17 | 1·67 | 3 | 1 | 2 | 1 | 0 | 5 | 14 | 2 | 2 | 1·04 |
| DUNDEE, John Carnachan, Esq., Curator of Cemeteries. | 164 | 29·530 | 29·708 | 1·430 | 74·5 | 32·5 | 52·8 | 42·0 | 14·5 | 27·9 | 51·2 | 49·2 | 47·1 | ·325 | 3·61 | 86 | 15 | 1·68 | 2 | 0 | 0 | 3 | 0 | 8 | 11 | 6 | 0 | 1·30 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·599 | 29·671 | 1·440 | 72·4 | 33·0 | 52·0 | 39·4 | 13·0 | 24·9 | 52·0 | 49·0 | 45·9 | ·310 | 3·50 | 80 | 23 | 3·57 | 1 | 0 | 0 | 1 | 6 | 5 | 10 | 7 | 0 | 0·88 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·653 | 29·729 | 1·440 | 72·5 | 36·8 | 54·1 | 35·7 | 13·2 | 23·9 | 53·3 | 50·0 | 46·7 | ·318 | 3·57 | 78 | 17 | 1·75 | 2 | 0 | 2 | 1 | 2 | 3 | 18 | 1 | 1 | 2·72 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·629 | 29·744 | 1·440 | 74·0 | 33·3 | 54·2 | 40·7 | 15·5 | 28·2 | 53·1 | 50·4 | 47·7 | ·332 | 3·71 | 81 | 17 | 3·08 | 2 | 1 | 2 | 1 | 4 | 3 | 15 | 2 | 0 | 2·62 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·502 | 29·749 | 1·444 | 67·7 | 34·3 | 52·8 | 33·4 | 12·3 | 23·8 | 53·2 | 50·4 | 46·9 | ·320 | 3·68 | 77 | 20 | 4·64 | 1 | 0 | 2 | 1 | 0 | 5 | 13 | 6 | 2 | 2·72 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·563 | 29·715 | 1·430 | 71·5 | 32·0 | 53·0 | 39·5 | 16·5 | 29·5 | 52·3 | 49·4 | 46·4 | ·317 | 3·35 | 80 | 12 | 1·26 | 4 | 2 | 10 | 0 | 0 | 14 | 0 | 0 | 0 | ... |
| Means, | | 29·576 | 29·725 | 1·438 | 74·5* | 32·0† | 53·2 | 38·6 | 14·3 | 26·4 | 52·6 | 49·7 | 46·8 | ·320 | 3·57 | 80 | 17 | 2·56 | 2 | 1 | 2 | 1 | 1 | 6 | 11 | 4 | 2 | 1·80 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

## IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

---

**OCTOBER 1893.**

---

**Published by Authority of the Registrar-General.**

---

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

---

# REPORT.

DURING the month of October 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3991 children, of whom 2025 were males, and 1966 females. Of these, 3719 were legitimate, and 272 illegitimate, being in the proportion of one illegitimate in every 14·7 Births, or the illegitmate Births constituted 6·8 per cent. of the whole. In Glasgow and Greenock 5·8 of the Births were illegitimate; in Leith, 5·9; in Paisley, 6·5; in Dundee, 7·7; in Edinburgh, 7·8; in Aberdeen, 9·6; and in Perth, 13·7 per cent.

854 Marriages were recorded in the same Towns during the month under review. When allowance is made for the natural increase of the population, this number is seen to be 49 above the average for the corresponding month of the last ten years.

The Deaths of 2342 persons were recorded in these Towns during October, 1142 of these being males, and 1200 females. When, as before, the natural increase of the population is taken into account, it is seen that this number is 8 above the average for October during the last ten years.

A comparison of the Deaths registered shows that during October, the mortality was at the annual rate of 17·5 per thousand persons in Perth, 17·7 in Paisley, 18·0 in Edinburgh and Greenock, 18·7 in Leith, 19·1 in Aberdeen, 19·2 in Glasgow, and 19·6 in Dundee.

Of the 1103 Deaths registered in Glasgow, 216 were of children under one year of age, and 222 of persons over 60 years; of the 409 in Edinburgh, 82 were under one, and 111 over 60; of the 262 in Dundee, 86 were under one, and 45 over 60; of the 210 in Aberdeen, 42 were under one, and 69 over 60; of the 113 in Leith, 21 were under one, and 32 over 60; of the 104 in Paisley, 28 were under one, and 20 over 60; of the 96 in Greenock, 18 were under one, and 18 over 60; and of the 45 in Perth, 7 were under one and 10 over 60 years.

Of the whole 2342 Deaths registered, 813 or 34·7 per cent. were of children under five years of age. In Perth, 20·0 per cent. of the persons who died were under five years; in Greenock, 26·0; in Aberdeen, 28·6; in Leith, 31·0; in Edinburgh, 32·5; in Glasgow, 35·7; in Paisley, 36·5; and in Dundee, 45·4 per cent.

Miasmatic Diseases caused 235 Deaths, or 10·0 per cent. of the whole mortality, a rate exceeded in Paisley owing to the prevalence of Enteric Fever.

Diarrhœa was this month the most fatal of the Zymotic Diseases, having caused 75 deaths, or 3·2 per cent. of the whole mortality.

Hooping-Cough caused 66 deaths; Scarlet Fever, 41; Measles, 1; Diphtheria 44; Simple Cholera, 2; and Puerperal Fever, 14.

In all, 49 deaths were attributed to Fevers. Of these 46 were described as Enteric, 1 as Typhus, and 2 as Simple Continued or Ill-defined Fever. The death from Typhus Fever occurred in Paisley.

Intemperance was ascribed as the cause of 7 deaths, all of which were due to Chronic Alcoholism.

Apoplexy caused 90 deaths; Paralysis, 64; Diseases of the Heart, 191; and Premature Birth Debility, 73.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 464, or 19·8 per cent. of the total mortality. Those from Consumption alone numbered 205, or 8·8 per cent. Croup caused 28 deaths.

83 deaths were ascribed to Violent causes, 4 of which were stated to be suicidal. Hanging in 2 cases, and Cut-throat in 1 case were the means adopted by three of the persons who committed suicide, while in the remaining case the method was not stated.

1 Male and 5 females were aged 90 years and upwards. Of these the oldest was the widow of a Ink-maker, aged 96 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

## October 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 577,419 | 658,198 | 677,883 | 1010 | 992 | 2002 | 1886 | 116 | 416 | 529 | 574 | 1103 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 316 | 313 | 629 | 580 | 49 | 153 | 197 | 212 | 409 |
| DUNDEE, . . | 140,794 | 154,118 | 157,289 | 222 | 194 | 416 | 384 | 32 | 106 | 132 | 130 | 262 |
| ABERDEEN, . | 106,397 | 124,943 | 129,543 | 172 | 172 | 344 | 311 | 33 | 56 | 107 | 103 | 210 |
| LEITH, . . | 59,48 | 68,707 | 70,972 | 89 | 98 | 187 | 176 | 11 | 41 | 58 | 55 | 113 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 93 | 93 | 186 | 174 | 12 | 39 | 47 | 57 | 104 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 80 | 74 | 154 | 145 | 9 | 27 | 48 | 48 | 96 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 43 | 30 | 73 | 63 | 10 | 16 | 24 | 21 | 45 |
| TOTAL, . | 1,270,075 | 1,427,169 | 1,465,536 | 2025 | 1966 | 3991 | 3719 | 272 | 854 | 1142 | 1200 | 2342 |
| OCTOBER 1892, . . . | Mean Temp. 43°·7 | | | 2067 | 1810 | 3877 | 3605 | 272 | 929 | 1187 | 1152 | 2339 |
| OCTOBER 1891, . . . | Mean Temp. 47°·1 | | | 1858 | 1713 | 3571 | 3282 | 289 | 715 | 1100 | 1132 | 2232 |
| OCTOBER 1890, . . . | Mean Temp. 49°·2 | | | 1794 | 1670 | 3464 | 3179 | 285 | 702 | 1130 | 1167 | 2297 |
| OCTOBER 1889, . . . | Mean Temp. 46°·1 | | | 1911 | 1862 | 3773 | 3490 | 283 | 755 | 1108 | 1113 | 2221 |
| OCTOBER 1888, . . . | Mean Temp. 48°·0 | | | 1999 | 1883 | 3882 | 3559 | 323 | 809 | 1130 | 1110 | 2240 |
| OCTOBER 1887, . . . | Mean Temp. 45°·1 | | | 1835 | 1719 | 3554 | 3262 | 292 | 811 | 1048 | 1111 | 2159 |
| OCTOBER 1886, . . . | Mean Temp. 50°·1 | | | 1832 | 1768 | 3600 | 3300 | 300 | 632 | 1017 | 981 | 1998 |
| OCTOBER 1885, . . . | Mean Temp. 43°·6 | | | 1923 | 1801 | 3724 | 3408 | 316 | 706 | 972 | 1011 | 1983 |
| OCTOBER 1884, . . . | Mean Temp. 47°·9 | | | 2018 | 1866 | 3884 | 3576 | 308 | 726 | 1162 | 1161 | 2323 |
| OCTOBER 1883, . . . | Mean Temp. 47°·6 | | | 1906 | 1816 | 3722 | 3423 | 299 | 794 | 1069 | 1116 | 2185 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of October 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 0 | 0 | 6 | 12 | 1 | 14 | 1 |
| 2. Camlachie, . | 0 | 0 | 0 | 1 | 2 | 0 | 2 |
| 3. Dennistoun, . | 0 | 0 | 0 | 3 | 3 | 1 | 2 |
| 4. Calton, . | 0 | 0 | 1 | 0 | 1 | 0 | 3 |
| 5. Blackfriars, . | 0 | 0 | 0 | 1 | 1 | 1 | 1 |
| 6. St Rollox, . | 0 | 0 | 13 | 2 | 2 | 0 | 1 |
| 7. Blythswood, . | 0 | 0 | 2 | 0 | 1 | 0 | 3 |
| 8. Milton, . | 0 | 0 | 0 | 0 | 4 | 0 | 7 |
| 9. Kelvin, . | 0 | 0 | 0 | 2 | 8 | 0 | 1 |
| 10. Anderston, . | 0 | 0 | 2 | 1 | 2 | 2 | 0 |
| 11. Hutchesontown, | 0 | 0 | 1 | 0 | 3 | 0 | 2 |
| 12. Gorbals, . | 0 | 0 | 0 | 0 | 3 | 0 | 4 |
| 13. Tradeston, . | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| 14. Kinning Park, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cathcart, . | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Eastwood, . | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Maryhill, . | 0 | 0 | 1 | 1 | 2 | 0 | 4 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 0 | 0 | 1 | 10 | 1 | 4 |
| 2. St Andrew, . | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| 3. Canongate, . | 0 | 0 | 3 | 2 | 2 | 3 | 5 |
| 4. St Giles, . | 0 | 0 | 0 | 1 | 1 | 0 | 1 |
| 5. Newington, . | 0 | 0 | 0 | 0 | 2 | 2 | 1 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 0 | 0 | 0 | 4 | 1 | 1 |
| 2. St Mary, . | 0 | 0 | 2 | 0 | 0 | 1 | 2 |
| 3. St Clement, . | 0 | 0 | 0 | 0 | 1 | 1 | 2 |
| 4. St Andrew, . | 0 | 0 | 0 | 3 | 7 | 2 | 2 |
| 5. Lochee, . | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 1 | 6 | 4 | 0 | 0 | 6 |
| 2. Aberdeen, . | 0 | 0 | 0 | 2 | 0 | 0 | 4 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, . | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| 2. South, . . | 0 | 0 | 2 | 2 | 0 | 1 | 2 |
| PAISLEY, . . | 0 | 0 | 5 | 2 | 0 | 12 | 4 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 0 | 0 | 1 | 3 | 1 | 3 |
| 2. West, . . | 0 | 0 | 1 | 0 | 2 | 3 | 1 |
| PERTH, . . | 0 | 0 | 1 | 0 | 0 | 0 | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2342 | 394 | 107 | 380 | 222 | 1103 | 133 | 27 | 138 | 111 | 409 | 119 | 12 | 86 | 45 | 262 | 60 | 16 | 65 | 69 | 210 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 358 | 105 | 25 | 25 | 6 | 161 | 33 | 3 | 14 | 4 | 54 | 28 | 2 | 6 | 1 | 37 | 19 | 3 | 9 | 8 | 39 |
| II. PARASITIC DISEASE | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, | 11 | 1 | – | 4 | – | 5 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| IV. CONSTITUTIONAL ,, | 405 | 31 | 34 | 103 | 21 | 189 | 14 | 10 | 46 | 14 | 84 | 6 | 2 | 24 | 7 | 39 | 2 | 5 | 22 | 7 | 36 |
| V. DEVELOPMENTAL ,, | 169 | 42 | – | – | 39 | 81 | 15 | – | – | 16 | 31 | 8 | – | – | 3 | 11 | 7 | – | – | 8 | 15 |
| VI. LOCAL ,, | 1222 | 169 | 36 | 217 | 146 | 568 | 63 | 14 | 75 | 74 | 226 | 58 | 8 | 53 | 32 | 151 | 23 | 7 | 31 | 46 | 107 |
| VII. VIOLENCE - - | 83 | 9 | 8 | 20 | 7 | 44 | 3 | – | 2 | 3 | 8 | 5 | – | 2 | 1 | 8 | 1 | 1 | 3 | – | 5 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 93 | 36 | 4 | 11 | 3 | 54 | 5 | – | 1 | – | 6 | 13 | – | 1 | 1 | 15 | 7 | – | – | – | 7 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - | 235 | 69 | 25 | 14 | 4 | 112 | 21 | 3 | 7 | 2 | 33 | 19 | 1 | 3 | – | 23 | 9 | 3 | 7 | 7 | 26 |
| 2. DIARRHŒAL ,, - | 77 | 28 | – | 3 | 2 | 33 | 10 | – | 2 | 2 | 14 | 8 | 1 | – | – | 9 | 10 | – | – | – | 10 |
| 3. MALARIAL ,, - | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - | 8 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6. SEPTIC ,, - | 37 | 4 | – | 8 | – | 12 | 1 | – | 5 | – | 6 | 1 | – | 3 | 1 | 5 | – | – | 2 | 1 | 3 |
| II. PARASITIC DISEASES - | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - | 11 | 1 | – | 4 | – | 5 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| IV. CONSTITUTIONAL DISEASES | 405 | 31 | 34 | 103 | 21 | 189 | 14 | 10 | 46 | 14 | 84 | 6 | 2 | 24 | 7 | 39 | 2 | 5 | 22 | 7 | 36 |
| V. DEVELOPMENTAL DISEASES | 169 | 42 | – | – | 39 | 81 | 15 | – | – | 16 | 31 | 8 | – | – | 3 | 11 | 7 | – | – | 8 | 15 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM - | 274 | 30 | 4 | 38 | 37 | 109 | 14 | 3 | 14 | 26 | 57 | 8 | 1 | 10 | 14 | 33 | 9 | 2 | 8 | 7 | 26 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 6 | – | – | 1 | – | 1 | 3 | – | – | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 191 | 2 | 6 | 34 | 40 | 82 | – | 3 | 20 | 20 | 43 | 1 | 1 | 13 | 8 | 23 | – | 1 | 4 | 13 | 18 |
| 4. ,, RESPIRATORY SYSTEM | 464 | 96 | 14 | 84 | 50 | 244 | 37 | 5 | 16 | 15 | 73 | 32 | 2 | 18 | 6 | 58 | 7 | 2 | 10 | 19 | 38 |
| 5. ,, DIGESTIVE SYSTEM - | 181 | 35 | 9 | 24 | 11 | 79 | 9 | 1 | 13 | 10 | 33 | 16 | 3 | 4 | 3 | 26 | 7 | – | 6 | 5 | 18 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 5 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| 7. URINARY SYSTEM - | 61 | 2 | 1 | 21 | 7 | 31 | – | 1 | 6 | 2 | 9 | 1 | 1 | 5 | – | 7 | – | – | 3 | 2 | 5 |
| REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | 12 | – | – | 6 | – | 6 | – | 1 | 3 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| (b) DISEASES OF PARTURITION - - | 10 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| 9. ,, ORGANS OF LOCOMOTION - - - | 9 | 1 | 2 | 3 | – | 6 | – | – | – | – | – | – | – | 2 | – | 2 | – | 1 | – | – | 1 |
| 10. ,, INTEGUMENTARY SYSTEM - - | 9 | 3 | – | 1 | 1 | 5 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 35 | 9 | 37 | 32 | 113 | 38 | 11 | 35 | 20 | 104 | 25 | 16 | 37 | 18 | 96 | 9 | 5 | 21 | 10 | 45 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 7 | 2 | 2 | 1 | 12 | 12 | 6 | 13 | 1 | 32 | 8 | 5 | 4 | 1 | 18 | 1 | – | 4 | – | 5 |
| II. PARASITIC DISEASES - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC ,, - | – | – | 2 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| IV. CONSTITUTIONAL ,, - | 3 | 4 | 11 | 5 | 23 | 2 | – | 6 | 1 | 9 | – | 5 | 13 | 1 | 19 | 1 | 2 | 2 | 1 | 6 |
| V. DEVELOPMENTAL ,, - | 3 | – | – | 6 | 9 | 9 | – | – | 6 | 15 | 2 | – | – | 2 | 4 | 1 | – | – | 2 | 3 |
| VI. LOCAL ,, - | 19 | 2 | 21 | 19 | 61 | 8 | 5 | 13 | 12 | 38 | 13 | 5 | 14 | 13 | 45 | 4 | 3 | 13 | 6 | 26 |
| VII. VIOLENCE - - - | 2 | 1 | 1 | 1 | 5 | – | – | 3 | – | 3 | 1 | 1 | 6 | 1 | 9 | 1 | – | – | – | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 1 | – | – | – | 1 | 6 | – | – | – | 6 | 1 | – | – | – | 1 | 1 | – | 1 | 1 | 3 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 5 | 2 | 1 | – | 8 | 5 | 6 | 8 | 1 | 20 | 6 | 5 | – | – | 11 | 1 | – | 1 | – | 2 |
| 2. DIARRHŒAL ,, - - | 1 | – | 1 | – | 2 | 4 | – | – | – | 4 | 2 | – | 1 | 1 | 4 | – | – | 1 | – | 1 |
| 3. MALARIAL ,, - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - - | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| 6. SEPTIC ,, - - | – | – | – | 1 | 1 | 1 | – | 5 | – | 6 | – | – | 2 | – | 2 | – | – | 2 | – | 2 |
| II. PARASITIC DISEASES - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. DIETETIC DISEASES - - - | – | – | 2 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| IV. CONSTITUTIONAL DISEASES - - | 3 | 4 | 11 | 5 | 23 | 2 | – | 6 | 1 | 9 | – | 5 | 13 | 1 | 19 | 1 | 2 | 2 | 1 | 6 |
| V. DEVELOPMENTAL DISEASES - - | 3 | – | – | 6 | 9 | 9 | – | – | 6 | 15 | 2 | – | – | 2 | 4 | 1 | – | – | 2 | 3 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 3 | – | 3 | 8 | 14 | 6 | – | 2 | 5 | 13 | 1 | – | 6 | 5 | 12 | 2 | 1 | 5 | 2 | 10 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| 3. ,, CIRCULATORY SYSTEM | – | – | 6 | 4 | 10 | – | 1 | 3 | 5 | 9 | – | – | 1 | 2 | 3 | – | – | 1 | 2 | 3 |
| 4. ,, RESPIRATORY SYSTEM | 12 | 1 | 5 | 2 | 20 | 1 | 3 | 5 | 1 | 10 | 7 | 1 | 4 | 4 | 16 | 1 | 1 | 2 | 1 | 5 |
| 5. ,, DIGESTIVE SYSTEM - | 4 | – | 3 | 3 | 10 | 1 | 1 | 1 | 1 | 4 | 5 | 1 | – | 1 | 7 | 1 | – | 3 | – | 4 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7. ,, URINARY SYSTEM - | – | 1 | 3 | – | 4 | – | – | 1 | – | 1 | – | 1 | 1 | – | 2 | – | – | 1 | 1 | 2 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (*a*) DISEASES OF ORGANS OF GENERATION - | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| (*b*) DISEASES OF PARTURITION - - | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 1 | – | 3 | – | – | 1 | – | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 10. ,, INTEGUMENTARY SYSTEM - - | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 79 | 9 | 8 | 19 | 6 | 42 | 3 | – | 2 | 3 | 8 | 5 | – | 2 | 1 | 8 | 1 | 1 | 2 | – | 4 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 4 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 93 | 36 | 4 | 11 | 3 | 54 | 5 | – | 1 | – | 6 | 13 | – | 1 | 1 | 15 | 7 | – | – | – | 7 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Measles – – – – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash – – | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 1 | – | 6 |
| Scarlet Fever – – – | 41 | 17 | 9 | – | – | 26 | 1 | 2 | – | – | 3 | 2 | – | – | – | 2 | – | | – | – | – |
| Typhus – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 26 | – | – | 4 | 4 | 8 | – | – | 2 | 2 | 4 | – | – | – | – | – | – | – | 5 | 7 | 12 |
| Hooping-Cough – – – | 66 | 33 | – | – | – | 33 | 16 | – | – | – | 16 | 12 | – | – | – | 12 | – | – | – | – | – |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 44 | 18 | 6 | 1 | – | 25 | 3 | – | 1 | – | 4 | 3 | – | – | – | 3 | 5 | 1 | – | – | 6 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 46 | – | 10 | 9 | – | 19 | – | 1 | 4 | – | 5 | 1 | 1 | 3 | – | 5 | – | – | 1 | – | 1 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | 2 | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 75 | 27 | – | 3 | 1 | 31 | 10 | – | 2 | 2 | 14 | 8 | 1 | – | – | 9 | 10 | – | – | – | 10 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 7 | 3 | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 14 | 3 | – | 4 | – | 7 | – | – | – | – | – | 1 | – | 1 | 1 | 3 | – | – | 2 | 1 | 3 |
| Pyæmia, Septicæmia – – | 9 | 1 | – | – | – | 1 | 1 | – | 4 | – | 5 | – | – | 1 | – | 1 | – | – | – | – | – |
| Puerperal Fever – – – | 14 | – | – | 4 | – | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 2 | 1 | 1 | 1 | 5 | – | – | 3 | – | 3 | 1 | 1 | 5 | 1 | 8 | 1 | – | – | – | 1 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 1 | – | – | – | 1 | 6 | – | – | – | 6 | 1 | – | – | – | 1 | 1 | – | 1 | 1 | 3 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 3 | – | – | – | 3 | 3 | 2 | – | – | 5 | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Typhus | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | 4 | 1 | – | – | 5 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 1 | – | – | 3 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 1 | – | – | 1 | – | 4 | 7 | – | 11 | 1 | 3 | – | – | 4 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 1 | – | 1 | – | 2 | 4 | – | – | – | 4 | 2 | – | 1 | 1 | 4 | – | – | 1 | – | 1 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | – | – | – | – | – | 5 | – | 5 | – | – | 1 | – | 1 | – | – | 2 | – | 2 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 4 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 7 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 7 | – | – | 3 | – | 3 | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Rheumatism | 9 | – | 1 | 1 | 2 | 4 | 1 | – | 1 | 1 | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | 1 | – | – | – | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 101 | – | – | 24 | 14 | 38 | 1 | 1 | 12 | 11 | 25 | – | – | 7 | 5 | 12 | – | – | 5 | 6 | 11 |
| Tabes Mesenterica | 14 | 5 | 3 | – | – | 8 | – | – | – | – | – | 3 | – | – | – | 3 | – | 1 | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 36 | 15 | 1 | 1 | – | 17 | 10 | – | 1 | – | 11 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Phthisis | 205 | 4 | 24 | 70 | 2 | 100 | 1 | 5 | 29 | 1 | 36 | 1 | 1 | 16 | 2 | 20 | 1 | 3 | 13 | 1 | 18 |
| Other forms of Tuber. Scrofula | 18 | 6 | 3 | 1 | – | 10 | – | 1 | 2 | – | 3 | 1 | – | – | – | 1 | – | 1 | 2 | – | 3 |
| Purp., Hæmorrhagic Diathesis | 2 | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 9 | – | 1 | 2 | 2 | 5 | – | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | 1 | – | 1 |
| Diabetes Mellitus | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 73 | 37 | – | – | – | 37 | 12 | – | – | – | 12 | 6 | – | – | – | 6 | 7 | – | – | – | 7 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 9 | 4 | – | – | – | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 5 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Old Age | 82 | – | – | – | 39 | 39 | – | – | – | 16 | 16 | – | – | – | 3 | 3 | – | – | – | 8 | 8 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 48 | 17 | 1 | 5 | 1 | 24 | – | 1 | 1 | 2 | 4 | 6 | – | 1 | – | 7 | 5 | 2 | – | – | 7 |
| Apoplexy | 90 | – | – | 14 | 19 | 33 | 1 | 1 | 3 | 12 | 17 | – | – | 8 | 10 | 18 | – | – | 5 | 3 | 8 |
| Softening of Brain | 6 | – | – | – | 1 | 1 | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | 2 | 2 |
| Hemiplegia, Brain Paralysis | 53 | – | – | 11 | 14 | 25 | – | – | 5 | 5 | 10 | – | – | 1 | 4 | 5 | – | – | 1 | 1 | 2 |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 34 | 10 | 1 | – | – | 11 | 11 | – | – | – | 11 | 2 | – | – | – | 2 | 4 | – | – | – | 4 |
| Laryngismus Stridulus | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 10 | – | – | 5 | 1 | 6 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Diseases of Ner. System | 26 | 2 | 2 | 2 | 1 | 7 | 1 | – | 4 | 5 | 10 | – | 1 | – | – | 1 | – | – | – | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 5 | – | – | 1 | – | 1 | 2 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | 5 | 6 | – | – | 2 | – | 2 | – | – | 4 | 1 | 5 | – | – | 1 | 1 | 2 |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | 1 | – | – | 2 | 2 | – | – | – | 2 | – | 1 | – | – | 1 | – | 1 | – | – | 1 |
| Phthisis | 1 | 3 | 10 | – | 14 | – | – | 4 | 1 | 5 | – | 3 | 8 | – | 11 | – | – | 1 | – | 1 |
| Other forms of Tuberculosis, Scrofula | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 2 | – | – | – | 2 | 6 | – | – | – | 6 | 2 | – | – | – | 2 | 1 | – | – | – | 1 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 6 | 6 | – | – | – | 6 | 6 | – | – | – | 2 | 2 | – | – | – | 2 | 2 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | 1 | 1 | 2 | 4 | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 1 | 2 | 3 | – | – | – | 2 | 2 | – | – | 2 | 2 | 4 | – | – | 4 | 1 | 5 |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | – | 4 | 4 | – | – | 1 | 2 | 3 | – | – | 2 | 1 | 3 | – | – | – | 1 | 1 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Epilepsy | – | – | – | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | – | – | – | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – | – | 2 | 2 | 1 | – | 1 | – | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of October 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 151 | – | 4 | 27 | 36 | 67 | – | 2 | 17 | 15 | 34 | 1 | 1 | 10 | 7 | 19 | – | 1 | 3 | 10 | 14 |
| Pericarditis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Angina Pectoris | 5 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Syncope | 9 | 1 | 1 | 2 | – | 4 | – | – | 2 | 2 | 4 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 10 | – | – | 3 | 1 | 4 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 | – | – | 1 | – | 1 |
| Senile Gangrene | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 2 | 2 |
| Embolism, Thrombosis | 2 | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 6 | 1 | – | 2 | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 5 | 1 | – | – | – | 1 | – | – | – | – | – | 3 | – | – | – | 3 | – | 1 | – | – | 1 |
| Croup | 28 | 7 | 3 | – | – | 10 | 5 | 1 | – | – | 6 | 5 | – | – | – | 5 | 2 | – | – | 1 | 3 |
| Other Dis. of Larynx & Trachea | 4 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | 5 | – | – | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Bronchitis | 198 | 38 | 3 | 31 | 36 | 108 | 19 | 1 | 4 | 7 | 31 | 10 | 1 | 9 | 4 | 24 | 4 | – | 5 | 11 | 20 |
| Pneumonia | 191 | 38 | 6 | 43 | 10 | 97 | 12 | 1 | 10 | 6 | 29 | 12 | 1 | 8 | 2 | 23 | 1 | 1 | 4 | 6 | 12 |
| Pleurisy | 6 | 1 | – | 4 | – | 5 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Resp. System | 27 | 9 | 2 | 5 | 3 | 19 | – | 2 | – | 1 | 3 | 1 | – | 1 | – | 2 | – | – | – | 1 | 1 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 2 | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Dentition | 11 | 5 | – | – | – | 5 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 3 | – | – | – | 3 |
| Sore-throat, Quinsy | 9 | 5 | – | 1 | – | 6 | 1 | – | – | – | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – |
| Dyspepsia | 2 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 4 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Melæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 22 | 2 | 1 | 3 | 2 | 8 | 1 | – | 6 | 1 | 8 | 1 | – | – | 1 | 2 | 1 | – | 1 | 1 | 3 |
| Enteritis | 49 | 17 | 1 | 1 | 2 | 21 | 3 | – | 1 | – | 4 | 10 | 1 | – | – | 11 | 2 | – | – | 1 | 3 |
| Ulceration of Intestine | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 11 | 1 | 1 | 1 | 1 | 4 | 1 | – | – | 3 | 4 | – | – | – | 1 | 1 | – | – | 2 | – | 2 |
| Stricture or Strang. of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Intussusception of Intestine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 7 | – | – | 2 | – | 2 | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Fistula | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 23 | 2 | 3 | 3 | 1 | 9 | – | 1 | 2 | 1 | 4 | – | 1 | – | – | 1 | – | – | 2 | – | 2 |
| Ascites | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 5 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Liver | 15 | 2 | – | 4 | 2 | 8 | 2 | – | 1 | 1 | 4 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Dis. of Digestive System | 13 | 1 | 1 | 2 | 1 | 5 | – | – | – | 1 | 1 | 1 | – | – | 1 | 2 | – | – | 1 | 3 | 4 |
| **Dis. of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 21 | 2 | 1 | 6 | 4 | 13 | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 | – | – | 1 | – | 1 |
| Bright's Disease | 20 | – | – | 8 | 1 | 9 | – | 1 | 1 | – | 2 | – | 1 | 3 | – | 4 | – | – | – | – | – |
| Uræmia | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Calculus | 3 | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 5 | – | – | 2 | 1 | 3 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Urinary System | 8 | – | – | 2 | 1 | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | 2 | 3 |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of October 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **Diseases of Circulatory System.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 4 | 3 | 7 | – | 1 | 2 | 3 | 6 | – | – | – | 2 | 2 | – | – | – | 2 | 2 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Syncope | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Aneurism | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | 1 | – | – | – | 1 | – | 2 | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | – | – | 1 | 4 | – | – | 1 | 1 | 2 | 4 | 1 | 3 | 1 | 9 | – | – | – | – | – |
| Pneumonia | 8 | 1 | 5 | 1 | 15 | 1 | 1 | 4 | – | 6 | 2 | – | 1 | 2 | 5 | 1 | – | 2 | 1 | 4 |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Enteritis | 3 | – | – | 2 | 5 | – | 1 | 1 | 1 | 3 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | 2 | – | 3 | – | – | – | – | – | 2 | 1 | – | 1 | 4 | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| **Diseases of Lymphatic System and Ductless Glands.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | 1 | 1 | – | 2 | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – |
| Bright's Disease | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 7 | – | – | 3 | – | 3 | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 4 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 7 | 1 | 1 | 3 | – | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | 1 |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 4 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Eczema | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 7 | 1 | 2 | 1 | – | 4 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Drowning | 8 | 1 | 1 | 4 | – | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: In Bed | 14 | 4 | – | – | – | 4 | 3 | – | – | – | 3 | 3 | – | – | – | 3 | 1 | – | – | – | 1 |
| Suffocation: Otherwise | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 6 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 23 | – | 3 | 5 | 4 | 12 | – | – | 1 | 3 | 4 | – | – | 2 | – | 2 | – | – | – | – | – |
| Otherwise, or Not Stated | 15 | 2 | 2 | 4 | 2 | 10 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 4 | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Debility, Atrophy, Inanition | 67 | 31 | 2 | 2 | – | 35 | 5 | – | – | – | 5 | 12 | – | – | – | 12 | 6 | – | – | – | 6 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Abscess | 6 | 1 | 1 | 1 | 1 | 4 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 13 | 3 | 1 | 5 | 2 | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Suffocation: Otherwise | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | – | – | – | – | – | – | 3 | – | 3 | – | 1 | 1 | – | 2 | – | – | – | – | – |
| Otherwise, or Not Stated | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 2 | 1 | 3 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 1 | – | – | – | 1 | 6 | – | – | – | 6 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other ill-def. and not spec. Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—OCTOBER 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 47 | 7 | 35 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 13 | 2 |
| Ayr, | 27,132 | 73 | 14 | 52 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 14 | 5 |
| Banff, with Macduff, | 8,841 | 15 | 2 | 14 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 0 |
| Blairgowrie, | 4,481 | 11 | 2 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 1 |
| Callander, | 2,305 | 2 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Campbeltown, | 10,377 | 42 | 1 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| Cathcart (Landward), | 4,958 | 22 | 3 | 6 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0 |
| Crieff, | 5,531 | 11 | 4 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Dumbarton, | 18,745 | 56 | 4 | 29 | 0 | 0 | 1 | 1 | 0 | 3 | 0 | 3 | 0 | 8 | 2 |
| Dumfries, with Troqueer, | 24,092 | 63 | 16 | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 6 |
| Dunfermline | 29,207 | 84 | 9 | 36 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 3 | 1 | 6 | 4 |
| Dunoon, | 7,396 | 13 | 6 | 9 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Eastwood (Landward), | 13,967 | 37 | 12 | 19 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 3 | 2 |
| Elgin, | 10,614 | 27 | 9 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 |
| Falkirk, | 27,882 | 73 | 7 | 41 | 0 | 0 | 4 | 0 | 0 | 1 | 0 | 1 | 2 | 10 | 5 |
| Forfar, | 13,490 | 28 | 3 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 1 |
| Galashiels, | 18,264 | 29 | 8 | 15 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| Govan—(1) Plantation (Landward), | 23,668 | 84 | 13 | 32 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 9 | 1 |
| (2) Govan (Landward), | 43,404 | 146 | 17 | 98 | 0 | 0 | 2 | 1 | 3 | 2 | 0 | 2 | 2 | 26 | 12 |
| (3) Partick (Landward), | 38,979 | 107 | 22 | 57 | 0 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 14 | 5 |
| Haddington, | 5,121 | 11 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Hawick, with Wilton, | 21,303 | 46 | 8 | 27 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 2 |
| Inverness, | 24,689 | 52 | 19 | 29 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 3 | 3 |
| Kilmarnock, | 28,464 | 74 | 9 | 69 | 0 | 0 | 8 | 2 | 0 | 19 | 0 | 5 | 0 | 9 | 6 |
| Kilmore and Kilbride (Oban), | 5,870 | 13 | 3 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| Kinning Park (Landward), | 14,209 | 44 | 7 | 18 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 6 | 3 |
| Kirkcaldy and Abbotshall, | 18,494 | 49 | 10 | 29 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 3 |
| Kirkcudbright, | 3,477 | 7 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| Largs, | 5,359 | 13 | 1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Logie (Bridge of Allan), | 4,308 | 5 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Moffat, | 2,988 | 2 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| Montrose, | 14,037 | 30 | 4 | 40 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 4 | 1 | 2 | 3 |
| Moulin (Pitlochry), | 2,087 | 3 | 1 | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Nairn, | 5,219 | 6 | 0 | 11 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| New Monkland, (Airdrie and Landward), | 35,266 | 108 | 10 | 61 | 0 | 0 | 3 | 3 | 2 | 4 | 0 | 3 | 0 | 12 | 1 |
| North Berwick, | 3,123 | 7 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 46 | 18 | 34 | 0 | 4 | 0 | 1 | 4 | 0 | 0 | 5 | 0 | 4 | 2 |
| Rothesay, | 9,293 | 17 | 4 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| St Andrews and St. Leonards, | 8,789 | 22 | 2 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 |
| Shettleston (Landward), | 13,476 | 50 | 6 | 16 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| Stirling, | 15,222 | 46 | 6 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 |
| Stranraer, | 6,144 | 18 | 5 | 13 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| Wick | 12,140 | 34 | 8 | 25 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 1 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 136 feet above the sea-level,

**For the month of OCTOBER 1893.**

Mean barometric pressure, 29·713 inches; less than the average for the same month of 1856-92 by 0·100 inch.

Barometric monthly range, 1·390 inch; less by 0·085 inch.

Mean temperature, 48°·4; greater by 1°·2.

Mean daily range of temperature, 12°·5; greater by 1°·0.

Mean humidity, 84; less by 2.

Rain, number of days, 17; being the average.

Rain, depth in inches, 3·99; greater by 0·35 inch.

Wind, pressure on square foot, 1·47 lb.; less by 0·16 lb.

Wind, direction of, E. to W. as 3 to 16, and N. to S. as 3 to 6; the average being E. to W. as 7 to 12, and N. to S. as 4 to 6.

The month of October has thus been characterised by a barometric pressure and range under the average, a marked predominance of westerly and deficiency of easterly wind, and a mean temperature fully a degree above the average.

Barometric pressure diminished from South to North, but at a much more rapid rate than usual, and hence the greater prevalence of westerly winds.

Temperature was 1°·2 above the average, largely due to the higher temperatures during the days, which was 1°·7 above the mean, the nights being 0°·7. The absolute lowest temperature 28°·0 at Glasgow on the 5th, and at Perth on the 31st. The absolute highest was 65°·2 at Edinburgh on the 15th, being an unusually low maximum temperature for October. The distribution of mean temperature was unequal, for while it was a degree and a half above the average in Glasgow, Leith, and Edinburgh, it was the average at Aberdeen.

The rainfall exceeded the average by a third of an inch, but it was unequally distributed. At Greenock it was 44 per cent. above, but at Perth 31 per cent. under the average, the amounts at these two stations being respectively 8·96 and 2·26 inches. The rains of the 24th and 25th were heavy in the west, 2·58 inches falling at Greenock on the 24th, and 1·10 inch at Glasgow on the 25th. A slight shower of snow fell at Aberdeen on the 31st. At Greenock rain fell on 25 days, but at Perth on 10 days only.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of October 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Elastic Force of Vapour. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·676 | 29·736 | 1·405 | 62·7 | 28·0 | 48·6 | 34·7 | 13·5 | 28·2 | 48·1 | 45·9 | 43·5 | ·282 | 3·26 | 84 | 17 | 5·06 | 2 | 1 | 2 | 0 | 0 | 3 | 5 | 7 | 11 | 0·42 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·428 | 29·730 | 1·384 | 65·2 | 29·0 | 49·0 | 36·2 | 12·9 | 18·9 | 47·2 | 44·8 | 42·2 | ·269 | 3·12 | 84 | 14 | 2·51 | 1 | 0 | 2 | 0 | 0 | 2 | 23 | 0 | 3 | 1·04 |
| DUNDEE, John Carnachan, Esq., Curator of Cemeteries. | 164 | 29·518 | 29·695 | 1·370 | 61·2 | 28·2 | 47·4 | 33·0 | 13·3 | 22·0 | 46·4 | 44·8 | 43·1 | ·278 | 3·18 | 89 | 12 | 2·64 | 0 | 0 | 1 | 3 | 0 | 6 | 13 | 8 | 0 | 1·59 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·582 | 29·655 | 1·324 | 62·2 | 31 0 | 47·5 | 31·2 | 11·6 | 19·6 | 47·2 | 44·8 | 42·2 | ·269 | 3·12 | 84 | 21 | 2·83 | 1 | 0 | 2 | 1 | 4 | 7 | 5 | 11 | 0 | 0·85 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·645 | 29·722 | 1·425 | 63·3 | 31·9 | 49·2 | 31·4 | 11·2 | 16·1 | 48·4 | 45·9 | 43·2 | ·280 | 3·23 | 83 | 11 | 2·46 | 0 | 0 | 2 | 2 | 2 | 7 | 17 | 1 | 0 | 2·43 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·615 | 29·730 | 1·406 | 61·7 | 29·9 | 49·1 | 31·8 | 12·2 | 25·8 | 48·2 | 46·0 | 43·8 | ·283 | 3·26 | 85 | 24 | 5·20 | 1 | 1 | 2 | 0 | 6 | 4 | 16 | 1 | 0 | 2·01 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·493 | 29·741 | 1·380 | 60·9 | 30 8 | 48·2 | 30·1 | 10·5 | 17·2 | 49·0 | 46·1 | 43·0 | ·278 | 3·11 | 80 | 25 | ·96 | 0 | 1 | 2 | 0 | 0 | 3 | 12 | 7 | 6 | 1·96 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·543 | 29·697 | 1·430 | 62·5 | 28·0 | 48·2 | 34·5 | 15·0 | 23·2 | 47·0 | 44·0 | 40·6 | ·253 | 2·90 | 79 | 10 | 2·26 | 0 | 0 | 6 | 1 | 6 | 18 | 0 | 0 | 0 | ... |
| Means, | | 29·562 | 29·713 | 1·390 | 65 2* | 28·0† | 48·4 | 32·9 | 12·5 | 21·4 | 47·7 | 45·3 | 42·7 | ·274 | 3·15 | 84 | 17 | 3·99 | 1 | 0 | 2 | 1 | 3 | 6 | 11 | 5 | 2 | 1·47 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

* Absolute Highest. † Absolute Lowest.

PRINTED BY NEILL AND COMPANY, EDINBURGH

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

## IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE

**NOVEMBER 1893.**

**Published by Authority of the Registrar-General.**

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & CO., Old Fishmarket Close, and sold by JOHN MENZIES & CO., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of November 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3756 children, of whom 1910 were males, and 1846 females. Of these, 3461 were legitimate, and 295 illegitimate, being in the proportion of one illegitimate in every 12·7 Births, or the illegitmate Births constituted 7·9 per cent. of the whole. In Leith, 4·5 per cent. of the Births were illegitimate; in Greenock, 5·8; in Paisley, 6·1; in Glasgow, 7.0; in Edinburgh, 8·7; in Aberdeen, 8·9; in Perth, 12·5; and in Dundee, 12·6 per cent.

879 Marriages were registered in these Towns during the month. Allowing for increase of the population, this number is 81 below the average for November during the last ten years.

The Deaths of 2844 persons were recorded in these Towns during November, of whom 1394 were males, and 1450 females. Increase of the population being allowed for, this number is 264 above the average for the month during the last ten years.

A comparison of the Deaths registered shows that during November, the mortality was at the annual rate of 18·5 deaths per thousand persons in Aberdeen, 19·7 in Dundee, 22·7 in Greenock, 23·1 in Leith, 24·1 in Glasgow, 25·2 in Edinburgh, 29·2 in Paisley, and 31·7 in Perth.

Of the 1340 Deaths registered in Glasgow, 329 were of children under one year of age, and 251 of persons over 60 years; of the 555 in Edinburgh, 124 were under one year, and 151 over 60; of the 255 in Dundee, 52 were under one year, and 59 over 60; of the 197 in Aberdeen, 44 were under one, and 53 over 60; of the 135 in Leith, 40 were under one, and 34 over 60; of the 166 in Paisley, 28 were under one, and 51 over 60; of the 117 in Greenock, 18 were under one, and 28 over 60; and of the 79 in Perth, 11 were under one and 26 over 60 years.

Of the whole 2844 Deaths registered, 1027 or 36·1 per cent. were of children under five years of age. In Perth, 19·0 per cent. of the persons who died were under five years of age; in Aberdeen, 29·9; in Greenock, 30·8; in Paisley, 31·3; in Edinburgh, 33·0; in Dundee, 33·7; in Glasgow, 40·3; and in Leith, 41·5 per cent.

Miasmatic Diseases caused 296 Deaths, or 10·4 per cent. of the whole mortality. This rate was exceeded in Aberdeen where 13·7 per cent. of the deaths were from Miasmatic Diseases.

Hooping-Cough was the most fatal of the epidemics, having caused 103 deaths, or 3·6 per cent. of the whole. In Glasgow 63 deaths, and in Dundee 12 were attributed to Hooping-cough, being at the rate of 4·7 per cent. of the deaths in these Towns respectively.

Diphtheria caused 49 deaths; Diarrhœa and Dysentery, 41; Scarlatina, 39; Puerperal Fever, 12; Measles, 7; and Smallpox, 1 (in Leith).

Fevers caused 26 deaths, of which 25 were ascribed to Enteric Fever, and 1 (in Glasgow) to Typhus.

To Intemperance were attributed 15 deaths, of which 13 were from Chronic Alcoholism, and 2 from Delirium Tremens.

Apoplexy caused 89 deaths; Paralysis, 62; Diseases of the Heart, 211; and Premature Birth Debility, 71.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 799, or 28·1 per cent. of the total mortality. Those from Consumption alone numbered 251, or 8·8 per cent. 15 deaths resulted from Croup.

91 deaths were from Violent causes, one of which was suicidal, the means adopted being Cut-throat.

3 Males and 4 females were aged 90 years and upwards, the oldest of whom were a labourer, and the widow of a Mason, both aged 92 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

## November 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 577,419 | 658,198 | 677,883 | 917 | 892 | 1809 | 1683 | 126 | 480 | 669 | 671 | 1340 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 333 | 309 | 642 | 586 | 56 | 163 | 264 | 291 | 555 |
| DUNDEE, . . | 140,794 | 154,118 | 157,289 | 173 | 176 | 349 | 305 | 44 | 68 | 131 | 124 | 255 |
| ABERDEEN, . | 106,397 | 124,943 | 129,543 | 188 | 173 | 361 | 329 | 32 | 53 | 77 | 120 | 197 |
| LEITH, . . | 59,48 | 68,707 | 70,972 | 89 | 109 | 198 | 189 | 9 | 39 | 60 | 75 | 135 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 93 | 86 | 179 | 168 | 11 | 33 | 84 | 82 | 166 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 83 | 71 | 154 | 145 | 9 | 30 | 64 | 53 | 117 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 34 | 30 | 64 | 56 | 8 | 13 | 45 | 34 | 79 |
| TOTAL, . | 1,270,075 | 1,427,169 | 1,465,536 | 1910 | 1846 | 3756 | 3461 | 295 | 879 | 1394 | 1450 | 2844 |
| NOVEMBER 1892, . . . | Mean Temp. 42°·5 | | | 2037 | 1910 | 3947 | 3660 | 287 | 929 | 1369 | 1343 | 2712 |
| NOVEMBER 1891, . . . | Mean Temp. 41°·2 | | | 1720 | 1602 | 3322 | 3063 | 259 | 938 | 1564 | 1696 | 3260 |
| NOVEMBER 1890, . . . | Mean Temp. 41°·5 | | | 1540 | 1478 | 3018 | 2796 | 222 | 907 | 1082 | 1127 | 2209 |
| NOVEMBER 1889, . . . | Mean Temp. 43°·9 | | | 1726 | 1629 | 3355 | 3075 | 280 | 904 | 1056 | 1160 | 2216 |
| NOVEMBER 1888, . . . | Mean Temp. 43°·6 | | | 1742 | 1696 | 3438 | 3177 | 261 | 881 | 1028 | 1015 | 2043 |
| NOVEMBER 1887, . . . | Mean Temp. 40°·1 | | | 1754 | 1732 | 3486 | 3200 | 286 | 849 | 1153 | 1224 | 2377 |
| NOVEMBER 1886, . . . | Mean Temp. 44°·0 | | | 1834 | 1649 | 3483 | 3187 | 296 | 945 | 1190 | 1191 | 2381 |
| NOVEMBER 1885, . . . | Mean Temp. 41°·0 | | | 1765 | 1666 | 3431 | 3132 | 299 | 897 | 1142 | 1139 | 2281 |
| NOVEMBER 1884, . . . | Mean Temp. 41°·4 | | | 1760 | 1656 | 3416 | 3163 | 253 | 842 | 1246 | 1226 | 2472 |
| NOVEMBER 1883, . . . | Mean Temp. 41°·4 | | | 1795 | 1640 | 3435 | 3165 | 270 | 950 | 1198 | 1148 | 2346 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of November 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 0 | 0 | 12 | 6 | 8 | 11 | 0 |
| 2. Camlachie, . | 0 | 0 | 0 | 2 | 3 | 0 | 1 |
| 3. Dennistoun, . | 0 | 0 | 0 | 0 | 3 | 2 | 0 |
| 4. Calton, . | 0 | 0 | 1 | 1 | 2 | 0 | 1 |
| 5. Blackfriars, . | 0 | 0 | 0 | 1 | 3 | 0 | 0 |
| 6. St Rollox, . | 0 | 0 | 6 | 2 | 1 | 0 | 1 |
| 7. Blythswood, . | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 8. Milton, . | 0 | 0 | 0 | 0 | 3 | 0 | 3 |
| 9. Kelvin, . | 0 | 0 | 1 | 3 | 7 | 1 | 3 |
| 10. Anderston, . | 0 | 1 | 2 | 0 | 10 | 0 | 2 |
| 11. Hutchesontown, | 0 | 1 | 2 | 1 | 9 | 0 | 3 |
| 12. Gorbals, . | 0 | 0 | 0 | 1 | 5 | 1 | 5 |
| 13. Tradeston, . | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 14. Kinning Park, | 0 | 0 | 2 | 0 | 2 | 0 | 0 |
| Cathcart, . | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 0 | 0 | 1 | 6 | 0 | 0 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 0 | 0 | 2 | 2 | 0 | 0 |
| 2. St Andrew, . | 0 | 1 | 0 | 1 | 6 | 0 | 3 |
| 3. Canongate, . | 0 | 0 | 3 | 3 | 5 | 2 | 0 |
| 4. St Giles, . | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| 5. Newington, . | 0 | 0 | 0 | 3 | 2 | 0 | 1 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 0 | 1 | 2 | 3 | 0 | 0 |
| 2. St Mary, . | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 3. St Clement, . | 0 | 0 | 0 | 2 | 3 | 3 | 3 |
| 4. St Andrew, . | 0 | 0 | 0 | 2 | 5 | 0 | 1 |
| 5. Lochee, . | 0 | 0 | 0 | 1 | 1 | 0 | 1 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 0 | 1 | 3 | 3 | 1 | 0 | 3 |
| 2. Aberdeen, . | 0 | 0 | 1 | 2 | 1 | 1 | 0 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, . | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 2. South, . . | 1 | 0 | 2 | 1 | 3 | 1 | 1 |
| PAISLEY, . . | 0 | 0 | 1 | 3 | 2 | 3 | 2 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 0 | 0 | 2 | 2 | 0 | 1 |
| 2. West, . . | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| PERTH, . . | 0 | 0 | 2 | 0 | 3 | 0 | 2 |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2844 | 540 | 104 | 445 | 251 | 1340 | 183 | 33 | 188 | 151 | 555 | 86 | 27 | 83 | 59 | 255 | 59 | 23 | 62 | 53 | 197 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 377 | 108 | 29 | 36 | 9 | 182 | 33 | 5 | 18 | 11 | 67 | 22 | 7 | 6 | - | 35 | 12 | 6 | 7 | 10 | 35 |
| II. PARASITIC DISEASE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, | 17 | - | - | 8 | 2 | 10 | 2 | - | 1 | - | 3 | - | - | 2 | 1 | 3 | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, | 456 | 36 | 32 | 131 | 15 | 214 | 15 | 13 | 55 | 13 | 96 | 10 | 2 | 19 | 3 | 34 | 2 | 10 | 21 | 2 | 35 |
| V. DEVELOPMENTAL ,, | 199 | 54 | - | - | 54 | 108 | 6 | - | - | 25 | 31 | 8 | - | - | 7 | 15 | 5 | - | - | 7 | 12 |
| VI. LOCAL ,, | 1613 | 290 | 34 | 246 | 159 | 729 | 116 | 15 | 106 | 100 | 337 | 39 | 17 | 54 | 46 | 156 | 30 | 7 | 33 | 32 | 102 |
| VII. VIOLENCE - - | 91 | 11 | 9 | 18 | 10 | 48 | 5 | - | 7 | 2 | 14 | 1 | - | 2 | 2 | 5 | 4 | - | 1 | 2 | 7 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 91 | 41 | - | 6 | 2 | 49 | 6 | - | 1 | - | 7 | 6 | 1 | - | - | 7 | 6 | - | - | - | 6 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - | 296 | 95 | 26 | 20 | 7 | 148 | 29 | 5 | 8 | 10 | 52 | 16 | 7 | 1 | - | 24 | 8 | 5 | 4 | 10 | 27 |
| 2. DIARRHŒAL ,, - | 41 | 12 | 1 | 6 | 1 | 20 | 3 | - | 3 | - | 6 | 5 | - | - | - | 5 | 3 | - | - | - | 3 |
| 3. MALARIAL ,, - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| 4. ZOOGENOUS ,, - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - | 4 | - | - | - | - | - | 1 | - | 1 | - | 2 | - | - | 1 | - | 1 | - | - | 1 | - | 1 |
| 6. SEPTIC ,, - | 35 | 1 | 2 | 10 | 1 | 14 | - | - | 6 | 1 | 7 | 1 | - | 3 | - | 4 | 1 | 1 | 2 | - | 4 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - | 17 | - | - | 8 | 2 | 10 | 2 | - | 1 | - | 3 | - | - | 2 | 1 | 3 | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES | 456 | 36 | 32 | 131 | 15 | 214 | 15 | 13 | 55 | 13 | 96 | 10 | 2 | 19 | 3 | 34 | 2 | 10 | 21 | 2 | 35 |
| V. DEVELOPMENTAL DISEASES | 199 | 54 | - | - | 54 | 108 | 6 | - | - | 25 | 31 | 8 | - | - | 7 | 15 | 5 | - | - | 7 | 12 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM - | 309 | 51 | 10 | 35 | 45 | 141 | 9 | 3 | 21 | 25 | 58 | 8 | 4 | 10 | 8 | 30 | 9 | 2 | 6 | 8 | 25 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 3 | 1 | 1 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | 211 | 4 | 2 | 46 | 20 | 72 | 1 | 2 | 25 | 20 | 48 | 1 | 2 | 19 | 8 | 30 | 1 | - | 9 | 8 | 18 |
| 4. ,, RESPIRATORY SYSTEM | 799 | 199 | 15 | 104 | 77 | 393 | 97 | 4 | 34 | 43 | 178 | 25 | 6 | 14 | 21 | 66 | 12 | 3 | 8 | 11 | 34 |
| 5. ,, DIGESTIVE SYSTEM - | 159 | 29 | 5 | 26 | 10 | 70 | 8 | 2 | 10 | 8 | 28 | 4 | 2 | 3 | 2 | 11 | 6 | 1 | 7 | 1 | 15 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 4 | 1 | - | 1 | - | 2 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| 7. URINARY SYSTEM - | 82 | 3 | 1 | 21 | 5 | 30 | 1 | 1 | 7 | 2 | 11 | - | 2 | 8 | 6 | 16 | - | - | 2 | 4 | 6 |
| REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | 10 | - | - | 3 | - | 3 | - | - | 5 | 1 | 6 | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | 13 | - | - | 8 | - | 8 | - | - | 3 | - | 3 | - | - | - | - | - | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | 12 | 1 | 2 | 1 | 1 | 5 | - | 2 | - | - | 2 | - | 1 | - | 1 | 2 | 1 | 1 | - | - | 2 |
| 10. ,, INTEGUMENTARY SYSTEM - - | 11 | 1 | - | 1 | 1 | 3 | - | - | 1 | 1 | 2 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 56 | 10 | 35 | 34 | 135 | 52 | 19 | 44 | 51 | 166 | 36 | 9 | 44 | 28 | 117 | 15 | 9 | 29 | 26 | 79 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 9 | 2 | 4 | 3 | 18 | 7 | 3 | 5 | 3 | 18 | 4 | 2 | 4 | 2 | 12 | 4 | 2 | 3 | 1 | 10 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 5 | 4 | 7 | 4 | 20 | 3 | 3 | 14 | 4 | 24 | 4 | 2 | 10 | 1 | 17 | 3 | 2 | 9 | 2 | 16 |
| V. DEVELOPMENTAL ,, - | 6 | - | - | 3 | 9 | 3 | - | - | 11 | 14 | 5 | - | - | 1 | 6 | - | - | - | 4 | 4 |
| VI. LOCAL ,, - | 28 | 2 | 23 | 24 | 77 | 32 | 11 | 23 | 33 | 99 | 20 | 5 | 21 | 23 | 69 | 6 | 5 | 16 | 17 | 44 |
| VII. VIOLENCE - - - | 2 | 2 | 1 | - | 5 | 1 | 2 | 1 | - | 4 | 1 | - | 5 | 1 | 7 | - | - | - | 1 | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 6 | - | - | - | 6 | 6 | - | 1 | - | 7 | 2 | - | 3 | - | 5 | 2 | - | 1 | 1 | 4 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 7 | 2 | 2 | 3 | 14 | 6 | 2 | 3 | 3 | 14 | 3 | 2 | 2 | 2 | 9 | 4 | 1 | 2 | 1 | 8 |
| 2. DIARRHŒAL ,, - - | 2 | - | - | - | 2 | 1 | - | 1 | - | 2 | 1 | - | - | - | 1 | - | 1 | 1 | - | 2 |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | - | - | - | - | - |
| 5. VENEREAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6. SEPTIC ,, - - | - | - | 2 | - | 2 | - | 1 | 1 | - | 2 | - | - | 2 | - | 2 | - | - | | - | - |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 5 | 4 | 7 | 4 | 20 | 3 | 3 | 14 | 4 | 24 | 4 | 2 | 10 | 1 | 17 | 3 | 2 | 9 | 2 | 16 |
| V. DEVELOPMENTAL DISEASES - - | 6 | - | - | 3 | 9 | 3 | - | - | 11 | 14 | 5 | - | - | 1 | 6 | - | - | - | 4 | 4 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 3 | - | 4 | 3 | 10 | 4 | 4 | 4 | 4 | 16 | 6 | 1 | 7 | 4 | 18 | - | - | 3 | 8 | 11 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 |
| 3. ,, CIRCULATORY SYSTEM | - | 1 | 11 | 7 | 19 | 1 | 1 | 3 | 4 | 9 | - | - | 7 | 5 | 12 | 1 | - | 1 | 1 | 3 |
| 4. ,, RESPIRATORY SYSTEM | 20 | 1 | 6 | 7 | 34 | 19 | 1 | 8 | 20 | 48 | 12 | 1 | 4 | 9 | 26 | 5 | 1 | 7 | 7 | 20 |
| 5. ,, DIGESTIVE SYSTEM - | 5 | - | 1 | 4 | 10 | 8 | 3 | - | 1 | 12 | 1 | 1 | 2 | 1 | 5 | - | 3 | 4 | 1 | 8 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM - | - | - | 1 | 2 | 3 | - | - | 5 | 4 | 9 | 1 | 1 | 1 | 3 | 6 | - | - | 1 | - | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | - | - | - | - | - | 2 | - | 2 | - | - | - | - | | - | - | - | - | - |
| 9. ,, ORGANS OF LOCOMOTION - - - | - | - | - | - | - | - | 1 | - | - | 1 | - | | - | - | - | - | - | - | - | - |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | 1 | 1 | - | 1 | - | - | 1 | - | 1 | - | 1 | 2 | - | - | - | - | - |

# DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 90 | 11 | 9 | 18 | 10 | 48 | 5 | – | 7 | 1 | 13 | 1 | – | 2 | 2 | 5 | 4 | – | 1 | 2 | 7 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 91 | 41 | – | 6 | 2 | 49 | 6 | – | 1 | – | 7 | 6 | 1 | – | – | 7 | 6 | – | – | – | 6 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Small-pox – Vaccinated – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – Unvaccinated – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – No Statement – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles – – – – | 7 | 1 | 2 | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | 3 | – | – | – | 3 |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 39 | 13 | 12 | 1 | – | 26 | 1 | 2 | – | – | 3 | – | 1 | – | – | 1 | 1 | 2 | 1 | – | 4 |
| Typhus – – – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 71 | 3 | 1 | 10 | 7 | 21 | 4 | – | 7 | 10 | 21 | – | – | – | – | – | – | – | 2 | 10 | 12 |
| Hooping-Cough – – – | 103 | 61 | 2 | – | – | 63 | 16 | – | – | – | 16 | 12 | – | – | – | 12 | 2 | – | – | – | 2 |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 49 | 15 | 5 | – | – | 20 | 7 | 2 | – | – | 9 | 4 | 4 | – | – | 8 | 2 | 3 | – | – | 5 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 25 | 2 | 4 | 8 | – | 14 | – | 1 | 1 | – | 2 | – | 2 | 1 | – | 3 | – | – | 1 | – | 1 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 41 | 12 | 1 | 6 | 1 | 20 | 3 | – | 3 | – | 6 | 5 | – | – | – | 5 | 3 | – | – | – | 3 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 19 | 1 | – | 5 | 1 | 7 | – | – | 4 | 1 | 5 | 1 | – | 1 | – | 2 | 1 | – | 2 | – | 3 |
| Pyæmia, Septicæmia – – | 4 | – | 2 | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever – – – | 12 | – | – | 5 | – | 5 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | 1 | – | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 2 | 2 | 1 | – | 5 | 1 | 2 | 1 | – | 4 | 1 | – | 5 | 1 | 7 | – | – | – | 1 | 1 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 6 | – | – | – | 6 | 6 | – | 1 | – | 7 | 2 | – | 3 | – | 5 | 2 | – | 1 | 1 | 4 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Unvaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: No Statement | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 2 | 3 | 5 | – | – | 2 | 3 | 5 | – | – | 2 | 2 | 4 | – | – | 2 | 1 | 3 |
| Hooping-cough | 3 | – | – | – | 3 | 2 | – | – | – | 2 | 2 | – | – | – | 2 | 3 | – | – | – | 3 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | – | 2 | 3 | – | – | – | 3 | 1 | 1 | – | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | 1 | – | – | 1 | – | 2 | 1 | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | – | – | – | 2 | 1 | – | 1 | – | 2 | 1 | – | – | – | 1 | – | 1 | 1 | – | 2 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Puerperal Fever | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | 2 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 13 | – | – | 7 | 2 | 9 | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Intemp. { Delirium Tremens | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 9 | – | – | 4 | – | 4 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | 2 | – | – | 2 |
| Rheumatism | 6 | – | – | 2 | 1 | 3 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 4 | 2 | – | – | – | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 92 | – | – | 24 | 13 | 37 | – | – | 14 | 11 | 25 | – | – | 5 | 2 | 7 | – | – | 8 | 1 | 9 |
| Tabes Mesenterica | 26 | 10 | 4 | – | – | 14 | 4 | 1 | – | – | 5 | 3 | – | – | – | 3 | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 32 | 11 | 3 | – | – | 14 | 6 | 3 | – | – | 9 | 3 | – | – | – | 3 | 1 | – | 1 | – | 2 |
| Phthisis | 251 | 6 | 21 | 96 | 1 | 124 | 1 | 8 | 37 | – | 46 | 2 | 2 | 13 | 1 | 18 | – | 8 | 8 | 1 | 17 |
| Other forms of Tuber. Scrofula | 25 | 7 | 3 | 1 | – | 11 | 2 | – | 1 | – | 3 | 2 | – | – | – | 2 | – | – | 3 | – | 3 |
| Purp., Hæmorrhagic Diathesis | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 7 | – | 1 | 1 | – | 2 | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 71 | 46 | – | – | – | 46 | 5 | – | – | – | 5 | 5 | – | – | – | 5 | 5 | – | – | – | 5 |
| Atelectasis | 3 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 6 | 3 | – | – | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 5 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – |
| Old Age | 112 | – | – | – | 54 | 54 | – | – | – | 25 | 25 | – | – | – | 7 | 7 | – | – | – | 7 | 7 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 62 | 27 | 4 | 5 | 1 | 37 | 1 | 1 | 3 | – | 5 | 3 | 2 | 2 | – | 7 | 2 | – | – | – | 2 |
| Apoplexy | 89 | – | – | 14 | 24 | 38 | – | – | 6 | 12 | 18 | – | – | 5 | 4 | 9 | – | – | 3 | 5 | 8 |
| Softening of Brain | 8 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 |
| Hemiplegia, Brain Paralysis | 51 | – | – | 5 | 15 | 20 | – | – | 2 | 9 | 11 | – | – | – | 2 | 2 | 1 | – | 1 | 2 | 4 |
| Paralysis Agitans | 2 | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 7 | – | – | 2 | – | 2 | – | – | 5 | – | 5 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 10 | – | 2 | 3 | 1 | 6 | – | 1 | 1 | 1 | 3 | – | – | 1 | – | 1 | – | – | – | – | – |
| Convulsions | 35 | 15 | 1 | – | – | 16 | 4 | – | – | – | 4 | 3 | – | – | – | 3 | 5 | – | – | – | 5 |
| Laryngismus Stridulus | 5 | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Idiopathic Tetanus | 3 | – | 1 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 9 | – | – | 2 | 2 | 4 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Other Diseases of Ner. System | 28 | 8 | 2 | 3 | 1 | 14 | 1 | 1 | 2 | 1 | 5 | 1 | 2 | 1 | – | 4 | – | 1 | 1 | – | 2 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIETETIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Rheumatism | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 2 | 3 | 5 | – | – | 2 | 2 | 4 | – | – | 2 | – | 2 | – | – | 2 | 1 | 3 |
| Tabes Mesenterica | 1 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 |
| Phthisis | 3 | 4 | 5 | 1 | 13 | 1 | 2 | 10 | 1 | 14 | 3 | – | 8 | – | 11 | – | 1 | 6 | 1 | 8 |
| Other forms of Tuberculosis, Scrofula | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | – | 3 | 1 | – | 1 | – | 2 |
| Purpura, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 4 | – | – | – | 4 | 3 | – | – | – | 3 | 3 | – | – | – | 3 | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 3 | 3 | – | – | – | 11 | 11 | – | – | – | 1 | 1 | – | – | – | 4 | 4 |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 2 | 4 | – | – | 6 | 4 | – | 1 | – | 5 | – | – | – | – | – |
| Apoplexy | – | – | 2 | 1 | 3 | – | – | 2 | 2 | 4 | – | – | 1 | 2 | 3 | – | – | – | 6 | 6 |
| Softening of Brain | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 2 | 3 | – | – | 2 | 2 | 4 | – | – | 3 | 1 | 4 | – | – | 2 | 1 | 3 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Epilepsy | – | – | – | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | – | – | – | 3 | 2 | – | – | – | 2 | 1 | 1 | – | – | 2 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Other Diseases of Nervous System | – | – | – | | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | 1 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 168 | 1 | 1 | 39 | 19 | 60 | 1 | 2 | 21 | 18 | 42 | – | 2 | 15 | 5 | 22 | 1 | – | 4 | 7 | 12 |
| Pericarditis | 5 | – | 1 | 1 | – | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Hypertrophy of Heart | 7 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | 16 | 2 | – | 2 | 1 | 5 | – | – | 1 | 1 | 2 | – | – | – | 2 | 2 | – | – | 3 | – | 3 |
| Aneurism | 4 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Embolism, Thrombosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Cir. System | 4 | 1 | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 16 | 4 | – | 1 | – | 5 | – | – | – | – | – | 1 | 1 | – | – | 2 | 4 | 2 | – | – | 6 |
| Croup | 15 | 6 | 1 | – | – | 7 | 1 | 1 | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Dis. of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 9 | – | – | 2 | – | 2 | – | – | – | 3 | 3 | – | – | – | – | – | – | – | – | 1 | 1 |
| Bronchitis | 415 | 89 | 4 | 50 | 52 | 195 | 69 | – | 9 | 28 | 106 | 10 | – | 6 | 14 | 30 | 4 | 1 | 3 | 8 | 16 |
| Pneumonia | 273 | 78 | 6 | 35 | 17 | 136 | 21 | 1 | 21 | 9 | 52 | 13 | 3 | 7 | 6 | 29 | 3 | – | 5 | 2 | 10 |
| Pleurisy | 19 | 2 | 1 | 4 | 2 | 9 | 1 | 2 | 2 | 1 | 6 | – | 2 | 1 | – | 3 | – | – | – | – | – |
| Other Diseases of Resp. System | 52 | 20 | 1 | 12 | 6 | 39 | 5 | – | 2 | 2 | 9 | – | – | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 3 | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Dentition | 14 | 6 | – | – | – | 6 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | 7 | 2 | – | 1 | – | 3 | – | 1 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Dyspepsia | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | 22 | – | 2 | 6 | 1 | 9 | 1 | – | 3 | 1 | 5 | – | – | – | – | – | 3 | – | 3 | 1 | 7 |
| Enteritis | 31 | 10 | 1 | 2 | 2 | 15 | 2 | 1 | – | – | 3 | 2 | – | 1 | – | 3 | 2 | – | 1 | – | 3 |
| Ulceration of Intestine | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 12 | 1 | – | 4 | 1 | 6 | – | – | 1 | – | 1 | – | – | 2 | – | 2 | – | – | – | – | – |
| Stricture or Strang. of Intestine | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 9 | 1 | – | 2 | 1 | 4 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 22 | 2 | 2 | 3 | – | 7 | 1 | – | 1 | 2 | 4 | – | 1 | – | – | 1 | – | 1 | 3 | – | 4 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 8 | – | – | 3 | – | 3 | – | – | 2 | – | 2 | – | 1 | – | 1 | 2 | – | – | – | – | – |
| Other Diseases of Liver | 17 | 3 | – | 3 | 3 | 9 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Digestive System | 4 | 1 | – | – | 1 | 2 | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Lymphatics | 3 | 1 | – | 1 | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 15 | – | 1 | 5 | – | 6 | – | 1 | 1 | – | 2 | – | 1 | 4 | – | 5 | – | – | – | – | – |
| Bright's Disease | 32 | 1 | – | 7 | 4 | 12 | 1 | – | 4 | 1 | 6 | – | 1 | – | – | 1 | – | – | 1 | 3 | 4 |
| Uræmia | 5 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| Suppression of Urine | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Bladder and of Prostate | 7 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Other Dis. of Urinary System | 21 | 1 | – | 7 | – | 8 | – | – | 2 | – | 2 | – | – | 2 | 4 | 6 | – | – | – | 1 | 1 |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | 1 | 7 | 5 | 13 | – | 1 | 3 | 3 | 7 | – | – | 5 | 5 | 10 | 1 | – | 1 | – | 2 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Syncope | – | – | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Aneurism | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – | 3 | – | – | – | – | – |
| Croup | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | 1 | – | – | 1 |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | 1 | 1 |
| Bronchitis | 15 | – | 2 | 4 | 21 | 7 | – | 4 | 13 | 24 | 3 | – | – | 6 | 9 | 4 | – | 4 | 6 | 14 |
| Pneumonia | 4 | 1 | 3 | 3 | 11 | 10 | 1 | 4 | 5 | 20 | 6 | – | 2 | 3 | 11 | 1 | – | 3 | – | 4 |
| Pleurisy | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | – | – | – | – | – | 1 | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | – | – | – | – | – | 6 | – | – | – | 6 | – | – | – | – | – | – | – | – | – | – |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Enteritis | 1 | – | – | – | 1 | 2 | 2 | – | – | 4 | 1 | – | – | – | 1 | – | 1 | – | – | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | 1 | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Peritonitis | 1 | – | 1 | – | 2 | – | 1 | – | – | 1 | – | 1 | 1 | – | 2 | – | 1 | – | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Liver | 2 | – | – | 1 | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Bright's Disease | – | – | – | 2 | 2 | – | – | 4 | 1 | 5 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | 1 | 2 | 3 | 1 | – | – | – | 1 | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

## Registered during the Month of November 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 3 | – | – | – | – | – | – | – | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | 5 | – | – | 2 | – | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 2 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 5 | – | – | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 6 | 1 | 1 | – | – | 2 | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | 1 | – | – | 1 |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 6 | – | 1 | 1 | 1 | 3 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 5 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Other Dis. of Integ. System | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 5 | – | – | 2 | 1 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 17 | 4 | 5 | 1 | – | 10 | 2 | – | 1 | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 8 | – | 1 | 3 | – | 4 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| Suffocation: In Bed | 11 | 5 | – | – | – | 5 | – | – | – | – | – | 1 | – | – | – | 1 | 3 | – | – | – | 3 |
| Suffocation: Otherwise | 7 | 1 | – | – | – | 1 | 3 | – | – | – | 3 | – | – | 1 | – | 1 | – | – | – | 1 | 1 |
| Falls | 3 | – | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | 24 | – | 2 | 8 | 5 | 15 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Otherwise, or Not Stated | 11 | 1 | – | 1 | 3 | 5 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 2 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 71 | 37 | – | 1 | – | 38 | 6 | – | – | – | 6 | 4 | – | – | – | 4 | 6 | – | – | – | 6 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 11 | 2 | – | 3 | 1 | 6 | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | 1 | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Drowning | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Suffocation: In Bed | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | | – | 1 | – | 1 | – | – | – | | – | – | – | 4 | – | 4 | – | – | – | – | – |
| Otherwise, or Not Stated | – | 2 | – | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 6 | – | – | – | 6 | 6 | – | 1 | – | 7 | 2 | – | 1 | – | 3 | 1 | – | – | – | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 3 |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—NOVEMBER 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 45 | 4 | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 19 | 3 |
| Ayr, | 27,132 | 61 | 15 | 45 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 2 | 0 | 12 | 3 |
| Banff, with Macduff, | 8,841 | 17 | 4 | 16 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |
| Blairgowrie, | 4,481 | 11 | 2 | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 |
| Callander, | 2,305 | 5 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 |
| Campbeltown, | 10,377 | 19 | 4 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 |
| Cathcart (Landward), | 4,958 | 15 | 1 | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Crieff, | 5,531 | 9 | 1 | 10 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 |
| Dumbarton, | 18,745 | 54 | 11 | 38 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 7 | 1 |
| Dumfries, with Troqueer, | 24,092 | 51 | 9 | 53 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 18 | 3 |
| Dunfermline | 29,207 | 60 | 14 | 37 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 6 | 5 |
| Dunoon, | 7,396 | 14 | 1 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 1 |
| Eastwood (Landward), | 13,967 | 30 | 12 | 25 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 1 | 2 | 5 | 1 |
| Elgin, | 10,614 | 23 | 1 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 2 |
| Falkirk, | 27,882 | 88 | 12 | 47 | 0 | 0 | 0 | 0 | 9 | 4 | 0 | 0 | 0 | 7 | 2 |
| Forfar, | 13,490 | 35 | 3 | 22 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 7 | 1 |
| Galashiels, | 18,264 | 30 | 1 | 21 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 3 | 3 |
| Govan—(1) Plantation (Landward), | 23,668 | 68 | 5 | 50 | 0 | 0 | 0 | 2 | 4 | 0 | 0 | 0 | 1 | 24 | 3 |
| (2) Govan (Landward), | 43,404 | 143 | 16 | 118 | 0 | 0 | 2 | 2 | 7 | 0 | 0 | 3 | 2 | 36 | 6 |
| (3) Partick (Landward), | 38,979 | 126 | 22 | 65 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 19 | 8 |
| Haddington, | 5,121 | 7 | 1 | 12 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 2 | 1 |
| Hawick, with Wilton, | 21,303 | 41 | 4 | 32 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 1 |
| Inverness, | 24,689 | 62 | 9 | 53 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 7 | 9 |
| Kilmarnock, | 28,464 | 65 | 12 | 77 | 0 | 0 | 8 | 0 | 1 | 3 | 0 | 1 | 0 | 23 | 9 |
| Kilmore and Kilbride (Oban), | 5,870 | 12 | 1 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Kinning Park (Landward), | 14,209 | 36 | 7 | 28 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 13 | 6 |
| Kirkcaldy and Abbotshall, | 18,494 | 52 | 7 | 19 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Kirkcudbright, | 3,477 | 4 | 1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Largs, | 5,359 | 7 | 3 | 12 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Logie (Bridge of Allan), | 4,308 | 6 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| Moffat, | 2,988 | 8 | 0 | 5 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Montrose, | 14,037 | 20 | 1 | 40 | 0 | 6 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 7 | 4 |
| Moulin (Pitlochry), | 2,087 | 5 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nairn, | 5,219 | 17 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| New Monkland, (Airdrie and Landward), | 35,266 | 138 | 15 | 61 | 0 | 0 | 1 | 1 | 3 | 1 | 0 | 2 | 1 | 12 | 7 |
| North Berwick, | 3,123 | 7 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Peterhead, with Boddam, | 16,207 | 42 | 11 | 33 | 0 | 4 | 0 | 0 | 2 | 1 | 0 | 1 | 1 | 4 | 4 |
| Rothesay, | 9,293 | 14 | 4 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| St Andrews and St. Leonards, | 8,789 | 17 | 3 | 15 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 2 | 0 |
| Shettleston (Landward), | 13,476 | 36 | 3 | 24 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 4 | 4 |
| Stirling, | 15,222 | 34 | 10 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 9 | 4 |
| Stranraer, | 6,144 | 11 | 2 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 |
| Wick | 12,140 | 26 | 6 | 15 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 4 | 0 |

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 136 feet above the sea-level,

**For the month of NOVEMBER 1893.**

Mean barometric pressure, 29·978 inches; greater than the average for the same month of 1856-92 by 0·141 inch.

Barometric monthly range, 1·954 inch; greater by 0·400 inch.

Mean temperature, 40°·1; less by 1°·2.

Mean daily range of temperature, 10°·1; greater by 0°·1.

Mean humidity, 84; less by 2.

Rain, number of days, 13; less by 3.

Rain, depth in inches, 2·57; less by 0·85 inch.

Wind, pressure on square foot, 1·72 lb.; greater by 0·05 lb.

Wind, direction of, E. to W. as 6 to 12, and N. to S. as 9 to 3; the average being E. to W. as 6 to 11, and N. to S. as 5 to 6.

Hence the month of November 1893, has been characterised by a marked predominance of northerly winds, a temperature fully a degree under the average, and a rainfall decidedly under the average, except at Aberdeen where it exceeded it.

Pressure was above the average, diminished from South to North, and from West to East. This higher pressure in the West as compared with the East, resulted in the remarkable prevalence of northerly winds which occurred, bringing in their train a low temperature, a heavy rainfall to the north of the Grampians, and a greatly diminished rainfall to the south.

The absolute lowest temperature was 23°·0 at Glasgow on the 21st; and the absolute highest was 55°·8 at Glasgow on the 28th, and at Leith on the same day. The lowering of the temperature was nearly equal among the large Towns.

At Aberdeen the rainfall was 28 per cent. above the average, but at every other station it was under it, the deficiency being greater, 71 per cent. at Perth, and 52 per cent. at Dundee. The largest rainfall, 5·28 inches, was collected at Greenock, and the smallest 0·95 inch at Perth. At Aberdeen 2·18 inches fell on the 16th and 17th; 1·71 inch. at Glasgow on the 3rd; and 1·57 inch. on the 3rd, and 1·24 inch. on the 16th at Greenock.

The outstanding event of the month was the great storm of the 17th and 18th from the north, which was both on land and sea, one of the most destructive and wide spread of recent years.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of November 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS. Elastic Force of Vapour. | DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | WINDS. Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | 29·941 | 30·002 | 2·023 | 55·8 | 23·0 | 40·6 | 32·8 | 12·2 | 22·7 | 40·2 | 38·3 | 35·9 | ·211 | 2·44 | 85 | 10 | 3·00 | 2 | 1 | 5 | 1 | 1 | 0 | 9 | 3 | 8 | 0·49 |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·657 | 29·966 | 2·048 | 55·1 | 28·4 | 40·6 | 26·7 | 9·3 | 19·8 | 40·3 | 38·0 | 35·0 | ·204 | 2·37 | 82 | 14 | 1·74 | 5 | 3 | 3 | 0 | 2 | 2 | 9 | 4 | 2 | 0·81 |
| DUNDEE, John Carnachan, Esq., Curator of Cemeteries. | 164 | 29·783 | 29·967 | 1·920 | 53·9 | 27·0 | 39·0 | 26·9 | 10·5 | 24·0 | 39·0 | 37·7 | 36·0 | ·212 | 2·44 | 90 | 10 | 1·25 | 2 | 8 | 0 | 2 | 1 | 2 | 8 | 7 | 0 | 1·75 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·865 | 29·939 | 1·778 | 55·7 | 28· | 40·0 | 27·5 | 9·0 | 21·9 | 40·1 | 38·1 | 35·5 | ·208 | 2·41 | 84 | 22 | 4·16 | 7 | 1 | 0 | 2 | 2 | 2 | 5 | 11 | 0 | 1·21 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·901 | 29·979 | 2·057 | 55·8 | 30·3 | 41·8 | 25·5 | 8·2 | 19·3 | 41·5 | 39·0 | 35·9 | ·211 | 2·45 | 81 | 14 | 1·53 | 7 | 1 | 2 | 1 | 2 | 0 | 15 | 2 | 0 | 3·07 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·760 | 30·016 | 1·953 | 52·9 | 28 8 | 39·9 | 24·1 | 10·4 | 16·0 | 41·0 | 38·5 | 35·4 | ·206 | 2·40 | 81 | 14 | 5·28 | 0 | 5 | 4 | 0 | 0 | 0 | 9 | 11 | 1 | 2·99 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·817 | 29·974 | 1·900 | 54·5 | 24·5 | 39·1 | 30·0 | 11·4 | 20·0 | 39·0 | 36·8 | 33·9 | ·195 | 2·26 | 83 | 8 | 0·95 | 6 | 6 | 10 | 0 | 1 | 6 | 1 | 0 | 0 | .. |
| Means, | | 29·818 | 29·978 | 1·954 | 55·8 | 23·0 | 40·1 | 27·6 | 10·1 | 20·5 | 40·2 | 38·1 | 35·4 | ·207 | 2·40 | 84 | 13 | 2·57 | 4 | 4 | 3 | 1 | 1 | 2 | 8 | 5 | 2 | 1·72 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

PRINTED BY NEILL AND COMPANY, EDINBURGH

# MONTHLY RETURN

OF THE

# BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

# SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE

**DECEMBER 1893.**

**Published by Authority of the Registrar-General.**

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

# REPORT.

DURING the month of December 1893, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3709 children, of whom 1908 were males, and 1801 females. Of these, 3428 were legitimate, and 281 illegitimate, being in the proportion of one illegitimate in every 13·2 Births, or the illegitmate Births constituted 7·6 per cent. of the whole. In Leith, 2·2 per cent. of the Births were illegitimate; in Paisley, 5·1; in Greenock, 6·7; in Glasgow, 7·0; in Aberdeen, 7·6; in Perth, 9·2; in Edinburgh, 10·2; and in Dundee, 10·5 per cent.

1107 Marriages were registered in these Towns during the month. Allowing for the natural increase of the population, this is 58 under the average for December during the last ten years.

The Deaths of 2827 persons were registered in these Towns during December, of whom 1415 were males, and 1412 females. Allowance being made for increase of the population, this number is 83 below the average for December of the last ten years.

A comparison of the Deaths registered shows that during December, the mortality was at the annual rate of 20·4 deaths per thousand persons in Aberdeen, 20·9 in Leith, 22·4 in Dundee, 22·5 in Greenock, 22·9 in Glasgow, 23·0 in Edinburgh, 24·2 in Paisley, and 28·3 in Perth.

Of the 1320 Deaths registered in Glasgow, 337 were of children under one year

of age, and 244 of persons over 60 years; of the 523 in Edinburgh, 106 were under one year, and 134 over 60; of the 299 in Dundee, 86 were under one, and 55 over 60; of the 224 in Aberdeen, 52 were under one, and 74 over 60; of the 126 in Leith, 28 were under one, and 20 over 60; of the 142 in Paisley, 38 were under one, and 35 over 60; of the 120 in Greenock, 21 were under one, and 25 over 60; of the 73 in Perth, 8 were under one, and 20 over 60 years.

Of the whole 2827 Deaths registered, 1111 or 39·3 per cent. were of children under five years of age. In Greenock, 30·8 per cent. of the persons who died were under five years of age; in Perth, 32·9; in Edinburgh, 34·0; in Leith, 34·1; in Aberdeen, 36·2; in Paisley, 38·0; in Glasgow, 42·5; and in Dundee, 44·5 per cent.

Miasmatic Diseases caused 357 Deaths, or 12·6 per cent. of the whole mortality. This rate was exceeded in Edinburgh, Leith, Dundee, and Perth; in the last two Towns principally on account of the prevalence of Hooping-Cough.

Hooping-Cough was the most fatal of the epidemics, having caused 132 deaths, or 4·7 per cent. of the whole. In Dundee 34 deaths, and in Perth 19 were attributed to Hooping-cough, being at the rate of 11·4 and 26·0 per cent. of the mortality of these Towns respectively.

Smallpox caused 9 deaths, 8 of them in Leith, and 1 in Aberdeen. Of the former 6 are stated to have been vaccinated, but in 3 of these no marks of vaccination were to be found, in 2 the marks were very small, and in the sixth, vaccination was only performed after the infant had contracted the disease. Of the other 2, 1 had not been vaccinated, while this point was not stated in the last case. The individual who thus succumbed in Aberdeen had not been vaccinated.

Diphtheria caused 48 deaths; Scarlatina, 39; Puerperal Fever, 12; and Measles, 4.

Fevers caused 24 deaths, of which 23 were ascribed to Enteric Fever, and 1 (in Glasgow) to Typhus.

Intemperance was stated as the cause of 14 deaths, of which 9 were from Chronic Alcoholism, and 5 from Delirium Tremens.

Apoplexy caused 87 deaths; Paralysis, 71; Heart Diseases, 224; and Premature Birth Debility, 53.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 742, or 26·2 per cent. of the total mortality. Those from Consumption numbered 226, or 8·0 per cent. 22 deaths were attributed to Croup.

102 deaths were from Violent causes, 5 of which were suicidal (3 by Hanging, and 2 by Cut-throat).

2 Males and 11 females were aged 90 years and upwards, the eldest of whom were widows, aged respectively 99, 100, and 102 years.

# ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, DECEMBER 1893.

| TOWNS. | POPULATION. | | | BIRTHS. | | | | | MARRIAGES. | DEATHS. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Census 1881. | Census 1891. | Estimated to middle of 1893. | Males | Females. | Total. | Legitimate. | Illegitimate. | | Males. | Females. | Total. |
| GLASGOW, . | 577,419 | 658,198 | 677,883 | 929 | 892 | 1821 | 1694 | 127 | 489 | 643 | 677 | 1320 |
| EDINBURGH, . | 234,402 | 261,225 | 267,672 | 299 | 268 | 567 | 509 | 58 | 231 | 268 | 255 | 523 |
| DUNDEE, . . | 140,794 | 154,118 | 157,289 | 202 | 171 | 373 | 334 | 39 | 85 | 153 | 146 | 299 |
| ABERDEEN, . | 106,397 | 124,943 | 129,543 | 169 | 161 | 330 | 305 | 25 | 121 | 109 | 115 | 224 |
| LEITH, . . | 59,48 | 68,707 | 70,972 | 77 | 101 | 178 | 174 | 4 | 57 | 61 | 65 | 126 |
| PAISLEY, . . | 55,638 | 66,425 | 69,128 | 104 | 92 | 196 | 186 | 10 | 33 | 79 | 63 | 142 |
| GREENOCK, . | 66,704 | 63,423 | 62,713 | 93 | 86 | 179 | 167 | 12 | 51 | 67 | 53 | 120 |
| PERTH, . . | 29,236 | 30,130 | 30,336 | 35 | 30 | 65 | 59 | 6 | 30 | 35 | 38 | 73 |
| TOTAL, . | 1,270,075 | 1,427,169 | 1,465,536 | 1908 | 1801 | 3709 | 3428 | 281 | 1107 | 1415 | 1412 | 2827 |
| DECEMBER 1892, . . . | Mean Temp. 34°·7 | | | 1927 | 1822 | 3749 | 3467 | 282 | 1277 | 1501 | 1601 | 3102 |
| DECEMBER 1891, . . . | Mean Temp. 39°·1 | | | 1828 | 1758 | 3586 | 3307 | 279 | 1210 | 1560 | 1674 | 3234 |
| DECEMBER 1890, . . . | Mean Temp. 35°·8 | | | 1947 | 1803 | 3750 | 3469 | 281 | 1178 | 1278 | 1442 | 2720 |
| DECEMBER 1889, . . . | Mean Temp. 39°·5 | | | 1769 | 1825 | 3594 | 3300 | 294 | 1201 | 1396 | 1437 | 2833 |
| DECEMBER 1888, . . . | Mean Temp. 41°·3 | | | 1746 | 1659 | 3405 | 3113 | 292 | 1179 | 1091 | 1149 | 2240 |
| DECEMBER 1887, . . . | Mean Temp. 36°·6 | | | 1825 | 1654 | 3479 | 3201 | 278 | 980 | 1267 | 1290 | 2557 |
| DECEMBER 1886, . . . | Mean Temp. 33°·6 | | | 1811 | 1746 | 3557 | 3264 | 293 | 891 | 1308 | 1337 | 2645 |
| DECEMBER 1885, . . . | Mean Temp. 39°·2 | | | 1892 | 1878 | 3770 | 3442 | 328 | 905 | 1219 | 1338 | 2557 |
| DECEMBER 1884, . . . | Mean Temp. 37°·5 | | | 1984 | 1804 | 3788 | 3476 | 312 | 1000 | 1609 | 1639 | 3248 |
| DECEMBER 1883, . . . | Mean Temp. 40°·6 | | | 1835 | 1702 | 3537 | 3234 | 303 | 1153 | 1135 | 1138 | 2273 |

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of December 1893.

| TOWNS AND DISTRICTS. | Small-pox. | Measles. | Scarlatina. | Diphtheria | Hooping-Cough. | Fevers. | Diarrhœa. |
|---|---|---|---|---|---|---|---|
| GLASGOW— | | | | | | | |
| 1. Bridgeton, . | 0 | 0 | 8 | 6 | 6 | 7 | 1 |
| 2. Camlachie, . | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 3. Dennistoun, . | 0 | 0 | 0 | 2 | 2 | 0 | 0 |
| 4. Calton, . | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| 5. Blackfriars, . | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| 6. St Rollox, . | 0 | 0 | 16 | 3 | 6 | 0 | 0 |
| 7. Blythswood, . | 0 | 0 | 0 | 1 | 2 | 0 | 0 |
| 8. Milton, . | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| 9. Kelvin, . | 0 | 0 | 0 | 5 | 2 | 0 | 0 |
| 10. Anderston, . | 0 | 0 | 0 | 0 | 7 | 0 | 0 |
| 11. Hutchesontown, | 0 | 1 | 0 | 0 | 7 | 0 | 0 |
| 12. Gorbals, . | 0 | 0 | 2 | 0 | 6 | 0 | 2 |
| 13. Tradeston, . | 0 | 0 | 0 | 1 | 1 | 1 | 0 |
| 14. Kinning Park, | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| Cathcart, . | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Eastwood, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maryhill, . | 0 | 0 | 0 | 0 | 4 | 0 | 3 |
| Shettleston, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Plantation, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Govan, . . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Partick, . . | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| EDINBURGH— | | | | | | | |
| 1. St George, . | 0 | 0 | 0 | 2 | 4 | 2 | 2 |
| 2. St Andrew, . | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 3. Canongate, . | 0 | 0 | 1 | 5 | 4 | 2 | 1 |
| 4. St Giles, . | 0 | 0 | 0 | 1 | 5 | 0 | 0 |
| 5. Newington, . | 0 | 0 | 0 | 1 | 3 | 1 | 1 |
| DUNDEE— | | | | | | | |
| 1. St Peter, . | 0 | 0 | 0 | 0 | 2 | 0 | 3 |
| 2. St Mary, . | 0 | 0 | 0 | 1 | 4 | 0 | 0 |
| 3. St Clement, . | 0 | 0 | 0 | 0 | 8 | 4 | 1 |
| 4. St Andrew, . | 0 | 0 | 1 | 0 | 15 | 1 | 2 |
| 5. Lochee, . | 0 | 0 | 0 | 0 | 5 | 1 | 2 |
| Mains, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ABERDEEN— | | | | | | | |
| 1. St Nicholas, . | 1 | 2 | 1 | 4 | 1 | 1 | 2 |
| 2. Aberdeen, . | 0 | 0 | 0 | 4 | 0 | 0 | 2 |
| 3. Woodside, . | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4. Old Aberdeen, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. Peterculter, | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nigg, . . | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| LEITH— | | | | | | | |
| 1. North, . | 0 | 0 | 0 | 2 | 2 | 0 | 2 |
| 2. South, . . | 8 | 0 | 0 | 2 | 1 | 1 | 2 |
| PAISLEY, . . | 0 | 0 | 3 | 3 | 5 | 1 | 1 |
| GREENOCK— | | | | | | | |
| 1. East, . . | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| 2. West, . . | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| PERTH, . . | 0 | 0 | 5 | 0 | 19 | 0 | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| ALL CAUSES - - - | 2827 | 561 | 102 | 413 | 244 | 1320 | 178 | 33 | 178 | 134 | 523 | 133 | 24 | 87 | 55 | 299 | 81 | 10 | 59 | 74 | 224 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DIS. | 434 | 103 | 21 | 28 | 15 | 167 | 47 | 6 | 22 | 14 | 89 | 43 | 6 | 9 | 2 | 60 | 14 | 3 | 5 | 8 | 30 |
| II. PARASITIC DISEASE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| III. DIETETIC ,, | 14 | – | – | 2 | 3 | 5 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL ,, | 431 | 40 | 26 | 121 | 16 | 203 | 14 | 12 | 45 | 14 | 85 | 8 | 8 | 28 | 5 | 49 | 9 | 2 | 17 | 5 | 33 |
| V. DEVELOPMENTAL ,, | 162 | 23 | – | – | 49 | 72 | 16 | – | – | 19 | 35 | 8 | – | – | 6 | 14 | 4 | – | – | 11 | 15 |
| VI. LOCAL ,, | 1569 | 326 | 46 | 231 | 151 | 754 | 90 | 13 | 99 | 84 | 286 | 65 | 7 | 46 | 42 | 160 | 43 | 5 | 31 | 48 | 127 |
| VII. VIOLENCE - - | 102 | 12 | 7 | 20 | 9 | 48 | 5 | 2 | 9 | 2 | 18 | 5 | 3 | 2 | – | 10 | 2 | – | 6 | 2 | 10 |
| VIII. ILL-DEFINED & NOT SPECIFIED CAUSES | 114 | 57 | 2 | 11 | 1 | 71 | 6 | – | 2 | – | 8 | 4 | – | 1 | – | 5 | 8 | – | – | – | 8 |
| I. | | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - | 357 | 86 | 20 | 20 | 15 | 141 | 39 | 5 | 17 | 13 | 74 | 37 | 5 | 5 | 1 | 48 | 10 | 2 | 3 | 5 | 20 |
| 2. DIARRHŒAL ,, - | 30 | 7 | – | – | – | 7 | 2 | 1 | – | 1 | 4 | 6 | 1 | 1 | – | 8 | 3 | 1 | – | 1 | 5 |
| 3. MALARIAL ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4. ZOOGENOUS ,, - | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5. VENEREAL ,, - | 15 | 6 | – | 1 | – | 7 | 5 | – | – | – | 5 | – | – | – | – | – | 1 | – | – | – | 1 |
| 6. SEPTIC ,, - | 32 | 4 | 1 | 7 | – | 12 | 1 | – | 5 | – | 6 | – | – | 3 | 1 | 4 | – | – | 2 | 2 | 4 |
| II. PARASITIC DISEASES - | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| III. DIETETIC DISEASES - - | 14 | – | – | 2 | 3 | 5 | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| IV. CONSTITUTIONAL DISEASES | 431 | 40 | 26 | 121 | 16 | 203 | 14 | 12 | 45 | 14 | 85 | 8 | 8 | 28 | 5 | 49 | 9 | 2 | 17 | 5 | 33 |
| V. DEVELOPMENTAL DISEASES | 162 | 23 | – | – | 49 | 72 | 16 | – | – | 19 | 35 | 8 | – | – | 6 | 14 | 4 | – | – | 11 | 15 |
| VI. | | | | | | | | | | | | | | | | | | | | | |
| 1. DIS. OF NERVOUS SYSTEM - | 290 | 39 | 14 | 31 | 41 | 125 | 10 | – | 20 | 21 | 51 | 11 | 1 | 9 | 9 | 30 | 7 | 2 | 9 | 11 | 29 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 4 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3. ,, CIRCULATORY SYSTEM | 224 | 4 | 5 | 47 | 30 | 86 | 1 | 3 | 24 | 24 | 52 | – | 1 | 13 | 12 | 26 | – | – | 4 | 15 | 19 |
| 4. ,, RESPIRATORY SYSTEM | 742 | 247 | 10 | 84 | 56 | 397 | 68 | 4 | 27 | 29 | 128 | 46 | 3 | 14 | 15 | 78 | 28 | – | 7 | 16 | 51 |
| 5. ,, DIGESTIVE SYSTEM - | 179 | 28 | 11 | 31 | 11 | 81 | 9 | 3 | 12 | 3 | 27 | 6 | 1 | 7 | 2 | 16 | 7 | 3 | 6 | 5 | 21 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | 5 | – | – | 2 | – | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| 7. URINARY SYSTEM - | 64 | 1 | 3 | 17 | 11 | 32 | – | – | 10 | 5 | 15 | 2 | – | 1 | 2 | 5 | – | – | 2 | 1 | 3 |
| REPRODUCTIVE SYSTEM:— | | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | 11 | 1 | – | 4 | 2 | 7 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| (b) DISEASES OF PARTURITION - - | 16 | – | – | 6 | – | 6 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 29 | 3 | 3 | 6 | – | 12 | 1 | 3 | 3 | – | 7 | – | 1 | 1 | 1 | 3 | 1 | – | 1 | – | 2 |
| 10. ,, INTEGUMENTARY SYSTEM - - | 5 | 1 | – | 3 | – | 4 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. | 0-5 | 5-20 | 20-60 | 60, etc. | Total. |
| ALL CAUSES - - - - | 43 | 17 | 46 | 20 | 126 | 54 | 8 | 45 | 35 | 142 | 37 | 14 | 44 | 25 | 120 | 24 | 7 | 22 | 20 | 73 |
| I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES - | 13 | 3 | 9 | 2 | 27 | 10 | 2 | 5 | 2 | 19 | 3 | 4 | 4 | 3 | 14 | 19 | 6 | 1 | 2 | 28 |
| II. PARASITIC DISEASES - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC ,, - | - | - | 2 | 1 | 3 | - | - | 2 | - | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| IV. CONSTITUTIONAL ,, - | 1 | 7 | 12 | 1 | 21 | 2 | 1 | 12 | 1 | 16 | 2 | 4 | 9 | 1 | 16 | - | - | 7 | 1 | 8 |
| V. DEVELOPMENTAL ,, - | 4 | - | - | 1 | 5 | 2 | - | - | 12 | 14 | 3 | - | - | 2 | 5 | 1 | - | - | 1 | 2 |
| VI. LOCAL ,, - | 18 | 7 | 20 | 15 | 60 | 29 | 5 | 25 | 19 | 78 | 23 | 5 | 24 | 19 | 71 | 3 | 1 | 13 | 16 | 33 |
| VII. VIOLENCE - - - | 3 | - | 3 | - | 6 | 1 | - | 1 | - | 2 | 1 | 1 | 5 | - | 7 | - | - | 1 | - | 1 |
| VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - | 4 | - | - | - | 4 | 10 | - | - | 1 | 11 | 5 | - | 1 | - | 6 | 1 | - | - | - | 1 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES - - | 9 | 2 | 8 | 1 | 20 | 8 | 2 | 4 | 2 | 16 | 2 | 3 | 3 | 3 | 11 | 19 | 5 | 1 | 2 | 27 |
| 2. DIARRHŒAL ,, - - | 2 | 1 | - | 1 | 4 | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| 3. MALARIAL ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4. ZOOGENOUS ,, - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5. VENEREAL ,, - - | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| 6. SEPTIC ,, - - | 2 | - | 1 | - | 3 | - | - | 1 | - | 1 | - | 1 | 1 | - | 2 | - | - | - | - | - |
| II. PARASITIC DISEASES - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. DIETETIC DISEASES - - - | - | - | 2 | 1 | 3 | - | - | 2 | - | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| IV. CONSTITUTIONAL DISEASES - - | 1 | 7 | 12 | 1 | 21 | 2 | 1 | 12 | 1 | 16 | 2 | 4 | 9 | 1 | 16 | - | - | 7 | 1 | 8 |
| V. DEVELOPMENTAL DISEASES - - | 4 | - | - | 1 | 5 | 2 | - | - | 12 | 14 | 3 | - | - | 2 | 5 | 1 | - | - | 1 | 2 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. DISEASES OF NERVOUS SYSTEM - | 5 | 1 | 3 | 6 | 15 | 3 | 2 | 3 | 6 | 14 | 4 | 2 | 4 | 6 | 16 | - | - | 5 | 5 | 10 |
| 2. ,, ORGANS OF SPECIAL SENSE - - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3. ,, CIRCULATORY SYSTEM | - | - | 5 | 4 | 9 | - | 1 | 10 | 6 | 17 | 2 | - | 4 | 3 | 9 | - | - | 2 | 4 | 6 |
| 4. ,, RESPIRATORY SYSTEM | 8 | 1 | 5 | 4 | 18 | 18 | - | 8 | 5 | 31 | 15 | 1 | 5 | 9 | 30 | 2 | 1 | 1 | 5 | 9 |
| 5. ,, DIGESTIVE SYSTEM - | 3 | 1 | 4 | 1 | 9 | 8 | 1 | 3 | 2 | 14 | 2 | 2 | 2 | - | 6 | 1 | - | 3 | 1 | 5 |
| 6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7. ,, URINARY SYSTEM - | - | 1 | - | - | 1 | - | - | 1 | - | 1 | - | - | 5 | 1 | 6 | - | - | - | 1 | 1 |
| 8. ,, REPRODUCTIVE SYSTEM :— | | | | | | | | | | | | | | | | | | | | |
| (a) DISEASES OF ORGANS OF GENERATION - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| (b) DISEASES OF PARTURITION - - | - | - | 2 | - | 2 | - | - | - | - | - | - | - | 3 | - | 3 | - | - | 2 | - | 2 |
| 9. ,, ORGANS OF LOCOMOTION - - - | 1 | 3 | - | - | 4 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 10. ,, INTEGUMENTARY SYSTEM - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

## DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| VII. | | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 97 | 12 | 7 | 19 | 8 | 46 | 5 | 2 | 7 | 2 | 16 | 5 | 3 | 2 | – | 10 | 2 | – | 5 | 2 | 9 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL – – – | 5 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| VIII. | | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES – – | 114 | 57 | 2 | 11 | 1 | 71 | 6 | – | 2 | – | 8 | 4 | – | 1 | – | 5 | 8 | – | – | – | 8 |
| MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated – | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Unvaccinated – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Small-pox { No Statement – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox – – – – | 4 | – | – | – | – | – | 2 | – | – | – | 2 | 2 | – | – | – | 2 | – | – | – | – | – |
| Measles – – – – | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – | 3 |
| Epidemic Rose Rash – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever – – – | 39 | 17 | 7 | 4 | – | 28 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | 1 | – | – | 1 |
| Typhus – – – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza – – – – | 97 | 4 | – | 11 | 15 | 30 | 7 | 4 | 15 | 13 | 39 | – | 1 | 2 | 1 | 4 | – | – | – | 5 | 5 |
| Hooping-Cough – – – | 132 | 49 | 2 | – | – | 51 | 18 | – | – | – | 18 | 33 | 1 | – | – | 34 | 1 | – | – | – | 1 |
| Mumps – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria – – – – | 48 | 15 | 5 | 1 | – | 21 | 8 | 1 | – | – | 9 | – | 1 | – | – | 1 | 6 | 1 | 1 | – | 8 |
| Cerebro-spinal Fever – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever – – – | 23 | – | 6 | 3 | – | 9 | 3 | – | 2 | – | 5 | 1 | 2 | 3 | – | 6 | – | – | 1 | – | 1 |
| Other Miasmatic Diseases – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIARRHŒAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery – – | 30 | 7 | – | – | – | 7 | 2 | 1 | – | 1 | 4 | 6 | 1 | 1 | – | 8 | 3 | 1 | – | 1 | 5 |
| MALARIAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague – – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ZOOGENOUS DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VENEREAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Syphilis – – – – | 14 | 6 | – | – | – | 6 | 5 | – | – | – | 5 | – | – | – | – | – | 1 | – | – | – | 1 |
| Gonorrhœa, Stricture of Urethra | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| SEPTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| Phagedæna – – – – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas – – – – | 15 | 2 | 1 | 2 | – | 5 | 1 | – | 2 | – | 3 | – | – | 2 | 1 | 3 | – | – | 1 | 1 | 2 |
| Pyæmia, Septicæmia – – | 5 | 2 | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Puerperal Fever – – – | 12 | – | – | 4 | – | 4 | – | – | 3 | – | 3 | – | – | 1 | – | 1 | – | – | 1 | – | 1 |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **VII.** | | | | | | | | | | | | | | | | | | | | |
| 1. ACCIDENT OR NEGLIGENCE | 3 | – | 3 | – | 6 | 1 | – | 1 | – | 2 | 1 | 1 | 5 | – | 7 | – | – | 1 | – | 1 |
| 2. VIOLENCE OTHER THAN ACCIDENTAL | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VIII.** | | | | | | | | | | | | | | | | | | | | |
| ILL-DEFINED AND NOT SPECIFIED CAUSES | 4 | – | – | – | 4 | 10 | – | – | 1 | 11 | 5 | – | 1 | – | 6 | 1 | – | – | – | 1 |
| **MIASMATIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Small-pox – Vaccinated | 1 | 2 | 3 | – | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – Unvaccinated | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox – No Statement | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chickenpox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Rose Rash | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | 2 | – | 1 | – | 3 | – | – | – | – | – | 1 | 4 | – | – | 5 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | 2 | 1 | 4 | 1 | – | 1 | 2 | 4 | – | 2 | 3 | 3 | 8 | – | – | 1 | 2 | 3 |
| Hooping-cough | 3 | – | – | – | 3 | 3 | 2 | – | – | 5 | 1 | – | – | – | 1 | 18 | 1 | – | – | 19 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | 1 | – | 4 | 2 | – | 1 | – | 3 | 1 | 1 | – | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Simple and Ill-defined Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Miasmatic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIARRHŒAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Simple Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa, Dysentery | 2 | 1 | – | 1 | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| **MALARIAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **ZOOGENOUS DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Splenic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cowpox and other Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **VENEREAL DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Syphilis | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Gonorrhœa, Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **SEPTIC DISEASES.** | | | | | | | | | | | | | | | | | | | | |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia, Septicæmia | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **PARASITIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Thrush | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Dis. from Veg. Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Par. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DIETETIC DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | 9 | – | – | 2 | 3 | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | 5 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| **CONSTITUTIONAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | 8 | – | – | 5 | – | 5 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer | 92 | – | – | 17 | 12 | 29 | – | – | 16 | 10 | 26 | – | – | 7 | 3 | 10 | – | – | 4 | 4 | 8 |
| Tabes Mesenterica | 31 | 14 | 4 | – | – | 18 | 4 | 1 | – | – | 5 | 2 | – | – | – | 2 | 3 | – | – | – | 3 |
| Tubercular Meningitis (Acute Hydrocephalus) | 37 | 10 | 4 | – | – | 14 | 6 | 2 | – | – | 8 | 5 | 1 | – | – | 6 | 5 | – | – | – | 5 |
| Phthisis | 226 | 9 | 15 | 95 | 3 | 122 | 2 | 8 | 24 | 2 | 36 | – | 5 | 21 | – | 26 | – | 2 | 13 | 1 | 16 |
| Other forms of Tuber. Scrofula | 25 | 7 | 3 | 3 | – | 13 | 2 | – | 1 | – | 3 | 1 | 2 | – | – | 3 | – | – | – | – | – |
| Purp., Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chl., Leucocythæmia | 8 | – | – | 1 | 1 | 2 | – | – | 2 | 1 | 3 | – | – | – | 2 | 2 | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DEVELOPMENTAL DISEASES.** | | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 53 | 22 | – | – | – | 22 | 13 | – | – | – | 13 | 7 | – | – | – | 7 | 3 | – | – | – | 3 |
| Atelectasis | 6 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Cyanosis | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 101 | – | – | – | 49 | 49 | – | – | – | 19 | 19 | – | – | – | 6 | 6 | – | – | – | 11 | 11 |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | 37 | 15 | 8 | 1 | – | 24 | 2 | – | – | – | 2 | – | – | 1 | – | 1 | 3 | 2 | 1 | – | 6 |
| Apoplexy | 87 | 1 | 2 | 16 | 23 | 42 | – | – | 5 | 7 | 12 | – | – | 2 | 5 | 7 | – | – | 4 | 3 | 7 |
| Softening of Brain | 6 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | 2 | 2 | – | – | 1 | 1 | 2 |
| Hemiplegia, Brain Paralysis | 64 | – | – | 8 | 15 | 23 | – | – | 1 | 13 | 14 | – | – | 4 | 2 | 6 | – | – | 1 | 5 | 6 |
| Paralysis Agitans | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Par. of Insane | 9 | – | – | – | 1 | 1 | – | – | 4 | – | 4 | – | – | 1 | – | 1 | – | – | 2 | 1 | 3 |
| Chorea | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | 1 | 3 | – | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 46 | 15 | – | 1 | – | 16 | 8 | – | – | – | 8 | 8 | – | – | – | 8 | 4 | – | – | – | 4 |
| Laryngismus Stridulus | 3 | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Paraplegia, Dis. of Spinal Cord | 6 | – | 1 | 1 | 1 | 3 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ner. System | 22 | 4 | 2 | 1 | – | 7 | – | – | 6 | 1 | 7 | 1 | 1 | 1 | – | 3 | – | – | – | 1 | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | 3 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Vegetable Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydatid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. from Animal Parasites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DIETETIC DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Starvation, Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemp. { Chronic Alcoholism | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Intemp. { Delirium Tremens | – | – | – | 1 | 1 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 7 | 1 | 8 | – | – | 3 | – | 3 | – | – | 4 | 1 | 5 | – | – | 2 | 1 | 3 |
| Tabes Mesenterica | – | – | – | – | – | 2 | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Tubercular Meningitis (Acute Hydrocephalus) | 1 | 2 | 1 | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | – | 3 | 1 | – | 4 | – | 1 | 9 | – | 10 | 1 | 2 | 4 | – | 7 | – | – | 5 | – | 5 |
| Other forms of Tuberculosis, Scrofula | – | 2 | 2 | – | 4 | – | – | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – |
| Purpura, Hæmorrhagic Diathesis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Chlorosis, Leucocythæmia | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Constitutional Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
| Premature Birth | 4 | – | – | – | 4 | 2 | – | – | – | 2 | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Imperforate Anus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleft Palate, Harelip | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | 1 | 1 | – | – | – | 12 | 12 | – | – | – | 2 | 2 | – | – | – | 1 | 1 |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Inflammation of Brain or its Membranes | – | – | – | – | – | 1 | 2 | – | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| Apoplexy | – | – | 1 | 4 | 5 | – | – | 1 | 4 | 5 | – | – | 4 | 2 | 6 | – | – | 2 | 1 | 3 |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Hemiplegia, Brain Paralysis | – | – | 1 | 2 | 3 | – | – | 2 | 1 | 3 | – | – | – | 4 | 4 | – | – | 2 | 3 | 5 |
| Paralysis Agitans | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Insanity, General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Epilepsy | – | – | – | – | – | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 4 | – | 1 | – | 5 | 2 | – | – | – | 2 | 3 | – | – | – | 3 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Idiopathic Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Spinal Cord | – | – | – | – | – | – | – | – | – | – | | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Nervous System | 1 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | 2 | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | | | | | |
| Otitis, Otorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis and Dis. of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia and Dis. of Eye | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF CIRCULATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Dis. | 174 | - | 5 | 44 | 22 | 71 | - | 1 | 15 | 14 | 30 | - | 1 | 13 | 11 | 25 | - | - | 4 | 13 | 17 |
| Pericarditis | 5 | - | - | - | - | - | 1 | 1 | 2 | - | 4 | - | - | - | - | - | - | - | - | - | - |
| Hypertrophy of Heart | 6 | - | - | 1 | 2 | 3 | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Angina Pectoris | 3 | - | - | - | 2 | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Syncope | 18 | 2 | - | 2 | - | 4 | - | - | 2 | 5 | 7 | - | - | - | - | - | - | - | - | 2 | 2 |
| Aneurism | 3 | - | - | - | - | - | - | - | 1 | 2 | 3 | - | - | - | - | - | - | - | - | - | - |
| Senile Gangrene | 8 | - | - | - | 4 | 4 | - | - | - | 3 | 3 | - | - | - | - | - | - | - | - | - | - |
| Embolism, Thrombosis | 3 | - | - | - | - | - | - | 1 | 2 | - | 3 | - | - | - | - | - | - | - | - | - | - |
| Phlebitis | 1 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Varicose Veins | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Cir. System | 3 | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | 10 | 3 | 1 | 1 | - | 5 | - | - | 1 | - | 1 | - | - | - | - | - | 2 | - | - | - | 2 |
| Croup | 22 | 9 | - | - | - | 9 | 3 | 1 | - | - | 4 | 2 | - | - | - | 2 | 1 | - | - | - | 1 |
| Other Dis. of Larynx & Trachea | 2 | - | - | 1 | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Emphysema, Asthma | 3 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Bronchitis | 367 | 99 | 1 | 42 | 49 | 191 | 30 | 2 | 10 | 23 | 65 | 24 | 2 | 7 | 6 | 39 | 15 | - | - | 10 | 25 |
| Pneumonia | 279 | 111 | 5 | 37 | 3 | 156 | 31 | 1 | 6 | 5 | 43 | 20 | - | 7 | 6 | 33 | 9 | - | 6 | 4 | 19 |
| Pleurisy | 14 | 2 | - | 1 | - | 3 | 1 | - | 9 | - | 10 | - | 1 | - | - | 1 | - | - | - | - | - |
| Other Diseases of Resp. System | 45 | 23 | 2 | 2 | 4 | 31 | 3 | - | - | 1 | 4 | - | - | - | 2 | 2 | 1 | - | 1 | 2 | 4 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Dentition | 20 | 7 | - | - | - | 7 | 3 | - | - | - | 3 | - | - | - | - | - | 1 | - | - | - | 1 |
| Sore-throat, Quinsy | 4 | 1 | 1 | - | - | 2 | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | |
| Dyspepsia | 1 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Hæmatemesis | 2 | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Melæna | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Stomach | 26 | 3 | 2 | 3 | 4 | 12 | 2 | 1 | 1 | - | 4 | - | - | 1 | - | 1 | - | - | 2 | - | 2 |
| Enteritis | 27 | 6 | 3 | 1 | - | 10 | - | 1 | 1 | - | 2 | 4 | - | 1 | - | 5 | 5 | - | - | 2 | 7 |
| Ulceration of Intestine | 5 | - | - | - | - | - | 1 | - | 2 | - | 3 | - | 1 | - | - | 1 | - | - | - | 1 | 1 |
| Ileus, Obstruction of Intestine | 12 | 1 | 1 | 2 | - | 4 | - | - | 3 | 1 | 4 | - | - | 2 | - | 2 | - | 1 | - | - | 1 |
| Stricture or Strang. of Intestine | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Intussusception of Intestine | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Hernia | 7 | 1 | - | 3 | 1 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Fistula | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Peritonitis | 30 | 2 | 4 | 11 | - | 17 | 2 | - | 2 | - | 4 | - | - | - | 2 | 2 | - | 2 | - | 1 | 3 |
| Ascites | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gallstones | 2 | - | - | 1 | - | 1 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Cirrhosis of Liver | 7 | - | - | 1 | 1 | 2 | - | 1 | 1 | - | 2 | - | - | - | - | - | - | - | 1 | - | 1 |
| Other Diseases of Liver | 21 | 3 | - | 5 | 2 | 10 | - | - | 1 | 2 | 3 | 1 | - | 2 | - | 3 | - | - | - | - | - |
| Other Dis. of Digestive System | 9 | 3 | - | 3 | 1 | 7 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | - | - | 2 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Lymphatics | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Diseases of Thyroid Body | 1 | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Dis. of Suprarenal Capsules | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | 13 | 1 | 1 | 3 | 1 | 6 | - | - | 1 | - | 1 | 2 | - | - | 1 | 3 | - | - | 1 | - | 1 |
| Bright's Disease | 26 | - | 1 | 10 | 4 | 15 | - | - | 4 | 1 | 5 | - | - | 1 | - | 1 | - | - | - | - | - |
| Uræmia | 4 | - | 1 | 1 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Suppression of Urine | 5 | - | - | 2 | 1 | 3 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Calculus | 2 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Hæmaturia | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Dis. of Bladder and of Prostate | 6 | - | - | 1 | 1 | 2 | - | - | 1 | 2 | 3 | - | - | - | - | - | - | - | - | - | - |
| Other Dis. of Urinary System | 7 | - | - | - | 2 | 2 | - | - | 4 | 1 | 5 | - | - | - | - | - | - | - | - | - | - |

## DEATHS FROM ALL CAUSES at Four Peroids of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| **DISEASES OF CIRCULATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Endocarditis, Valvular Disease | – | – | 4 | 4 | 8 | – | 1 | 8 | 4 | 13 | – | – | 4 | 2 | 6 | – | – | – | 4 | 4 |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope | – | – | 1 | – | 1 | – | – | – | 2 | 2 | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| Aneurism | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Embolism, Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Circulatory System | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Croup | 1 | – | – | – | 1 | 1 | – | – | – | 1 | 3 | 1 | – | – | 4 | – | – | – | – | – |
| Other Diseases of Larynx & Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Bronchitis | 4 | – | 2 | 4 | 10 | 11 | – | 4 | 4 | 19 | 5 | – | 3 | 4 | 12 | 1 | 1 | – | 4 | 6 |
| Pneumonia | 2 | 1 | 3 | – | 6 | 5 | – | 4 | – | 9 | 6 | – | 2 | 2 | 10 | 1 | – | 1 | 1 | 3 |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Respiratory System | 1 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | 1 | 2 | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Stomatitis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dentition | 2 | – | – | – | 2 | 6 | – | – | – | 6 | – | – | – | – | – | 1 | – | – | – | 1 |
| Sore-throat, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dyspepsia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmatemesis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Melæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Stomach | – | – | 1 | – | 1 | – | – | 2 | – | 2 | 2 | – | 1 | – | 3 | – | – | – | 1 | 1 |
| Enteritis | – | – | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Ulceration of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus, Obstruction of Intestine | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture or Strangulation of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception of Intestine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 3 | – | – | 1 | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gallstones | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver | 1 | – | – | – | 1 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Lymphatics | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Suprarenal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | | | | | |
| Acute Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Bright's Disease | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | 2 | 1 | 3 | – | – | – | – | – |
| Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suppression of Urine | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmaturia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

# DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | Grand Total. | GLASGOW. | | | | | EDINBURGH. | | | | | DUNDEE. | | | | | ABERDEEN. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DIS. OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Uterus and Vagina | 4 | – | – | 2 | 1 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pelvic Abscess | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dis. of Testes, Penis, Scrotum, &c. | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | – | – | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | 5 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | 3 | 1 | 2 | – | 6 | 1 | 2 | – | – | 3 | – | 1 | – | 1 | 2 | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | 6 | – | 1 | 3 | – | 4 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Dis. of Organs of Locom. | 10 | – | 1 | 1 | – | 2 | – | 1 | 2 | – | 3 | – | – | – | – | – | 1 | – | 1 | – | 2 |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | 2 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integ. System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | 3 | – | 1 | 1 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. oth. than R'wys. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drown.) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns & Scalds | 23 | 6 | 2 | 3 | 2 | 13 | – | – | 2 | 1 | 3 | – | 2 | – | – | 2 | 1 | – | – | – | 1 |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 9 | – | 1 | 4 | – | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | 3 |
| Suffocation: In Bed | 11 | 2 | – | – | – | 2 | 2 | – | – | – | 2 | 5 | – | – | – | 5 | 1 | – | – | – | 1 |
| Suffocation: Otherwise | 4 | – | – | – | 1 | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Falls | 8 | 1 | 2 | – | 2 | 5 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Fractures (not stated) | 24 | 2 | 1 | 8 | 2 | 13 | – | 1 | 2 | 1 | 4 | – | 1 | – | – | 1 | – | – | – | 2 | 2 |
| Otherwise, or Not Stated | 12 | 1 | – | 3 | 1 | 5 | 1 | 1 | – | – | 2 | – | – | 2 | – | 2 | – | – | 1 | – | 1 |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 5 | – | – | 1 | 1 | 2 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 4 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 87 | 48 | 1 | 4 | – | 53 | 5 | – | 1 | – | 6 | 3 | – | – | – | 3 | 8 | – | – | – | 8 |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 3 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Ill-def. & not spec. Causes | 16 | 8 | – | 5 | 1 | 14 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |

## DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1893.

| CAUSES OF DEATH. | LEITH. | | | | | PAISLEY. | | | | | GREENOCK. | | | | | PERTH. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. | 0–5 | 5–20 | 20–60 | 60, etc | Total. | 0–5 | 5–20 | 20–60 | 60, etc. | Total. |
| DISEASES OF ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | | |
| Ovarian Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Pelvic Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Perineal Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Testes, Penis, Scrotum, &c. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PARTURITION. | | | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | 3 | – | – | 1 | – | 1 |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Childbirth | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Ostitis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Organs of Locomotion | – | 2 | – | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF INTEGUMENTARY SYSTEM. | | | | | | | | | | | | | | | | | | | | |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Cellulitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Integumentary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | |
| Mines and Quarries: Coal Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Other Mines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mines and Quarries: Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Railways | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Veh. other than R'ways. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses: Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (ex. Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Conflagrations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns, Scalds: Other Burns and Scalds | 2 | – | – | – | 2 | – | – | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – |
| Burns, Scalds: Explosions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Suffocation: In Bed | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation: Otherwise | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fractures (not stated) | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | 1 | – | 1 |
| Otherwise, or Not Stated | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ILL-DEFINED AND NOT SPECIFIED CAUSES. | | | | | | | | | | | | | | | | | | | | |
| Dropsy | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Debility, Atrophy, Inanition | 3 | – | – | – | 3 | 9 | – | – | – | 9 | 4 | – | – | – | 4 | 1 | – | – | – | 1 |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Sudden (Cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-def. and not spec. Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—DECEMBER 1893.

| DISTRICTS. | Estimated Population at Middle of 1893. | Total Births. | Total Marriages. | Total Deaths. | Small-pox. | Measles. | Scarlatina. | Diphtheria. | Hooping-Cough. | Fevers—Typhus & Typhoid. | Cholera. | Diarrhœa and Dysentery. | Croup and Laryngitis. | Bronchitis, Pneumonia and Pleurisy. | Consumption. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arbroath, | 23,242 | 53 | 12 | 45 | 0 | 0 | 1 | 0 | 5 | 1 | 0 | 0 | 0 | 11 | 4 |
| Ayr, | 27,132 | 55 | 27 | 47 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 10 | 10 |
| Banff, with Macduff, | 8,841 | 21 | 7 | 10 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 |
| Blairgowrie, | 4,481 | 7 | 3 | 15 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 2 |
| Callander, | 2,305 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Campbeltown, | 10,377 | 26 | 6 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 1 |
| Cathcart (Landward), | 4,958 | 11 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crieff, | 5,531 | 14 | 3 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Dumbarton, | 18,745 | 51 | 12 | 24 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 5 | 2 |
| Dumfries, with Troqueer, | 24,092 | 55 | 19 | 57 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 2 | 1 | 10 | 7 |
| Dunfermline | 29,207 | 59 | 18 | 46 | *1 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 2 | 19 | 1 |
| Dunoon, | 7,396 | 14 | 6 | 18 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 3 | 2 |
| Eastwood (Landward), | 13,967 | 32 | 7 | 31 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 1 | 16 | 1 |
| Elgin, | 10,614 | 19 | 12 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| Falkirk, | 27,882 | 75 | 17 | 53 | 0 | 0 | 1 | 0 | 6 | 4 | 0 | 0 | 1 | 10 | 4 |
| Forfar, | 13,490 | 25 | 16 | 27 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 8 | 2 |
| Galashiels, | 18,264 | 34 | 13 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 1 |
| Govan—(1) Plantation (Landward), | 23,668 | 75 | 6 | 26 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 5 |
| (2) Govan (Landward), | 43,404 | 112 | 31 | 94 | 0 | 0 | 6 | 3 | 5 | 1 | 0 | 0 | 3 | 23 | 12 |
| (3) Partick (Landward), | 38,979 | 93 | 29 | 69 | 0 | 4 | 3 | 0 | 1 | 0 | 0 | 2 | 3 | 17 | 8 |
| Haddington, | 5,121 | 8 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 |
| Hawick, with Wilton, | 21,303 | 40 | 26 | 29 | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 2 |
| Inverness, | 24,689 | 64 | 39 | 49 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 6 | 0 |
| Kilmarnock, | 28,464 | 74 | 32 | 46 | 0 | 0 | 3 | 0 | 0 | 3 | 0 | 2 | 0 | 14 | 1 |
| Kilmore and Kilbride (Oban), | 5,870 | 8 | 9 | 12 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 |
| Kinning Park (Landward), | 14,209 | 49 | 5 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 |
| Kirkcaldy and Abbotshall, | 18,494 | 30 | 14 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 2 |
| Kirkcudbright, | 3,477 | 11 | 4 | 13 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Largs, | 5,359 | 8 | 3 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 1 |
| Logie (Bridge of Allan), | 4,308 | 7 | 5 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| Moffat, | 2,988 | 5 | 2 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| Montrose, | 14,037 | 38 | 12 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 1 |
| Moulin (Pitlochry), | 2,087 | 2 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Nairn, | 5,219 | 18 | 6 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| New Monkland, (Airdrie and Landward), | 35,266 | 121 | 25 | 59 | 0 | 1 | 1 | 1 | 4 | 1 | 0 | 0 | 2 | 16 | 1 |
| North Berwick, | 3,123 | 3 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Peterhead, with Boddam, | 16,207 | 49 | 6 | 21 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 4 | 4 |
| Rothesay, | 9,293 | 17 | 5 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 |
| St Andrews and St. Leonards, | 8,789 | 12 | 13 | 15 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 0 |
| Shettleston (Landward), | 13,476 | 42 | 6 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 3 |
| Stirling, | 15,222 | 38 | 14 | 33 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 1 |
| Stranraer, | 6,144 | 15 | 3 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 2 |
| Wick | 12,140 | 25 | 13 | 22 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 5 | 0 |

*Chickenpox.

# THE METEOROLOGICAL RETURNS

FOR

## EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 136 feet above the sea-level,

### For the month of DECEMBER 1893.

Mean barometric pressure, 29·719 inches; less than the average for the same month of 1856-92 by 0·089 inch.

Barometric monthly range, 2·064 inches; greater by 0·478 inch.

Mean temperature, 41°·5; greater by 3°·1.

Mean daily range of temperature, 9°·2; being the average.

Mean humidity, 86; less by 1.

Rain, number of days, 21; greater by 4.

Rain, depth in inches, 3·66; less by 0·06 inch.

Wind, pressure on square foot, 2·83 lbs.; greater by 0·96 lb.

Wind, direction of, E. to W. as 3 to 16, and N. to S. as 2 to 10; the average being E. to W. as 5 to 13, and N. to S. as 4 to 7.

The month of December 1893 has therefore been marked by a very unsteady barometer, an unusual predominance of W. and S.W. winds blowing with a force considerably above the average, a very high temperature, and an excess of four rainy days.

Barometric pressure, which was under the average, fell more rapidly than usual in December from S. to N., and very large depressions passed over the country on the 8th and 19th. Barometric range was consequently very large, having been since 1856, exceeded only in the Decembers of 1869 and 1886, whose ranges were 2·263 and 2·713 inches.

The temperature was 3°·3 above the average, the greatest excess being 3°·8 at Perth, and the least 2°·1 at Aberdeen. The absolute shade maximum was 55°·0 on the 15th at Leith; and the minimum 21°·5 on the 1st at Perth.

The rainfall, nearly the average on a mean of all the towns, was very unequally distributed, the extremes being 35 per cent under the average at Aberdeen and 31 per cent. above it at Greenock. As happens when W.S.W. winds are greatly in excess, the rainfall in the towns in the west was above the average, whereas in the east it was under it.

The storms that occurred from the 6th to the 10th, 14th to the 18th and on the 24th, resulted in a mean wind force for the month which since 1856 has been only twice exceeded, viz., in December 1857 with a mean pressure of 3·28 lbs., and 1885 with 3·34 lbs.

# ABSTRACT OF METEOROLOGICAL OBSERVATIONS

## Made at Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, During the Month of December 1893.

| | Height of Station above Sea-level. | BAROMETER. Mean at Station and 32°. | BAROMETER. Mean at Sea-level and 32°. | BAROMETER. Range. | SELF-REGISTERING THERMOMETERS. Highest in Month. | SELF-REGISTERING THERMOMETERS. Lowest in Month. | SELF-REGISTERING THERMOMETERS. Mean Temperature. | SELF-REGISTERING THERMOMETERS. Monthly Range. | SELF-REGISTERING THERMOMETERS. Mean Daily Range. | SELF-REGISTERING THERMOMETERS. Greatest Daily Range. | HYGROMETER. Dry Bulb, or Temp. of Air | HYGROMETER. Wet Bulb, or Temp. of Evaporation. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Elastic Force of Vapour. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Wt. of Vapour in Cub. Ft. of Air. | DEDUCTIONS from Glaisher's Tables 2nd Edit. Humidity Sat. 100. | RAIN. Number of Days it fell. | RAIN. Amount. | WINDS. Number of Days it blew in certain Directions. N | NE | E | SE | S | SW | W | NW | Calm or Variable. | WINDS. Mean Pressure on Sq. ft. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | feet. | inch. | inch. | inch. | ° | ° | ° | ° | ° | ° | ° | ° | ° | inch. | grs. | | dys. | inch. | | | | | | | | | | lbs. |
| GLASGOW, J. B. Russell, Esq., M.D., Medical Officer of Health. | 54 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| EDINBURGH, R. C. Mossman, Esq., F.R.S.E. | 276 | 29·434 | 29·739 | 2·074 | 53·9 | 25·0 | 42·0 | 28·9 | 8·5 | 16·0 | 41·9 | 39·8 | 37·2 | ·224 | 2·59 | 85 | 18 | 2·50 | 0 | 1 | 2 | 1 | 2 | 11 | 10 | 2 | 2 | 1·49 |
| DUNDEE, John Carnachan, Esq., Curator of Cemeteries. | 164 | 29·534 | 29·717 | 2·020 | 51·8 | 24·4 | 40·3 | 27·4 | 9·2 | 17·0 | 39·2 | 38·2 | 36·9 | ·220 | 2·52 | 92 | 19 | 2·08 | 1 | 1 | 0 | 2 | 1 | 11 | 13 | 2 | 0 | 2·62 |
| ABERDEEN, James Dale, Esq., Gordon's Hospital. | 66 | 29·603 | 29·677 | 1·868 | 52·2 | 23·0 | 40·2 | 29·2 | 9·9 | 17·2 | 40·5 | 38·5 | 36·0 | ·212 | 2·45 | 84 | 24 | 2·20 | 0 | 0 | 0 | 3 | 7 | 10 | 9 | 2 | 0 | 1·10 |
| LEITH, James Bolam, Esq., Navigation School, and George Redpath, Esq. | 70 | 29·657 | 29·734 | 2·081 | 55·0 | 26·9 | 42·8 | 28·1 | 8·5 | 15·7 | 42·8 | 40·7 | 38·2 | ·231 | 2·66 | 84 | 19 | 2·21 | 1 | 0 | 2 | 1 | 4 | 5 | 17 | 0 | 1 | 3·57 |
| PAISLEY, Donald Maclean, Esq., The Coats Observatory. | 107 | 29·612 | 29·730 | 2·094 | 53·9 | 23·8 | 42·5 | 30·1 | 8·4 | 20·5 | 42·4 | 40·6 | 38·5 | ·233 | 2·68 | 86 | 24 | 4·90 | 2 | 0 | 1 | 1 | 11 | 7 | 8 | 1 | 0 | 3·06 |
| GREENOCK, James Wilson, Esq., Greenock Water Works. | 233 | 29·484 | 29·737 | 2·169 | 54·7 | 25·8 | 41·5 | 28·9 | 9·4 | 20·3 | 43·2 | 41·4 | 39·3 | ·240 | 2·76 | 86 | 25 | 9·38 | 0 | 0 | 3 | 2 | 0 | 10 | 15 | 1 | 0 | 5·11 |
| PERTH, Mr A. Gaedecke, Gardener to James F. Pullar, Esq. | 140 | 29·546 | 29·701 | 2·140 | 54·5 | 21·5 | 41·4 | 33·0 | 10·3 | 26·3 | 41·3 | 39·6 | 37·4 | ·225 | 2·59 | 87 | 19 | 2·38 | 2 | 0 | 5 | 0 | 5 | 19 | 0 | 0 | 0 | .. |
| Means, | | 29·553 | 29·719 | 2·064 | 55·0 | 21·5 | 41·5 | 29·3 | 9·2 | 19·0 | 41·6 | 39·8 | 37·6 | ·226 | 2·61 | 86 | 21 | 3·66 | 1 | 0 | 2 | 2 | 4 | 11 | 10 | 1 | 0 | 2·83 |

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55 57′ Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′ Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

PRINTED BY NEILL AND COMPANY, EDINBURGH